

## Summary

VIN:1HTMSAAR22J044726

## General Information

Customer Name: [Update](#)

PENSKE TRUCK LEASING CO LP  
3000 FORTUNA DR  
AKRON, OH 443125252

International : INTL DT466 HT 250HP/2400 GOV EPA  
1998, Electro-Hydraulic Fuel System, 250HP @ 2300/2400  
Engine : RPM, 800 lb-ft Torque @ 1400 RPM, 2400 RPM Governed  
Speed, 260 Peak HP (Max)  
( 0012NMK )

Application: Dry Van

Model: 4400 SBA 6X4  
Engine  
Serial 470HM2U1336359  
Number:

Repair Management



Create Estimate

Unit No:

[Edit](#)

Inspection Exp:

Notes: No

OCC Authorization Form : N/A

## Warranty Information

Order Date: 12/03/2001

Build Date: 01/10/2002

Warranty Start Date: 03/23/2002

Time In Service: 19 Years 8 Months

DTU Engine Hours: 0

Extended Warranty Coverage: No

DTU Status: DTU

DTU Miles: 10 Miles

Standard  
Warranty: [Standard Warranty](#)

Diamond  
Spec: No

DTU Fuel  
Used: 0.

## Managed Repair Information

Open Recalls: No

Open MRCs: No

Open AFCs: No

Open FSC: No

## Calibration Status

BCM Status: [Vehicle Calibration Scorecard](#)

Electronic Feature(s): [Vehicle Calibration Scorecard](#)

## Details

### Vehicle Information

VIN : 1HTMSAAR22J044726	Order Date : 12/03/2001
Model : 4400 SBA 6X4	Build Date : 01/10/2002
Engine :	DTU Date : 01/23/2002
Application Family : Van	Warranty Start Date : 03/23/2002
Application : Dry Van	DTU Status : DTU
Wheel Base : 254.0	DTU Odometer : 10 Miles
DTU Engine Hours : 0	DTU Fuel Used : 0.
GVWR : 46000	Original Gear Ratio : 529
GCWR : 0	Ⓜ Programmed Gear 529 Ratio : As Of: 01/10/2002
PC Number : J20122035	Order Number : 636426
Paint Color Code : 5H30	Ⓜ After Frame : 0.0
Selling Dealer : <u>NAVISTAR, INC. (000132-000)</u>	Original Customer : PENSKE TRUCK LEASING CO., L.P.
Customer : PENSKE TRUCK LEASING CO LP	Address : RT. 10 GREEN HILLS
Address : 3000 FORTUNA DR	City, State Zip : READING, PA 19607
City, State Zip : AKRON, OH 443125252	
Toe (MM/M) N/A	
Forward Rear / Scrub (MM/M) N/A	
Rear Rear / Thrust (MM/M) N/A	

# Components

## Components

VIN : 1HTMSAAR22J044726

153 components found. Export

S.No	Class Description	Parts Catalog Component	Component Line Drawing	Description
1	FRAMES	<u>0001CAG</u>	<u>0001CAG</u>	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL
2	FRAMES	<u>0001LEG</u>	<u>0001LEG</u>	LICENSE PLATE HOLDER Includes Upper & Lower Mounting Plate Hardware, Mounted in Existing Holes in Front Bumper
3	FRAMES	<u>0001LNG</u>	<u>0001LNG</u>	BUMPER, FRONT Contoured, Steel, Painted Gloss Black
4	FRAMES	<u>0001WAC</u>	<u>0001WAC</u>	BUMPER EXTENSION, FRONT 4.0"
5	FRAMES	<u>0001WEP</u>	<u>0001WEP</u>	WHEELBASE RANGE 226" (575cm) Through and Including 291" (740cm)
6	FRAMES	<u>0001950</u>	<u>0001950</u>	FRAME PIERCING
7	FRONT AXLES	<u>0002ADD</u>	<u>0002ADD</u>	AXLE, FRONT NON-DRIVING {International I-120SG} I-Beam Type, 12,000-lb Capacity
8	FRONT SUSPENSIONS	<u>0003ADC</u>	<u>0003ADC</u>	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers
9	BRAKES	<u>0004AZA</u>	<u>0004AZA</u>	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System
10	BRAKES	<u>0004EBS</u>	<u>0004EBS</u>	AIR DRYER {Bendix AD-9} with Heater
11	BRAKES	<u>0004JBG</u>	<u>0004JBG</u>	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. MGM Long Stroke Brake Chambers
12	BRAKES	<u>0004NCE</u>	<u>0004NCE</u>	BRAKES, REAR, AIR CAM 16.5" x 7.0"; Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake
13	BRAKES	<u>0004SBC</u>	<u>0004SBC</u>	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM
14	BRAKES	<u>0004091</u>	<u>0004091</u>	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
15	STEERING	<u>0005CAL</u>	<u>0005CAL</u>	STEERING WHEEL 2-Spoke, 18" Dia., Black
16	STEERING	<u>0005PSA</u>	<u>0005PSA</u>	STEERING GEAR {Sheppard M100} Power
17	STEERING	<u>0005708</u>	<u>0005708</u>	STEERING COLUMN Tilting
18	EXHAUST SYSTEMS	<u>0007ACZ</u>	<u>0007ACZ</u>	EXHAUST SYSTEM Single, Horizontal Muffler, Vertical Tail Pipe, Aluminized Steel; Includes Tail Pipe Guard; Frame Mounted Right Side BOC, Inside Rail
19	ELECTRICAL SYSTEMS	<u>0008GDI</u>	<u>0008GDI</u>	ALTERNATOR {Delco Remy 23-SI} Brushless Type, 12-Volt, 100 Amp. Capacity, Belt Driven, Integral
20	ELECTRICAL SYSTEMS	<u>0008HAB</u>	<u>0008HAB</u>	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
21	ELECTRICAL SYSTEMS	<u>0008MEP</u>	<u>0008MEP</u>	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1300CCA Total, Top Threaded Stud
22	ELECTRICAL SYSTEMS	<u>0008RDX</u>	<u>0008RDX</u>	RADIO {Panasonic CR-W400U} AM/FM Stereo, With Weatherband, Clock, Includes Multiple Dual Cone Speakers
23	ELECTRICAL SYSTEMS	<u>0008THB</u>	<u>0008THB</u>	BACK-UP ALARM Electric, 102 dBA

24	ELECTRICAL SYSTEMS	<u>0008WCK</u>	<u>0008WCK</u>	POWER SOURCE, TERMINAL TYPE 2-Post
25	ELECTRICAL SYSTEMS	<u>0008WCL</u>	<u>0008WCL</u>	HORN, AIR Single Trumpet, Black, Air Solenoid Operated
26	ELECTRICAL SYSTEMS	<u>0008WPB</u>	<u>0008WPB</u>	HEADLIGHTS Halogen, Composite Aero Design, with Daytime Running Lights
27	ELECTRICAL SYSTEMS	<u>0008WPP</u>	<u>0008WPP</u>	ENGINE SHUTDOWN Automatic; with 30 Second Delay, with International Engines
28	ELECTRICAL SYSTEMS	<u>0008WTE</u>	<u>0008WTE</u>	STARTING MOTOR {Delco Remy MT-37 Type 300} 12 Volt, Less Thermal Over-Crank Protection
29	ELECTRICAL SYSTEMS	<u>0008WWJ</u>	<u>0008WWJ</u>	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
30	ELECTRICAL SYSTEMS	<u>0008XAH</u>	<u>0008XAH</u>	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
31	ELECTRICAL SYSTEMS	<u>0008000</u>	<u>0008000</u>	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
32	ELECTRICAL SYSTEMS	<u>0008518</u>	<u>0008518</u>	CIGAR LIGHTER Includes Ash Cup
33	FRONT END	<u>0009HAD</u>	<u>0009HAD</u>	GRILLE Chrome
34	FRONT END	<u>0009WAY</u>	<u>0009WAY</u>	FRONT END Tilting, Fiberglass, with Three Piece Construction
35	SPEEDOMETER, TOOLS, MISC	<u>0010WBA</u>	<u>0010WBA</u>	KEYS - ALL ALIKE, ID Z-250
36	MISC	<u>0010WYZ</u>	<u>0010WYZ</u>	QUALIFICATION IDENTITY for Non-Diamond SPEC Vehicle
37	SPEEDOMETER, TOOLS, MISC	<u>0010060</u>	<u>0010060</u>	PAINT SCHEMATIC, PT-1 Single Color, Design 100
38	SPEEDOMETER, TOOLS, MISC	<u>0010210</u>	<u>0010210</u>	LABEL Emissions, Fuel Economy and Noise. DO NOT ORDER-FOR FACTORY USE ONLY
39	SPEEDOMETER, TOOLS, MISC	<u>0010761</u>	<u>0010761</u>	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
40	SPEEDOMETER, TOOLS, MISC	<u>0010771</u>	<u>0010771</u>	PAINT CLASS Single Custom Color
41	SPEEDOMETER, TOOLS, MISC	<u>0010943</u>	<u>0010943</u>	KEYS - ALL ALIKE Fleet, Includes Ignition and Cab Door Keys
42	CLUTCH	<u>0011001</u>	<u>0011001</u>	CLUTCH Omit Item (Clutch & Control)
43	ENGINE	<u>0012NMK</u>	<u>0012NMK</u>	ENGINE, DIESEL {International DT466 High Torque} EPA 1998, Electro-Hydraulic Fuel System, 250HP @ 2300/2400 RPM, 800 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, 260 Peak HP (Max)
44	ENGINE	<u>0012TKM</u>	<u>0012TKM</u>	FAN DRIVE {Borg-Warner Kysor Series 8000} With Front Tether Air Inlet and With Nylon Fan; Use With International DT466 & 530 Engines
45	ENGINE	<u>0012UWD</u>	<u>0012UWD</u>	RADIATOR CuBr; 3-Row, Cross Flow, Over Under System, 506 SqIn Louvered, With 270 SqIn Charge Air Cooler
46	ENGINE	<u>0012VBC</u>	<u>0012VBC</u>	AIR CLEANER Single Element
47	ENGINE	<u>0012VXT</u>	<u>0012VXT</u>	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
48	ENGINE	<u>0012WBU</u>	<u>0012WBU</u>	FAN DRIVE IDENTIFIER for Bolt-On Fan Drives
49	ENGINE	<u>0012938</u>	<u>0012938</u>	COLD STARTING EQUIPMENT Ether; with Electric Cab Control
50	ENGINE	<u>0012959</u>	<u>0012959</u>	BLOCK HEATER, ENGINE {Phillips} 120V/1250W
51	TRANSMISSION	<u>0013ABB</u>	<u>0013ABB</u>	TRANSMISSION, AUTOMATIC {Allison MD-3060P} Close Ratio, 5-Speed; With PTO Gear and Less Retarder
52	TRANSMISSION	<u>0013WTA</u>	<u>0013WTA</u>	ALLISON SPARE INPUT/OUTPUT WT

				Transmission, for General Truck, Utility, Refuse, Dump, Bus and Pickup & Delivery
53	REAR AXLES, SUSPENSIONS	<u>0014GHD</u>	<u>0014GHD</u>	AXLE, REAR, TANDEM {Dana Spicer DS344/RS344} Single Reduction 34,000-lb Capacity; 190 Wheel Ends
54	REAR AXLES, SUSPENSIONS	<u>0014WLD</u>	<u>0014WLD</u>	AXLE, REAR, LUBE {EmGard 75W-90} Synthetic Oil; 50 thru 64.99 Pints
55	REAR AXLES, SUSPENSIONS	<u>0014670</u>	<u>0014670</u>	SUSPENSION, REAR, TANDEM {International} 4-Spring, Type, 34,000-lb Capacity, 52" Axle Spacing, Multileaf Springs
56	FUEL TANKS	<u>0015DMN</u>	<u>0015DMN</u>	FUEL TANK (2) Top Draw, Steel, D-Style, 16" Tank Depth, 50 US Gal (189L); Total Capacity 100 US Gal (378L), Mounted Left and Right Side, Under Cab
57	FUEL TANKS	<u>0015LDV</u>	<u>0015LDV</u>	FUEL/WATER SEPARATOR {Davco Fuel-Pro 210E} With Electric Heater, Thermostatic Fuel Temperature Control; Furnished With I6 Engine, Replaces Primary Fuel Filter
58	CABS, COWLS, BODIES	<u>0016HBA</u>	<u>0016HBA</u>	GAUGE CLUSTER English with English Electronic Speedometer
59	CABS, COWLS, BODIES	<u>0016JNT</u>	<u>0016JNT</u>	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust
60	CABS, COWLS, BODIES	<u>0016PCW</u>	<u>0016PCW</u>	SEAT, PASSENGER {International} Non Suspension, High Back With Integral Headrest, Vinyl, With Folding Back
61	CABS, COWLS, BODIES	<u>0016SDL</u>	<u>0016SDL</u>	MIRRORS (2) {Lang Mekra} Rectangular, Thermostatically Controlled Heated Heads, Black Heads, Brackets and Arms, Breakaway Type, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing
62	CABS, COWLS, BODIES	<u>0016WJS</u>	<u>0016WJS</u>	INSTRUMENT PANEL Center Section, Flat Panel
63	CABS, COWLS, BODIES	<u>0016WKB</u>	<u>0016WKB</u>	AIR CONDITIONER {International Blend-Air} with Integral Heater and Defroster
64	CABS, COWLS, BODIES	<u>0016WRZ</u>	<u>0016WRZ</u>	CAB INTERIOR TRIM Premium
65	CABS, COWLS, BODIES	<u>0016000</u>	<u>0016000</u>	FLOOR COVERING Transmission Cover, Floor Mats and Seal DO NOT ORDER-FOR FACTORY USE ONLY
66	CABS, COWLS, BODIES	<u>0016030</u>	<u>0016030</u>	CAB Conventional, Day Cab
67	WHEELS, TIRES - FRONT	<u>0027DMA</u>	<u>0027DMA</u>	WHEELS, FRONT {Accuride} DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
68	WHEELS, TIRES - REAR	<u>0028DMA</u>	<u>0028DMA</u>	WHEELS, REAR {Accuride} DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
69	WHEELS MISC OPTIONS	<u>0029TAD</u>	<u>0029TAD</u>	TIRE/WHEEL BALANCING Omit Item, Front and Rear
70	WARRANTY	<u>0040010</u>	<u>0040010</u>	WARRANTY Medium Duty Standard 12 Months
71		<u>0414STA</u>	<u>0414STA</u>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
72		<u>0414STH</u>	<u>0414STH</u>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
73		<u>0417STF</u>	<u>0417STF</u>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
74	BRAKES	<u>0504202</u>	<u>0504202</u>	DRAIN VALVE (4) Petcocks
75	BRAKES	<u>0504306</u>	<u>0504306</u>	SLACK ADJUSTERS, FRONT {Meritor} Automatic
76	BRAKES	<u>0504355</u>	<u>0504355</u>	SLACK ADJUSTERS, REAR {Meritor} Automatic