
and and a second and a second a second



BOILER SYSTEMS, FORKLIFTS, ELECTRICAL AND SUPPORT EQUIPMENT 110 East Seymour Ave., Cincinnati, OH 45216 TUESDAY, APRIL 27, 2021 - 10:00 AM



Sale Under the Management of





Inspection: Day Prior from 10:00 AM to 4:00 PM Auctioneers: Cincinnati Industrial Auctioneers, Inc. - License # 63-1983-10439 Jeffrey L. Luggen - License # 57-1983-33789 Joseph M. Luggen - License # 2010-000-019 **18% BUYER'S PREMIUM IS IN EFFECT FOR ALL PURCHASES!**

ALTHOUGH INFORMATION HAS BEEN OBTAINED FROM SOURCES DEEMED RELIABLE, THE AUCTIONEER MAKES NO WARRANTY OR GUARANTEE EXPRESSED OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION HEREIN CONTAINED. IT IS FOR THIS REASON THAT BUYERS SHOULD AVAIL THEMSELVES FOR THE OPPORTUNITY TO MAKE INSPECTION PRIOR TO THE SALE.



CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

SYNOPSIS OF THE TERMS OF SALE BOILER SYSTEMS, FORKLIFTS, ELECTRICAL AND SUPPORT EQUIPMENT

110 East Seymour Ave., Cincinnati, OH 45216 TUESDAY, APRIL 27, 2021 – 10:00 AM

<u>REGISTRATION</u>: All Bidders must register at <u>www.bidspotter.com</u> and complete the bidder registration form, removal agreement, sales tax exemption form and COVID-19 statement sent by the Auctioneer after registering for the auction.

"AS IS, WHERE IS": Everything is being sold for cash on an " as is", "where is" basis without warranties expressed or implied on part of the Owner and Auctioneer. There are NO REFUNDS, NO EXCHANGES, NO GUARANTEES or NO WARRANTIES on any item.

<u>ALL SALES ARE FINAL.</u> All Items are sold on a "Where Is" basis with the Purchaser to incur all costs in conjunction with the loading, shipping, and removal of the items from the premises.

DEPOSITS: The Auctioneer may request a deposit at time of registration.

<u>PAYMENTS:</u> ALL INVOICES MUST BE PAID IN FULL WITHIN 24 HOURS AFTER THE AUCTION. Any merchandise not paid for by this specified time will be considered abandoned and may be resold by the auctioneer, any loss incurred in the resale to be borne by the original buyer. All payments must be made by **check or certified funds by express mail**, wire **transfer or ACH**. Please inquire with auction personnel regarding the acceptance of funding. NO ONSITE PAYMENTS OR CREDIT CARDS WILL BE ACCEPTED.

<u>REMOVAL</u>: All Bidders must execute the COVID-19 Health Screening Questionnaire & Self Declaration Sheet. All Bidders must comply with Social Distancing Policies and any other policies as requested by Thunderbird LLC and the state of Ohio. All bidders removing their items will be required to wear a face mask.

ALL SMALL ITEMS MUST BE OFF THE PREMISES BY FRIDAY, APRIL 30, 2021 at 4:00 PM.

Auctioneer/Owner will not be responsible for any small items after this time.

ALL LARGE ITEMS MUST BE OFF THE PREMISES BY WEDNESDAY, MAY 5, 2021 at 4:00 PM.

At which time the Auctioneer's representative will leave the premises. After this time, arrangements for removal must be made with the Auctioneer.

"TIME IS OF THE ESSENCE" ALL ITEMS MUST BE OFF THE PREMISES BY FRIDAY, MAY 7, 2021 at 4:00 PM.

At the Owners Discretion, any items remaining after this time will be removed from the premises and stored at the expense of the buyer, considered abandoned and scrapped.

CHECKOUT HOURS:

Friday, April 30th From 8:00 AM to 4:00 PM Monday, May 3rd – Wednesday, May 5th From 8:00 AM to 4:00 PM Thursday, May 6th – Friday, May 7th By Appointment Only!!

IMPORTANT AUCTION NOTICES:

18% BUYERS PREMIUM IS IN EFFECT FOR ALL PURCHASES! ALL BUYERS WILL BE REQUIRED TO EXECUTE AN "AUCTION PURCHASE REMOVAL AGREEMENT" ALL SALES SUBJECT TO STATE AND LOCAL SALES TAX WHERE APPLICABLE ALL BIDDERS MUST COMPLY WITH OUR CUSTOMARY "TERMS OF SALE" ATTACHED HERETO, POSTED AT THE SALE SITE & OUR WEBSITE @ WWW.CIA-AUCTION.COM. Auctioneer Can Not Assist with Export Documents!

WIRING INSTRUCTIONS

The balance of your invoice may be wired directly to our bank: PNC Bank, 201 East Fifth Street, Cincinnati, Ohio 45201 **Call for Complete Wire Transfer Instructions** PLEASE SPECIFY YOUR BIDDER NUMBER WHEN MAKING YOUR WIRE TRANSFER NOTE: A BANK WIRE TRANSFER FEE WILL APPLY WHICH IS NOT INCLUDED IN BALANCE DUE OF INVOICE



CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers appraisers since 1961 cia-auction.com info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

TERMS OF SALE

NOTICE: All Bidders and other persons attending this sale ("Bidders") agree that they have read and have full knowledge of these terms and agree to be bound hereby. The Bidder identified by the Auctioneer as the high bidder or successful bidder at auction ("successful Bidder") shall have entered into a legally binding contract to purchase the item bid upon ("Lot") at the price and subject to the terms and conditions set forth herein. All determinations, rulings, and adjustments made by the Auctioneer in good faith shall be final, binding, and conclusive upon all Bidders. The term "Auctioneer" herein means Cincinnati Industrial Auctioneers, Inc.

- 1. **IDENTIFICATION -** All Bidders are required to give full name and addresses at time of registration.
- DEPOSIT Each successful Bidder will be required to make a deposit in cash or by bank cashier's or certified check of 25 percent (25%) of the successful bid on each Lot at time of knockdown. In default of such deposit, the Lot may be put up again immediately and resold.
- 3. TIME OF PAYMENT Each successful Bidder shall receive an invoice during or at the conclusion of the auction. All invoices must be paid in full by the close of business on the last day of the auction sale and prior to removing any Lot. Any other arrangements must be made with auctioneer prior to bidding. In the absence of payment or agreement by the auctioneer, title to the Lot shall not transfer to the successful Bidder and such Bidder will lose any right, title or interest such Bidder may have acquired, and the deposit paid, if any, without further notice to such Bidder. The Bidder shall nonetheless remain liable for any damages caused by the Bidder's failure to pay.
- 4. REMOVAL All purchases must be removed not later than the date specified in the Auction Catalogue and/or announced at the sale. No Lot can, on any account, be removed during the sale. All goods are sold "Where Is." Removal shall be at the expense, risk, and liability of the successful Bidder. Purchases will be released only on presentation of paid invoice. Auctioneer shall not be responsible for Lots not removed within the time allowed, but Auctioneer shall have the option to remove and store at the expense and risk of the successful Bidder any article purchased, but not paid for and removed within the time required.
- 5. MANNER OF PAYMENT All payments must be made by cash, bank cashier's check or company check with a bank letter of authorization guaranteeing funds to "Cincinnati Industrial Auctioneers, Inc." All checks for deposits and balances due shall be payable to the order of "Cincinnati Industrial Auctioneers, Inc." All invoices must be paid to representatives of the Auctioneer at the auction site unless otherwise announced. The full purchase price on all Lots sold to the same successful Bidder must be paid within the time fixed and before removal of any Lot.
- 6. DISCALIMER OF ALL WARRANTIES INCLUDING IMPLIED WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR PARTICULAR PURPOSE; CONDITION OF ARTICLES SOLD – The Auctioneer and any owner, seller, or secured party make no warranties express or implied as to merchantability or fitness for purpose whatsoever. All such express or implied warranties are expressly excluded hereby. No oral statement or other writing by any person negates this exclusion. If you think you have received any assurance or warranty of any kind as to a Lot offered in this auction do not bid on such item unless the Auctioneer has signed a writing specifically directed to you and identifying the Lot and stating the modification of this exclusion The Auctioneer shall not be responsible for the correct description, genuineness, authenticity of, or defect in any Lot, and makes no warranty in connection therewith. No sale will be set aside nor allowance made on account of any incorrectness, error in commentary, cataloging, or any imperfection not noted. No deduction, credit or avoidance shall be allowed on damaged articles, all Lots being exposed for public exhibition are purchased and accepted by successful Bidder "AS IS", "WHERE IS" and "WITH ALL FAULTS". Auctioneer makes no warranties or guarantees whatsoever whether written, oral or implied as to quality, quantity, condition, usability, salability, weight, measurement, age, model, mechanical condition, performance or other specifications and all sales made are utterly without recourse.
- 7. **CLAIMS –** No Claims will be allowed after removal of Lots from premises.
- 8. RESPONSIBILITY FOR NON-DELIVERY- Auctioneer, any owner, seller or secured party shall not, in any event, be liable to any Bidder for non-delivery of any Lot or for any other matter or thing, other than for the return to the successful Bidder of the deposit or sum paid on said Lot, should the successful Bidder be entitled thereto. This means that if are a successful Bidder and for any reason your Lot is not made available to you, you agree that the damages you may claim for such non-delivery are limited to the amounts you have paid and you waive any



CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers appraisers since 1961 cia-auction.com info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

claim for damages for lost profits, opportunity, the value of the Lot in excess of the purchase price, your time, expenses, incidental and consequential damages, all of which are expressly waived.

- 9. COMPLIANCE WITH TERMS OF SALE In default of payment of invoices in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. Lots not paid for and removed within the time allowed herein may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charges of resale, will be charged to the defaulting successful Bidder.
- 10. RISK TO PERSON AND PROPERTY Persons attending during exhibition, sale, or removal of Lots assume all risks of damage of or loss to person and property and specifically release the Auctioneer from liability therefore and agree to indemnify and hold the Auctioneer harmless from any loss, claim, liability, cost, or expense caused all or in part by such person(s). Neither the auctioneer nor his principal shall be liable by reason of any defect in or condition of the premises on which the exhibition, sale, or removal of Lots is held.
- 11. **ADDITION TO OR WITHDRAWAL FROM SALE** The Auctioneer reserves the right to alter the order of the sale, withdrawal from the sale any of the Lots or parts thereof or to sell at this sale Lots not listed, and also reserves the right to group one or more Lots into one or more selling Lots or to subdivide into two or more selling Lots, or make any combination thereof which Auctioneer in its sole discretion determines. Whenever the best interest of the Seller will be served, the Auctioneer reserves the right to sell Lots in bulk.
- 12. **SALE BY ESTIMATED WEIGHT, COUNT OR MEASURE** Where items are sold by estimated weight, count, or measure, the successful Bidder will be invoiced for and required to pay for the estimated weight, count, or measure. If upon delivery any shortage exists, the successful Bidder will receive a credit at the rate of the bid. If there be an excess, the successful Bidder will be required to take and pay for such excess, at the rate of the bid.
- 13. **DISPUTE BETWEEN BIDDERS/BID INCREMENTS** If any dispute arises between two or more Bidders, the Auctioneer may decide the same or put the Lot up for sale again at once or resell to the highest Bidder. The Auctioneer may reject a nominal or fractional bid advance in the Auctioneer's sole discretion
- RESERVE The Auctioneer reserves the right to reject any and all bids. On Lots upon which there is a reserve, the Auctioneer shall have the right to bid on behalf of the seller, owner or secured party and shall have no obligation to denote or announce such reserve or bid.
- 15. **RECORDS** The record of sale kept by the Auctioneer and bookkeeper will be taken as final in the event of any dispute.
- 16. AGENCY The Auctioneer is acting as agent only and is not responsible for the acts of its principals.
- 17. **SALES TAX –** All sales are subject to state and local taxes, which will be collected from the successful Bidder unless a proper exemption certificate including tax-exempt number is presented at the time of payment.
- 18. **BUYER'S PREMIUM –** The Auctioneer in its sole discretion may impose a Buyer's Premium on any Lots sold. The Buyer's Premium is a percentage that is added to the final purchase price of any Lot.
- 19. **SHIPPING –** All coolants, oil and fluids must be drained from all machinery and equipment prior to removal. All of the above must be shipped in compliance with state and federal regulations. Unless otherwise expressly provided in writing, preparation and shipment shall be at the sole responsibility and cost of the successful Bidder.
- INSURANCE All successful Bidders, or their riggers must provide the Auctioneer and the owner of the premises
 of the sale a certificate of insurance in amounts acceptable to the Auctioneer prior to removal of any Lot.
- 21. **ADDITIONAL TERMS AND CONDITIONS** Except as set forth in Section 6 above, the Auctioneer may modify or supplement these terms and conditions of sale by language in the catalog available at the sale site or by announcement at the start of the sale.

CINCINNATI **INDUSTRIAL** AUCTIONEERS auctioneers appraisers since 1961 cia-auction.com info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



AUCTION PURCHASE & REMOVAL AGREEMENT

BOILER SYSTEMS, FORKLIFTS, ELECTRICAL & SUPPORT EQUIPMENT

110 East Seymour Ave., Cincinnati, OH 45216 TUESDAY, APRIL 27, 2021 – 10:00 AM

All purchasers of items at the Boiler Systems, Forklifts, Electrical and Support Equipment auction conducted by Cincinnati Industrial Auctioneers, Inc. hereby agree to the following:

All purchasers agree to abide by the "Terms of Sale" as listed on our website and posted at the auction premises. The Auctioneer and Owner make no warranties express or implied as to merchantability, fitness for purpose, or condition of the articles being sold. All such expressed or implied warranties are expressly excluded hereby. All Bidders must execute the COVID-19 Health Screening Questionnaire & Self Declaration Sheet. All Bidders must comply with Social Distancing Policies and any other policies as requested by Thunderbird LLC and the state of Ohio. Any bidder removing items will be required to wear a face mask.

All items are purchased on an **"As Is, Where Is"** basis, with the purchaser to incur all costs in conjunction with the loading, shopping and removal of the items from the premises. <u>ALL EQUIPMENT MUST BE REMOVED IN A</u> <u>WORKMAN LIKE MANNER AND ALL UTILITIES MUST BE CAPPED. ALL ANCHOR BOLTS MUST BE CUT OFF AT FLOOR</u> <u>LEVEL</u>. <u>ALL OILS AND COOLANTS</u> <u>MUST BE REMOVED FROM MACHINES PRIOR TO REMOVAL</u>. All items are available for removal during normal business hours through **Wednesday, May 5, 2021 at 4:00 PM** at which time our representatives will leave the premises. After this time arrangements for removal must be made by appointment with Auctioneer.

<u>"TIME IS OF THE ESSENCE"</u> regarding the removal of items from the premises. All items <u>must</u> be removed by **Friday, May 7, 2021 at 4:00 PM.** Any items remaining after this time will be removed and stored at the expense of the buyer or considered abandoned and scrapped. <u>NO EXCEPTIONS!</u>

All purchasers and/or riggers of machinery <u>MUST</u> provide Cincinnati Industrial Auctioneers, Inc., and Thunderbird LLC a certificate of insurance in the amount of \$2,000,000.00 prior to removal. Cincinnati Industrial Auctioneers, Inc., and Thunderbird LLC must be named on the policy as co-insurer.

There are NO REFUNDS, NO EXCHANGES, NO GUARANTEES OR NO WARRANTIES on any item. ALL SALES ARE FINAL.

Accepted By Purchaser:

Company Name

Buyer Number / Bidspotter Email

Signature

Date

Boiler Systems, Forklifts, Electrical and Support Equipment April 27, 2021



CINCINNATI **INDUSTRIAL AUCTIONEERS** auctioneers appraisers since 1961 cia-auction.com info@cia-auction.com

2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

CINCINNATI INDUSTRIAL AUCTIONEERS, INC. COVID-19 Health Screening Questionnaire & Self Declaration

CIA values the health and welfare of our customers, employees, and business partners. We will take all necessary precautions to avoid against the spread of the COVID-19 Virus. For the latest of information regarding the COVID-19 virus and precautions to avoid the spread please review the CDC's website at (<u>https://www.cdc.gov/coronavirus/2019-ncov/index.html</u>).

CIA will ask you to confirm that the following statements are correct prior to entering any auction facility for inspection or removal of purchases:

- 1. You have not knowingly had any contact with a person that has COVID-19 in the last 14 days.
- 2. You have not been out of the U.S., or in any risk sites in the last 14 days.
- 3. You do not have any respiratory systems (cold, cough or shortness of breath), do not have a fever of 100°F, or have been fever free for at least 48 hours WITHOUT the use of any fever-reducing or other symptom relief medication.

AUCTION INSPECTION & REMOVAL GUIDELINES

- 1. Take your temperature before coming to the facility. IF YOU ARE SICK STAY HOME!
- 2. Please bring your own Personal Protective Equipment to the facility. This includes Safety Glasses, Face Mask & Gloves. You will not be allowed on the premises without these items.
- **3.** Please practice safe Social Distancing while in the facility. Keep at least 6' apart from other individuals.
- **4.** A limited number of customers will be allowed in the facility at one time. Please remain in your vehicle until it is your turn to enter the facility.
- 5. Truck drivers MUST remain outside the facility.

Temperature: _____

- 6. Other safety precautions to remember; wash your hands frequently, do not touch your face and sneeze or cough into your arm or a Kleenex.
- 7. Additional onsite policies will be posted at the sale site.

Signature:	Buyer #:	Date:
Cell #:	Email:	

Catalog for Auction:Boiler Systems, Forklifts, Electrical

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy,

genuineness, authenticity, description, weight, count or measure of any of the lots specified

herein.

3 a 4 Maria	0h .	P		•	_	· //
Lot Num	Qty.	Description	Lot Num	Qty.	Des	scription
1	1	10" DAYTON MODEL 4CY85A BENCH DRILL	25	1	E	DCO MODEL CPM8-9H GAS POWERED
2	1	1" ENCO MODEL NO. 00234013 BENCH BELT			С	ONCRETE SCARIFIER PLANER; S/N 12167,
		SANDER			8'	" WORKING WIDTH, 1/8" DEPTH PER PASS,
3	1	MFG UNKNOWN BENCH MULTI-PURPOSE			9	HP HONDA GX270-270 GAS ENGINE
		HAND BENDER	26	1	1 18	8" BLADE TARGET MODEL PAC IV GAS
4	1	(LOT) MISCELLANEOUS COMBINATION			Ρ	OWERED WALK BEHIND CONCRETE SAW;
		WRENCHES			S,	/N 263426, 13 HP HONDA GX390 GAS
5		(LOT) MISCELLANEOUS ALLEN WRENCHES			E	NGINE
6		(LOT) MISCELLANEOUS ALLEN WRENCHES	27	1		SSICK MODEL FME5-1 ELECTRIC
7	1	(LOT) MISCELLANEOUS ALLEN WRENCHES			P	ORTABLE CONCRETE PUMP; S/N 971205,
8		1" OUTSIDE MICROMETERS			1-	-1/2 HP ELECTRIC MOTOR, 115-208 / 230
9	1	(LOT) MISCELLANEOUS INSPECTION			V	OLT
		GAGES	28	1		OODALL MODEL 718 START ALL 18 HP
10		24" DIGITAL HEIGHT GAGE				RIGGS AND STRATTON TWIN CYLINDER
11		24" DIGITAL HEIGHT GAGE				AS ENGINE DUAL BOOSTER CABLES
11A	3	CASES 4.000" - ,1001" RECTANGULAR GAGE				ATTERY JUMP STARTER, 2 AWG X 20'
<i>i</i> –		BLOCKS **NOT COMPLETE SETS**				ROFESSIONAL GRADE BOOSTER CABLES,
12	1	AINSWORTH MODEL 400 DE SERIES				50 AMP, PUSH BUTTON START, STEEL
		DIGITAL READ-OUT SCALE WITH DYMO M3				LATFORM MOUNTED
10	-	316 DIGIAL POSTAL SCALE	29	1		OODALL MODEL 718 START ALL 18 HP
13		LARGE DIAMETER MORSE TAPER DRILLS			,	APPROX.) KOHLER TWIN CYLINDER GAS
14	1	(LOT) CREFORM PIPE AND JOINT RACK				NGINE DUAL BOOSTER CABLES BATTERY
15	4	(DISASSEMBLED) HYDAC CHARGING AND GAUGING UNITS				UMP STARTER, 2 AWG AND 20'
10	1	FOR BLADDER, DIAPHROGAM AND PISTON				ROFESSIONAL GRADE BOOSTER CABLES,
		ACCUMULATORS				50 AMP, PUSH BUTTON START STEEL
16	1	2 TON CAPACITY ALVA MODEL B2 1/2 HP	30			LATFORM MOUNTED 5 KVA AMERICAN POWER SERVICE
10	'	PRESS	50			ORTABLE POWER STATION WITH 480
17	1	18" DIAMETER CHALLENGE PART NO.				OLTS, 3 PHASE CONNECTIONS, 220
	•	LR-1804 LAPPING PLATE; S/N 12124-8				OLTS, SINGLE PHASE CONNECTIONS, 25
18	1	16" BTC FOUR JAW CHUCK, SIX PIN BACK				VA GENERAL ELECTRIC TRANSFORMER
10	•	3-1/2" CENTER TO CENTER ON PINS	31			GARDNER DENVER MODEL ENV513
19	10	FIVE GALLON STAINLESS STEEL MILK	01			NVIROAIRE S7 TRIPLEX ROTARY SCROLL
		CANS				IR COMPRESSOR WITH (3) 7.5 HP
20	10	FIVE GALLON STAINLESS STEEL MILK				LECTRIC MOTORS; S/N D155490, ID #
		CANS				ENV57T, WITH (3) 7.5 HP WEG ELECTRIC
21	11	TOTAL - (8) FIVE GALLON AND (3) EIGHT				OTORS, 116 PSI RATING 2,650 RPM AND 48
		GALLON STAINLESS STEEL MILK CANS				CFM, 3 PHASE, 480 VOLT MOUNTED
22	1	200 GALLON (APPROX.) FUEL OIL TANK				LECTRICAL CABINET, (3) AIR ENDS
23		55" DIAMETER X 8" DEEP BRADLEY	32			,000 CAPACITY SALTER BRECKNELL
		CONCRETE WASH FOUNTAIN				ODEL DCSB48&48 FLOOR SCALE; S/N
24	1	8" BLADE EDCO MODEL C10-11H CRACK				3327, WITH SALTER 200E READ OUT
		CHASE GAS POWERED SAW; S/N 1492, 11	33			00 AMP LINDE MODEL V1400 CV-DC
		HP HONDA GX340 GAS ENGINE, 1" MAX				VELDING POWER SUPPLY; S/N D80D16993,
		DEPTH CUT				VITH STAND, 3 PHASE, 230/460 VOLTS
			34	,		/2 HP MFG UNKNOWN DUAL SIDE TABLE
						OUNTED GROMMET MACHINE; S/N N/A

Page 2

CINCINNATI IND. AUCTIONEERS, INC. 2020 DUNLAP STREET CINCINNATI, OH 45214 513-241-9701

Lot Num	Qty.	Description	Lot Num	Qty. Description
35	1	CHICAGO RIVET MODEL 555 DUAL HEAD RIVET MACHINE; S/N 1581DS, SIZE .060	47	1 7.5 HP BELL AND GOSSETT SIZE E-1510 SSF 5.75 1.25AD WATER PUMP; S/N
36	1	6" X 12" BOYAR-SCHULTZ HAND FEED SURFACE GRINDER; SN 25680		C199088-01M41, 7.5 HP BALDOR ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 175
37	1	ELDAN MODEL M3 CABLE STRIPPER MACHINE; 3 PHASE, 220 VOLTS	48	MAX WATER PRESSURE PSI, 150 GPM 1 7.5 HP BELL AND GOSSETT SIZE 15010 BF
38	1	130 TON (APPROX.) WATSON-STILLMAN MODEL 9283-J FOUR POST HYDRAULIC PRESS; S/N N/A		5.5 1.5 AC WATER PUMP; S/N C118930-02M01, 7.5 HP WEG ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 175
39		15 HP GOULD PUMPS ITT G&L SERIES SSV CAT NO. 46SVBB22M6TA WATER PUMPS WITH (2) 15 HP BALDOR ELECTRIC MOTORS, 3 PHASE, 208-230/460 VOLTS, 3,500 RPM AND (2) SILENT CHECK VALVES	49	MAX WATER PRESSURE PSI, 150 GPM 1 7.5 HP BELL AND GOSSETT SIZE 1510 BF 7 1.5AC WATER PUMP; S/N 1BF180-B40, 7.5 HP BALDOR ELECTRIC MOTOR, 3 PHASE, 230/460 VOLTS, 175 MAX WATER PRESSURE
40 41		15 HP BELL AND GOSSETT SIZE 1510 MODEL 2314 WATER PUMP; S/N CP4564-03B30, 175 MAX WATER PRESSURE PSI, 375 GPM, 1,800 RPM, 15 HP LINCOLN ELECTRIC MOTOR, 3 PHASE, 230/460 VOLTS 15 HP BELL AND GOSSETT SIZE 1510		PSI, 150 GPM 1 7.5 HP BELL AND GOSSETT SIZE 1510 BF 5.5 1.5 AC WATER PUMP; S/N C179632-01A41, 7.5 HP WEG ELECTRIC MOTOR, 3 PHASE, 230/460 VOLTS, 175 MAX WATER PRESSURE PSI, 150 GPM
		MODEL 2314 WATER PUMP; S/N CP4564-02B30, 175 MAX WATER PRESSURE PSI, 375 GPM, 1,800 RPM, 15 HP LINCOLN ELECTRIC MOTOR, 3 PHASE, 230/460 VOLTS		1 7.5 HP BELL AND GOSSETT SIZE R1510 SSF 5.75 1.25 AD WATER PUMP; S/N C199088-02M41, 7.5 HP BALDOR ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 175
42	1	15 HP BELL AND GOSSETT SIZE 1510 MODEL 2314 WATER PUMP; S/N CP4564-01B30, 175 MAX WATER PRESSURE PSI, 375 GPM, 1,800 RPM, 15 HP LINCOLN ELECTRIC MOTOR, 3 PHASE, 230/460 VOLTS		MAX WATER PRESSURE PSI, 150 GPM 1 7.5 HP BELL AND GOSSETT SIZE 1510 BF 5.500 1.5 AC WATER PUMP; S/N CS7123-01H40, 7.5 HP BALDOR ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 175
43		7.5 HP BELL AND GOSSETT SIZE 1510BF 5.5 1.5AC WATER PUMP; S/N C115390-01K01, 7. HP MARATHON ELECTRIC MOTOR, 175 MA) WATER PRESSURE PSI, 3 PHASE, 208/230 / 460 VOLTS, 150 GPM	5 53 <	MAX WATER PRESSURE PSI, 150 GPM 1 5.0 HP BELL AND GOSSETT SIZE 1510 BF 7.75 2BC WATER PUMP; S/N C119715-01M01, 5 HP WEG ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 175 MAX WATER PDECOURSE DOL 100 OPM
44		7.5 HP BELL AND GOSSETT SIZE 1510BF 5.5 1.5AC WATER PUMP; S/N C118930-01M01, 7.5 HP WEG ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 150 GPM, 175 MAX WATER PRESSURE PSI	54	PRESSURE PSI, 160 GPM 1 5.0 HP BELL AND GOSSETT SIZE 1510 BF XX 2BC WATER PUMP; S/N C123792-04C11, 5.0 HP WEG ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 175 MAX WATER DEFOCURE PSI, 400 OPM
45	1	7.5 HP BELL AND GOSSETT SIZE 1510BF 5.5 1.5 AC WATER PUMP; S/N C053637-01L70, 7.5 HP BALDOR ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 175 MAX WATE PRESSURE PSI, 150 GPM	55	PRESSURE PSI, 120 GPM 1 1 HP BELL AND GOSSETT SIZE 1510 BF 6.25-1.25AC WATER PUMP; S/N C124045-01C11, 1 HP US ELECTRICAL MOTORS ELECTRIC MOTOR, 3 PHASE,
46	1	7.5 BELL AND GOSSETT SIZE 1510BF 5.5 1.5AC WATER PUMP; S/N CS1323-01 D40, 7. HP BALDOR ELECTRIC MOTOR, 3 PHASE, 208-230/460 VOLTS, 175 MAX WATER PRESSURE PSI, 150 GPM	5	230/460 VOLTS, 17.5 MAX WATER PRESSURE PSI, 29 GPM

Page 3

CINCINNATI IND. AUCTIONEERS, INC. 2020 DUNLAP STREET CINCINNATI, OH 45214 513-241-9701

Catalog for Auction:Boiler Systems, Forklifts, Electrical

Lot Num	Qty. Description	Lot Num	Qty. Description
56	1 1 HP BELL AND GOSSETT SIZE 1510 BF 6.25-1.25AC WATER PUMP; S/N	65	1 ****EMK POWERJET MODEL 4046E AUTOMATIC PARTS WASHER; S/N 10486519,
	C124045-02C11, 1 HP CENTURY ELECTRIC MOTOR, 3 PHASE, 230/460 VOLTS, 175 MAX WATER PRESSURE PSI, 29 GPM		40" X 46" MAX LOAD SIZE, 37" TURN TABLE, (3) ELECTRIC HEATING ELEMENTS, 100 GALLON TANK, 1.5 HP PUMP MOTOR, 3
57	1 (LOT) BELL AND GOSSETT MODEL SJ62-4 HEAT EXCHANGER WITH (2) STAINLESS		PHASE, 220 VOLT ****LOCATED IN FRANKFORT, INDIANA, OWNER WILL
58	STEEL PIPING WITH SHUT OFF VALVES 1 2,205 LB MULTITON MODEL SM20	65A	LOAD**** 1 SHOP BUILT TUBE FORMING MACHINE
50	WALK-BEHIND ELECTRIC STRADDLE LIFT; S/N 93A31036135, WITH BUILT IN CHARGER, NEW 12 VOLT BATTERY, 62" MAX LIFT HEIGHT, 78" MAST HEIGHT, 42" FORKS WITH 40" X 42" PLATFORM (NEW 2003)	66	1 IPM SEMI-AUTOMATIC UNI-TENSION STRETCH WRAP MACHINE; S/N N/A, 60" TURNTABLE, 32" MAX FILM ROLLS, VARIABLE SPEED ELEVATION, 72" APPROX. WRAP HEIGHT
59	1 800 LB. CAPACITY PRESTO MODEL C74 ELECTRIC WALK-BEHIND COUNTERBALANCE STACKER TRUCK; S/N 73709, WITH BUILT IN BATTERY CHARGER, 12 VOLT BATTERY, 74" LIFT HEIGHT, 92" MAST HEIGHT, 24" FORKS	67	1 YASKAWA MODEL E7BVB077YL DRIVE/BYPASS PULSE WIDTH MODULATED DRIVE SYSTEM FOR 3 PHASE AC INDUCTION MOTORS ELECTRICAL ENCLOSURE, AC INPUT 480 VOLTS, 3 PHASE, 85.6 AMP, AC OUTPUT, 0-460 VOLTS,
60	1 1,000 LB. ECONOMY MODEL WF-56-26 MANUAL HYDRAULIC STRADDLE LIFT TRUCK; S/N 0039610, 72" LIFT HEIGHT, 24" FORKS	68	3 PHASE, 77.0 AMPS 1 YASKAWA MODEL E7BVB052T DRIVE / BYPASS PULSE WIDTH MODULATED DRIVE SYSTEM FOR 3 PHASE INDUCTION MOTORS
61	1 GRAND SPECIALTIES MODEL 4054 SHOP CADDY MANUAL HYDRUALIC LIFT STACKER S/N 3215	•	ELECTRICAL ENCLOUSRE, AC INPUT 480 VOLTS, 3 PHAE, 57.9 AMPS, AC OUTPUT 0-460 VOLTS, 3 PHASE, 52.0 AMPS
62	1 350 LB. CAPACITY SKYJACK MODEL M12 SINGLE PERSON ELECTRIC WORK PLATFORM; S/N 03265, WITH BUILT IN CHARGER, 12" PLATFORM HEIGHT, 12 VOLT SYSTEM (NEW 11-1997)	69	1 YASKAWA MODEL E7BVB052T DRIVE / BYPASS PULSE WIDTH MODULATED DRIVE SYSTEM FOR 3 PHASE INDUCTION MOTORS ELECTRICAL ENCLOSURE, AC INPUT 480 VOLTS, 3 PHASE, 57.9 AMPS AC OUTPUT,
63	1 300 LB. CAPACITY CROWN MODEL WAV50-118, 24 VOLT ELECTRIC ONE PERSON WORK ASSIST VEHICLE; S/N 9A167756, WITH BUILT IN CHARGR, 118" PLATFORM LIFT HEIGHT	70	0-460 VOLTS, 3-PHASE, 52.0 AMPS 1 YASKAWA MODEL E7LVB052G DRIVE / BYPASS PULSE WIDTH MODULATED DRIVE SYSTEM FOR 3-PHASE INDUCTION MOTORS ELECTRICAL ENCLOUSRE, AC INPUT 480
64	1 CUDA MODEL G95 FRONT LOAD SOLVENT FREE PARTS WASHER; S/N 100597, 36"		VOLTS, 3-PHASE, 57.3 AMPS, AC OUTPUT 0-480 VOLTS, 3-PHASE, 52.0 AMPS
	DIAMETER PART ROTARY TABLE, 35" (APPROX.) CLEARANCE HEIGHT, (4) 24" DIAMETER X 6" DEEP BASKETS (NEW 7-28-1998)	71	1 YASKAWA MODEL E7CVB065CL TYPE E7 CONFIGURED ELECTRIAL ENCLOUSRE, AC INPUT 480 VOLTS, 3-HASE, 71.6 AMP, AC OUTPUT 0-460I VOLTS, 3-PHASE, 65.0 AMPS
	,	72	1 YASKAWA MODEL E7BVB052NFS DRIVE / BYPASS PULSE WIDTH MODULATED DRIVE

1 YASKAWA MODEL E7BVB052NFS DRIVE / BYPASS PULSE WIDTH MODULATED DRIVE SYSTEM FOR 3 PHASE INDUCTION MOTORS ELECTRICAL ENCLOSURE AC INPUT 480 VOLTS, 3-PHASE, 57.3 AMPS AC OUTPUT 0-480 VOLTS, 3-PHASE, 52.0 AMPS

Lot Num	Qty.	Description	Lot Num	Qty. Description
73		YASKAWA MODEL E7CVB014CZL TYPE CONFIGURED ELECTRICAL ENCLOSURE AC INPUT 480 VOLTS, 3-PHASE, 16.4 AMPS AC OUTPUT 0-460 VOLTS, 3-PHASE, 14.0 AMPS	86	1 2014 - 17,600 LB. HUBTEX MODEL DQ80-LPG LP GAS FOUR WAY STEER SIDE LOADER; S/N 64.356, 3051EL SERIES, UNIT 334 (NEW 2014) TWO-STAGE MST, FORK POSITIONER,
74	1	YASKAWA MODEL E7CVB014C2L TYPE CONFIGURED ELECTRICAL ENCLOSURE AC INPUT 480 VOLTS, 3-PHASE, 16.5 AMPS, AC OUTPUT 0-460 VOLTS, 3-PHASE, 14.0 AMPS	87	157.5" MAX LIFT HEIGHT, 135" MAST HEIGHT, 8" X 96" FORKS, 3,770 HOURS SHOWING 1 2014 - 10,000 LB. HUBTEX MODEL MSU45 2240-PU SERIES ELECTRIC POWERED SIDE
75		YASKAWA MODEL E7BVB021NFZS DRIVE / BYPASS PULSE WIDTH MODULATED DRIVE SYSTEM FOR 3-PHASE INDUCTION MOTORS ELECTRICAL ENCLOSURE AC INPUT 480 VOLTS, 3-PHASE, 25.7 AMPS AC OUTPUT 0-480 VOLTS, 3-PHASE, 21.0 AMPS	3	LOADER; S/N 64.704, WITH BATTERY CHARGER (NEW 2014), 72 VOLT SYSTEM, 240" MAX LIFT HEIGHT, 154" MAST LENGTH, 160" (APPROX.) MAST HEIGHT WHEN MOUNTED TO LOADER, FORK POSITIONER, 6" X 48" FORKS *HUBTEX MAST HAS BEEN
76		ONAN MODEL OT400 TRANSFER SWITCH ELECTRICAL ENCLOSURE, 480 VOLTS, 3-PHASE, 400 AMP, 3/4 WIRE	87A	REMOVED FOR SHIPMENT* 1 2015 - 12,000 LB. HYSTER MODEL S120FTS LP GAS CUSHION TIRE LIT TRUCK; S/N H0041 (202020), 462 21 LIET LIELOUT, 841
77		ONAN MODEL OT400 TRANSFER SWITCH ELECTRICAL ENCLOUSRE, 480 VOLTS, 3 PHASE, 400 AMP, 3/4 WIRE		H004VQ3836N, 163,2" LIFT HEIGHT, 81" OVERALL MAST HEIGHT, 22" X 12" X 16" FRONT CUSHION TIRES, 18" X 8" X 12.125"
78		ONAN MODEL OT225 TRANSFER SWITCH ELECTRICAL ENCLOSURE, 480 VOLTS, 3-PHASE, 225 AMPS, 3/4 WIRE		REAR CUSHION TIRES, EQUIPPED WITH PAPER CLAMP CONTROLS, 7,075 HOURS SHOWING **NO PROPANE TANK -
79	1	ONAN MODEL OTCU225-G/236 TRANSFER SWITCH ELECTRICAL ENCLOSURE, 227/480 VOLTS, 3-PHASE, 225 AMP, 4 WIRE	87B	PROPERTY OF AUCTION CO.** 1 2015 - 12,000 LB. HYSTER MODEL S120FTS LP GAS CUSHION TIRE LIFT TRUCK; S/N
80	1	ONAN MODEL OT800 TRANSFER SWITCH ELECTRICAL CAIBNET, 480 VOLT, 3-PHASE, 800 AMP, 3/4 WIRE		H004V03845N, 163.2" LIFT HEIGHT, 81" OVERALL MAST HEIGHT, 22" X 12" X 16" FORNT CUSHION TIRES, 18" X 8" X 12.125"
81	1	SIEMENS CAT NO. HF328N HEAVY DUTY SAFETY SWITCH, 1,200 AMPS MAX, 240 VOLTS, AC MAX, 250 VOLTS DC MAX, 3-PHASE	87C	REAR CONTROLS, 9,419 HOURS SHOWING **NO PROPANE TANK - PROPERTY OF AUCITON CO.** 1 2015 - 12,000 LB. HYSTER MODEL S120FTS
82	4	(3) 400 AMP AND (1) 300 AMP SIEMENS SENTRON SERIES CIRCUIT BREAKERS, 240 VOLTS, 3-POLES		LP GAS CUSHION TIRE LIFT TRUCK; S/N H004V03845N, 163.2" LIFT HEIGHT, 81" OVERALL MAST HEIGHT, 22" X 12" X 16"
83	3	250 AMP SIEMENS CAT NO. FD63F250 SENTRON SERIES CIRCUIT BREAKERS, 600 VOLTS MAX, 3 POLES, 225 AMP MAGNETIC ADJUSTMENT MAX		FRONT CUSHION TIRES, 18" X 8" X 12.125" REAR CUSHION TIRES, EQUIPPED WITH PAPER CLAMP CONTROLS, 12,493 HOURS SHOWING **NO PROPANE TANK -
84	3	250 AMP SIEMENS CAT NO. FD63F250 SENTRON SERIES CIRCUIT BREAKERS, 600 VOLTS MAX, 3-POLES, 200 AMP MAGNETIC ADJUSTMENT MAX		PROPERTY OF AUCTION CO.**
85	2	250 AMP SIEMENS CAT NO. FD63F250 SENTRON SERIES CIRCUIT BREAKERS, 600 VOLTS MAX, 3-POLES, (1) 175 AMP AND (1) 100 AMP MAGNETIC ADJUSTMENT		

 1 2015 - 9,000 LB, HYSTER MODEL S120FTPRS IP GAS THREE-STAGE MAST LIFT TRUCK; SN J004V02007, 226 4: LOAD HEIGHT, 108" OVERALL MAST HEIGHT, 22" X 12" X 12" REAR CUBHION TIRES, 19 X 12" X 12" X 12" REAR CUBHION TIRES, 19 X 12" X 12" X 12" REAR CUBHION TIRES, 19 X 12" X 12" X 12" REAR CUBHION TIRES, 19 X 12" X 12" X 12" REAR CUBHION TIRES, 19 X 12" X 12" X 12" REAR CUBHION TIRES, 19 X 12" X 12" X 12" REAR CUBHION TIRES, 19 X 12" X 12" X 12" X 12" REAR TIRES, 5" X 48" FORKS, 10,743 HOURS 90 1 OVERALL CAMP, FAN - PROPERTY OF AUCTION CO." 90 1 OVERALL LOTS 88 AND 89 - 9,000 LB. FORKLIFT & GASCADE CLAMP 100 OVERALL MAST HEIGHT, 22" X 12" X 16" FROM TUBES, 9,356 HOURS SOLD SEPARATE AND OVERALL "NO POREALL DIS 88 AND 89 - 9,000 LB. FORKLIFT & GASCADE CLAMP 100 OVERALL MAST HEIGHT, 22" X 12" X 16" FROM TUBES, 9,356 HOURS SOLD SEPARATE AND OVERALL" "NO PROPARE TAK PROPERTY OF AUCTION OVERALL MAST HEIGHT, 22" X 12" X 16" FROM TUBES, 9,356 HOURS SOLD SEPARATE AND OVERALL" "NO PROPARE TAK PROPERTY OF AUCTION CO" 92 1 9,000 LB. CASCADE MODEL R00F-RCS-21C OVERALL MAST HEIGHT, 22" X 12" X 16" FROM TUBES, 9,356 HOURS SOLD SEPARATE AND OVERALL" "NO PROPARE TAK PROPERTY OF AUCTION CO" 92 1 9,000 LB. CASCADE MODEL R00F-RCS-21C NO VERALL MAST HEIGHT, 22" X 12" X 16" FROM TUBES, 9,100 HEIGHT, 100" OVERALL MAST HEIGHT, 22" X 12" X 16" FROM TUBES, 9,100 HEIGHT, 100" OVERALL MAST HEIGHT, 22" X 12" X 16" FROM TUBES, 9,100 HEIGHT, 100" OVERALL MAST HEIGHT, 22" X 12" X 16" FROM TUBES, 9,100 HEIGHT, 100" OVERALL MAST HEIGHT, 22" X 12" X 16" FROM TUBES, 9,701 HOURS SOLD SEPARATE AND OVERALL" "NO PROPARE TAK PROPERTY OF AUCTION CO" PAPER ROLL CLAMP; SN PTL1953702-113 96 1 OVERALL MAST HEIGHT, 22" X 12" X 15" X 10" X 10.5" SHOWING "NO PROPARE TAK ROPERTY OF AUCTION CO." 96 1 OVERALL MAST HEIGHT, 22" X 12" X 15" X 10" X 10.5" SHOWING "NO PROPARE TAK ROPERTY OF AUCTION CO." 96 1 OVERALL MAST HEIGHT, 22" X 12" X 15" X 15" X 10" X 10.5" SHOWING "NO PROP	Lot Num	Qty.	Description	Lot Num	Qty. Description
 CO** GLC080VXINGAE084 UP GAS THREE: STAGE NOTATING PAPER ROLL CLAMP; SN ROTATING PAPER ROLL CLAMP; SN 202842213 (NEW 7-29-15) OVERALL LOTS 88 AND 89 - 9,000 LB. PORKLIFT & CASCADE CLAMP 1 2015 - 9,000 LB. HYSTER MODEL S120FTPRS LP GAS THREE STAGE MAST LIFT TRUCK; SN JOO4V01808N, 226 A LOAD HEIGHT, 108* OVERALL MAST HEIGHT, 22* X 12* X 16* COVERALL MAST HEIGHT, 22* X 12* X 16* CO** SOLD SEPARATE AND OVERALL***NO PROPANE TANK - PROPERTY OF AUCTION CO** CO** CO** COVERALL MAST HEIGHT, 26* X 12* 120* CO** CO**<!--</td--><td>88</td><td>1</td><td>LP GAS THREE-STAGE MAST LIFT TRUCK; S/N J004V01807N, 226.4" LOAD HEIGHT, 108" OVERALL MAST HEIGHT, 22" X 12" X 16" FRONT CUSHION TIRES, 18" X 8" X 12,125" REAR CUSHION TIRES, 8,921 HOURS SHOWING **NOTICE PAPER CLAMP TO BE</td><td></td><td>GAS CUSHION TIRE THREE-STAGE MAST LIFT TRUCK; S/N J004V02601P, 185.6" LIFT HEIGHT, 87" OVERALL MAST HEIGHT, 22" X 9" X 16" FRONT TIRES, 18" X 7" X 12.125" REAR TIRES, 5" X 48" FORKS, 10,743 HOURS SHOWING **NO PROPANE TANK -</td>	88	1	LP GAS THREE-STAGE MAST LIFT TRUCK; S/N J004V01807N, 226.4" LOAD HEIGHT, 108" OVERALL MAST HEIGHT, 22" X 12" X 16" FRONT CUSHION TIRES, 18" X 8" X 12,125" REAR CUSHION TIRES, 8,921 HOURS SHOWING **NOTICE PAPER CLAMP TO BE		GAS CUSHION TIRE THREE-STAGE MAST LIFT TRUCK; S/N J004V02601P, 185.6" LIFT HEIGHT, 87" OVERALL MAST HEIGHT, 22" X 9" X 16" FRONT TIRES, 18" X 7" X 12.125" REAR TIRES, 5" X 48" FORKS, 10,743 HOURS SHOWING **NO PROPANE TANK -
 9 1 9.000 LB. CASCADE MODEL 80F-RCS-21C ROTATING PAPER ROLL CLAMP; SN 202842213 (NEW 7-29-15) 90 1 0VERALL LOTS 88 AND 89 - 9.000 LB. FORKLIFT & CASCADE CLAMP 91 2015 - 9.000 LB. HYSTER MODEL S120FTPRS SN J030401800N; 226 4 LOAD HEIGHT, 108" 91 2015 - 9.000 LB. HYSTER MODEL S120FTPRS SN J030401800N; 226 4 LOAD HEIGHT, 109" 91 2015 - 9.000 LB. HYSTER MODEL S120FTPRS SN J030401800N; 226 4 LOAD HEIGHT, 128" 92 AV01800N; 226 4 LOAD HEIGHT, 128" 93 AV01800N; 226 4 LOAD HEIGHT, 128" 94 1 2015 - 9.000 LB. CASCADE MODEL R09F-RCS-21C ROTATING PAPER ROLL CLAMP; SN 2028422: 7 (NEW 7-29-15) 94 1 2015 - 9.000 LB. CASCADE MODEL S100FTPS SN J030401800N; 226 4 LOAD HEIGHT, 108" 93 1 0VERALL LOTS 81 AND 92 - 9.000 LB. FORKLIFT & CASCADE CLAMP 94 1 2015 - 9.000 LB. CASCADE CLAMP 95 1 0VERALL LOTS 81 AND 92 - 9.000 LB. FORKLIFT & CASCADE CLAMP TO BE SOLD SEPARATE AND 0VERALL¹¹ "NO PROPANE TANK - PROPERTY OF AUCTION CO** 94 1 2015 - 9.000 LB. HYSTER MODEL S120FTPRS REAR CUSHION TIRES, 18" X 8" X 12.125" REAR TIRES, 511418 HOURS SHOWING "NO PROPANE TANK - PROPERTY OF AUCTION CO** 94 1 2015 - 9.000 LB. S120FTPRS REAR TIRES, 11418 HOURS SHOWING "NO PROPANE TANK - PROPERTY OF AUCTION CO** 94 1 2015 - 9.000 LB. HYSTER MODEL S120FTPRS REAR TIRES, 11418 HOURS SHOWING "NO PROPANE TANK - PROPERTY OF AUCTION CO.** 95 1 0VERALL MAST HEIGHT, 12" X 16" OVERALL MAST HEIGHT, 12" X 16" 105 96 1 0VERALL LOTS 94 AND 99 - 9.000 LB. FORKLIFT & CASCADE CLAMP TO BE SOLD SEPARATE AND OVERALI************************************				102	
901OVERALL LOTS 88 AND 95 - 9,000 LB. FORKLIF & CASCADE CLAMP9" X 16" FRONT TIRES, 18" X 7" X 12-18" REAR TIRES, 8" X 48" FORKS, 6,293 HOURS912015 - 9,000 LB. HYSTER MODEL S120FTPRS LP GAS THREE STAGE MAST LIFT TRUCK; SIN J004V01808N, 226.4 LOAD HEIGHT, 108"103 104920.VERALL MAST HEIGHT, 22" X 12" X 16" FRONT CUSHION TIRES, 18" X 8" X 12.125 SOLD SEPARATE AND OVERALL"***NO CO**104 105 2028442-12 (NEW 7-29-15)104 12015 - 9,000 LB. HYSTER MODEL S120FTPRS LP GASCADE MODEL S120FTPRS SOLD SEPARATE AND OVERALL"***NO 2028422-12 (NEW 7-29-15)104 12015 - 9,000 LB. HYSTER MODEL S120FTPRS LP GASCADE CLAMP104 12015 - 9,000 LB. HYSTER MODEL S120FTPRS CO**104 12015 - 9,000 LB. HYSTER MODEL S120FTPRS CASCADE CLAMP104 12015 - 9,000 LB. HYSTER MODEL S120FTPRS CASCADE CLAMP104 12015 - 9,000 LB. HYSTER MODEL S120FTPRS CASCADE CLAMP9412015 - 9,000 LB. HYSTER MODEL S120FTPRS LP GASC LSHION TIRE TREE, 18" X 8" X 12.125" REAR TIRES, 114 HOURS SHOWING "NO PROPANE TANK - PROPERTY OF AUCTION CO**104 12017 - 7,000 LB. CAPACITY HYSTER MODEL S70 TUP GAS CUSHION TIRES, 18" X 8" X 12.125" REAR CUSHION TIRES, 18" X 8" X	89	1	9,000 LB. CASCADE MODEL 90F-RCS-21C ROTATING PAPER ROLL CLAMP; S/N		MAST CUSHION TIRE LIFT TRUCK; S/N F818V02462M, 200.8" LIFT HEIGHT, 92"
LP GAS THREE STAGE MAST LIFT TRUCK; S/N J0dV01806N, 226 & LOAD HEIGHT, 108"103PROPERTY OF AUCTION CO.**OVERALL MAST HEIGHT, 22" X 12"103	90	1			9" X 16" FRONT TIRES, 18" X 7" X 12-1/8"
OVERALL MAST HEIGHT, 22" X 12" X 16"GAS CUSHION TIRE THREE-STAGE MASTFRONT CUSHION TIRES, 9,355 HOURSLIFT TRUCK, S/N H137/05440P, 188" MAXSHOWING "NOTICE PAPER CLAMP TO BE21" X 9" X 15" FRONT TIRES, 9,356 HOURSSOLD SEPARATE AND OVERALL***NOREAR TIRES, SIDE SHIFT, 5" X 42" FORKS,PROPANE TANK - PROPERTY OF AUCTION9761 HOURS SHOWING "NO PROPANECO**TANK - PROPERTY OF AUCTION921 9,000 LB. CASCADE MODEL R90F-RCS-21C1041 2017 - 7,000 LB. HYSTER MODEL S70FT LPROTATING PAPER ROLL CLAMP; S/NGAS CUSHION TIRE THREE.STAGE MAST931 OVERALL LOTS 91 AND 92 - 9,000 LB.1 2015 - 9,000 LB. HYSTER MODEL S120FTPRS941 2015 - 9,000 LB. HYSTER MODEL S120FTPRS95N JO4V01809N, 226 4" LOAD HEIGHT, 108"0 VERALL MAST HEIGHT, 22" X 12" X 16"1051 2015 - 9,000 LB. CASCADE CLAMP941 2015 - 9,000 LB. HYSTER MODEL S120FTPRSREAR CUSHION TIRES, 18" X 8" X 12. 125"REAR CUSHION TIRES, 9,701 HOURSSNI JO4V01809N, 226 4" LOAD HEIGHT, 108"OVERALL MAST HEIGHT, 22" X 12" X 16"105105106107 - 7,000 LB. CAPACITY HYSTER MODELSOLD SEPARATE AND OVERALL***NOPROPANE TANK - PROPERTY OF AUCTIONCO**SOLD SEPARATE AND OVERALL***NOPROPANE TANK - PROPERTY OF AUCTIONCO**2028422-T1 (NEW 7-29-15)96971 9,000 LB. CASCADE MODEL 90F-RCS-21CRON LL CLAMP; S/N2028422-T1 (NEW 7-29-15)96	91	1	LP GAS THREE STAGE MAST LIFT TRUCK;		PROPERTY OF AUCTION CO.**
ROTATING PAPER ROLL CLAMP; S/N 2028422-T2 (NEW 7-29-15)GAS CUSHION TIRE THREE-STAGE MAST LIFT TRUCK; S/N H187V05098P, 188" MAST931OVERALL LOTS 91 AND 92 - 9,000 LB. FORKLIFT & CASCADE CLAMPLIFT TRUCK; S/N H187V05098P, 188" MAST9412015 - 9,000 LB. HYSTER MODEL S120FTPRS LP GAS THREE-STAGE MAST LIFT TRUCK; VERALL MAST HEIGHT, 108" OVERALL MAST HEIGHT, 22" X 12" X 16"REAR TIRES, 11,418 HOURS SHOWING **NO PROPANE TANK - PROPERTY OF AUCTION CO.**9412015 - 9,000 LB. HYSTER MODEL S120FTPRS LP GAS THREE-STAGE MAST LIFT TRUCK; VERALL MAST HEIGHT, 22" X 12" X 16"10519412015 - 9,000 LB. CAPACITY HYSTER MODEL FRONT CUSHION TIRES, 18" X 8" X 12.125" REAR CUSHION TIRES, 9,701 HOURS SHOWING **NOTICE PAPER CLAMP TO BE BCLD SEPARATE AND OVERALL** **NO PROPANE TANK - PROPERTY OF AUCTION CO.**12017 - 7,000 LB. CAPACITY HYSTER MODEL STOFT LP GAS CUSHION TIRE THREE-STAGE MAST LIFT TRUCK; S/N H187V054339P, 188" MAX LIFT HEIGHT, 87" SOLD SEPARATE AND OVERALL** **NO PROPANE TANK - PROPERTY OF AUCTION CO.**OVERALL MAST HEIGHT, 21" X 9" X 15" FRONT TIRES, 6" X 10.5" REAR TIRES, CO.**9519,000 LB. CASCADE MODEL R90F-RCS-21C ROTATING PAPER ROLL CLAMP; S/N 2028422-T1 (NEW 7-29-15)SHOWING **NO PROPANE TANK - PROPERTY OF AUCTION CO.**961OVERALL LOTS 94 AND 95 - 9,000 LB. FORKLIFT & CASCADE CLAMPPROPER ROLL CLAMP; S/N PROPERTY OF AUCTION CO.**9719,000 LB. CASCADE MODEL 90F-RCP-03C PAPER ROLL CLAMP; S/N PTL1953702-1R3PROPEN981OPEN			OVERALL MAST HEIGHT, 22" X 12" X 16" FRONT CUSHION TIRES, 18" X 8" X 12.125 REAR CUSHION TIRES, 9,355 HOURS SHOWING **NOTICE PAPER CLAMP TO BE SOLD SEPARATE AND OVERALL** **NO PROPANE TANK - PROPERTY OF AUCTION		GAS CUSHION TIRE THREE-STAGE MAST LIFT TRUCK; S/N H187V05440P, 188" MAX LIFT HEIGHT, 87" OVERALL MAST HEIGHT, 21" X 9" X 15" FRONT TIRES, 16" X 6" X 10.5" REAR TIRES, SIDE SHIFT, 5" X 42" FORKS, 9,761 HOURS SHOWING **NO PROPANE
FORKLIFT & CASCADE CLAMP21" X 9" X 15" FRONT TIRES, 6" X 16" X 10.5"9412015 - 9,000 LB. HYSTER MODEL S120FTPRS LP GAS THREE-STAGE MAST LIFT TRUCK; S/N J004V01809N, 226.4" LOAD HEIGHT, 108" OVERALL MAST HEIGHT, 22" X 12" X 16"10512017 - 7,000 LB. CAPACITY HYSTER MODEL FRONT CUSHION TIRES, 18" X 8" X 12.125" S70FT LP GAS CUSHION TIRE REAR CUSHION TIRES, 9,701 HOURS SHOWING **NOTICE PAPER CLAMP TO BE SOLD SEPARATE AND OVERALL** **NO PROPANE TANK - PROPERTY OF AUCTION CO.**12017 - 7,000 LB. CAPACITY HYSTER MODEL S70FT LP GAS CUSHION TIRE THREE-STAGE MAST LIFT TRUCK; S/N THREE-STAGE MAST LIFT TRUCK; S/N THREE-STAGE MAST LIFT TRUCK; S/N SHOWING **NOTICE PAPER CLAMP TO BE SOLD SEPARATE AND OVERALL** **NO PROPANE TANK - PROPERTY OF AUCTION CO.**10512017 - 7,000 LB. CAPACITY HYSTER MODEL S70FT LP GAS CUSHION TIRE THREE-STAGE MAST LIFT TRUCK; S/N THREE-STAGE MAST LIFT TRUCK; S/N PROPANE TANK - PROPERTY OF AUCTION CO.**9519,000 LB. CASCADE MODEL R90F-RCS-21C ROTATING PAPER ROLL CLAMP; S/N 2028422-T1 (NEW 7-29-15)PROPENTY OF AUCTION CO.**961OVERALL LOTS 94 AND 95 - 9,000 LB. FORKLIFT & CASCADE MODEL 90F-RCP-03C PAPER ROLL CLAMP; S/N PTL1953702-1R3PROPENTY OF AUCTION CO.**981OPEN991OPEN	92	1	ROTATING PAPER ROLL CLAMP; S/N	104	GAS CUSHION TIRE THREE-STAGE MAST
LP GAS THREE-STAGE MAST LIFT TRUCK;PROPANE TANK - PROPERTY OF AUCTIONS/N J004V01809N, 226,4" LOAD HEIGHT, 108"CO.**OVERALL MAST HEIGHT, 22" X 12" X 16"105FRONT CUSHION TIRES, 18" X 8" X 12.125"S70FT LP GAS CUSHION TIREREAR CUSHION TIRES, 9,701 HOURSTHREE-STAGE MAST LIFT TRUCK; S/NSHOWING **NOTICE PAPER CLAMP TO BEH187V05439P, 188" MAX LIFT HEIGHT, 87"SOLD SEPARATE AND OVERALL** **NOOVERALL MAST HEIGHT, 21" X 9" X 15"PROPANE TANK - PROPERTY OF AUCTIONFRONT TIRES, 6" X 16" X 10.5" REAR TIRES, SIDE SHIFT, 5" X 48" FORKS, 14,170 HOURS951 9,000 LB. CASCADE MODEL R90F-RCS-21C ROTATING PAPER ROLL CLAMP; S/N961 OVERALL LOTS 94 AND 95 - 9,000 LB. FORKLIFT & CASCADE MODEL 90F-RCP-03C PAPER ROLL CLAMP; S/N PTL1953702-1R3981 OPEN991 OPEN			FORKLIFT & CASCADE CLAMP		21" X 9" X 15" FRONT TIRES, 6" X 16" X 10.5"
FRONT CUSHION TIRES, 18" X 8" X 12.125"S70FT LP GAS CUSHION TIRE REAR CUSHION TIRES, 9,701 HOURSREAR CUSHION TIRES, 9,701 HOURSTHREE-STAGE MAST LIFT TRUCK; S/NSHOWING **NOTICE PAPER CLAMP TO BEH187V05439P, 188" MAX LIFT HEIGHT, 87"SOLD SEPARATE AND OVERALL** **NOOVERALL MAST HEIGHT, 21" X 9" X 15"PROPANE TANK - PROPERTY OF AUCTIONFRONT TIRES, 6" X 16" X 10.5" REAR TIRES, SIDE SHIFT, 5" X 48" FORKS, 14,170 HOURS9519,000 LB. CASCADE MODEL R90F-RCS-21CSHOWING **NO PROPANE TANK - PROPERTY OF AUCTION CO.**9519,000 LB. CASCADE MODEL R90F-RCS-21CSHOWING **NO PROPANE TANK - PROPERTY OF AUCTION CO.**961OVERALL LOTS 94 AND 95 - 9,000 LB. FORKLIFT & CASCADE CLAMPPROPERTY OF AUCTION CO.**9719,000 LB. CASCADE MODEL 90F-RCP-03C PAPER ROLL CLAMP; S/N PTL1953702-1R3PROPEN981OPEN991991OPEN1	94	1	LP GAS THREE-STAGE MAST LIFT TRUCK;		PROPANE TANK - PROPERTY OF AUCTION
ROTATING PAPER ROLL CLAMP; S/N 2028422-T1 (NEW 7-29-15)PROPERTY OF AUCTION CO.**961OVERALL LOTS 94 AND 95 - 9,000 LB. FORKLIFT & CASCADE CLAMP9719,000 LB. CASCADE CLAMP9719,000 LB. CASCADE MODEL 90F-RCP-03C PAPER ROLL CLAMP; S/N PTL1953702-1R3981OPEN991OPEN			FRONT CUSHION TIRES, 18" X 8" X 12.125" REAR CUSHION TIRES, 9,701 HOURS SHOWING **NOTICE PAPER CLAMP TO BE SOLD SEPARATE AND OVERALL** **NO PROPANE TANK - PROPERTY OF AUCTION	105	S70FT LP GAS CUSHION TIRE THREE-STAGE MAST LIFT TRUCK; S/N H187V05439P, 188" MAX LIFT HEIGHT, 87" OVERALL MAST HEIGHT, 21" X 9" X 15" FRONT TIRES, 6" X 16" X 10.5" REAR TIRES,
FORKLIFT & CASCADE CLAMP 97 1 9,000 LB. CASCADE MODEL 90F-RCP-03C PAPER ROLL CLAMP; S/N PTL1953702-1R3 98 1 OPEN 99 1 OPEN	95	1	ROTATING PAPER ROLL CLAMP; S/N		
PAPER ROLL CLAMP; S/N PTL1953702-1R3 98 1 OPEN 99 1 OPEN	96	1	• 1		
99 1 OPEN			PAPER ROLL CLAMP; S/N PTL1953702-1R3		
100 1 OPEN					
	100	1	OPEN		

Catalog for Auction:Boiler Systems, Forklifts, Electrical

Lot Num	Qty.	Description	Lot Num	Qty. Description
106	1	5,000 LB. CAPACITY TOYOTA MODEL SFGCU25 LP GAS THREE-STAGE MAST, NON MARKING TIRES LIFT TRUCK; S/N 5FGCU25-81854, 185" LIFTING HEIGHT, 82" OVERALL MAST HEIGHT, SIDE SHIFT, 5" X 42" FORKS, 21" X 7" X 15" RIBBED CUSHION FRONT TIRES, 7,660 HOURS SHOWING **NO PROPANE TANK - PROPERTY OF AUCTION CO,**	110	 3,500 LB. HYSTER MODEL E35XL ELECTRIC LIFT TRUCK W/ CHARGER; S/N C114V04609L WITH 36-VOLT HOBART BATTERY CHARGER, 191.50" MAX LIFT HEIGHT, 84" OVERALL MAST HEIGHT, SIDE SHIFT, 4" X 36" FORKS, 18" X 6' X 12-1/8" SMOOTH FRONT TIRES, 14" X 4-1/2" X 8" SMOOTH REAR TIRES, 1,501 HOURS SHOWING 4,400 LB. TOYOTA MODEL SERCHU25
107	1	4,000 LB. CATERPILLAR MODEL 2C5000 LP GAS THREE STAGE LIFT TRUCK; S/N AT9032509, 188" MAST LIFT HEIGHT, 81" OVERALL MAST HEIGHT, 21" X 7" X 15" RIBBED SOLID FRONT TIRES, 16" X 6" X 10-1/2" SOLID SMOOTH REAR TIRES, 4" X 48" FORKS, 18,657 HOURS SHOWING **NO PROPANE TANK - PROPERTY OF AUCTION		 4,400 LB. TOYOTA MODEL 8FBCHU25 ELECTRIC LIFT TRUCK (NO BATTERY); S/N 61720, WITH 36 VOLT BATTERY CHARGER, 188' MAX LIFT HEIGHT, 82" OVERALL MAST HEIGHT, SIDE SHIFT, 5" X 42" FORKS, 21" X 7" X 15" SOLID FRONT TIRES, 16" X 5" X 10-1/2" SOLID REAR TIRES **SPECIAL NOTICE - THIS LIFT HAS A RECONDITIONED BATTERY**
108	1	CO,** 3,500 LB. CLARK MODEL TM20 ELECTRIC THREE WHEEL LIFT TRUCK W/ PAPER CLAMP; S/N TM247-0460-6625FA WITH 36 VOLT BATTERY CHARGER, 188" MAX LIFT HEIGHT, 84" OVERALL MAST HEIGHT, 18" X 8" X 12-1/8" SMOOTH FRONT TIRES, 18" X 7"	112	1 TEREX MODEL TSM26 24-VOLT ELECTRIC NON-MARKING TIRE SCISSOR LIFT; S/N 01340017, 32' MAX WORKING HEIGHT, 26' PLATFORM HEIGHT, 36" EXTENDABLE PLATFORM, BUILT-IN BATTERY CHARGER, NEW BATTERIES, 4,500 LB. (APPROX.) SHIPPING WEIGHT
109	1	X 12-1/8" SINGLE SMOOTH REAR TIRE EQUIPPEND WITH PAPER CLAMP ATTACHMENT CONTROLS, 7,064 TOTAL HOURS SHOWING, 6,553 BATTERY HOURS SHOWING, WITH 3,500 LB. (APPROX.) CASCADE MODEL UNKNOWN ROTATING PAPER ROLL CLAMP ATTACHMENT 3,000 LB. NISSAN MODEL MAOLL15S	113	1 UPRIGHT MODEL MX19 24-VOLT SMOOTH TIRE SCISSOR LIFT; S/N N/A, 22.5" X 98.5" STANDARD PLATFORM SIZE WITH DECK, 500 LB. MAX CAPACITY, 25' WORKING HEIGHT, 19' MAX PLATFORM HEIGHT, 19' DRIVEABLE HEIGHT, BUILT IN BATTERY CHARGER **SPECIAL NOTICE - NEEDS NEW RUBBER ON RIMS**
100	ı	ELECTRIC THREE-WHEEL LIFT TRUCK W/ PAPER CLAMP; S/N MA01-00229L, WITH 24-VOLT BATTERY CHARGER, 187" MAX LIFT HEIGHT, 77" OVERALL MAST HEIGHT, 18" X 6" X 12-1/8" SMOOTH FRONT TIRES, 18" X 5" X 12-1/8" SINGLE SMOOTH REAR TIRE	113A	 ****COLUMBIA MODEL EU4-L-48 ELECTRIC UTILITY VEHICLE, 42" X 60" FLAT BED, 48-VOLT, WITH INTERNAL BATTERY CHARGER ****LOCATED IN DETROIT AREA - CONTACT DON MCCHRISTIAN AT 586-747-0918 FOR INSPECTION****
		EQUIPPED WITH PAPER CLAMP ATTACHMENT CONTROLS, 5,181 HOURS SHOWING, WITH 2,640 LB. CAPACITY CASCADE MODEL 25-F-RC-02A PAPER ROLL CLAMP ATTACHMENT; S/N 206697-00218P	114	1 ****2013 - 15,000 LB. YALE MODEL GLC155 GASOLINE POWERED LIFT TRUCK; S/N E879V01523, 2-STAGE, 85" MAST, 94" LIFT HEIGHT, MONOTRAL CONTROLS, 48" FORKS, HYDRAULIC FORK POSITIONING, HYDRA-SMOOTH ATTACHMENT, 16,850

HOURS ****LOCATED IN DETROIT AREA -

CONTACT DON MCCHRISTIAN AT 586-747-0918 FOR INSPECTION****

Lot Num	Qty.	Description	Lot Num	Qty. Description
115	1	****2013 - 30,000 LB. TAYLOR MODEL THC-300-S DIESEL POWERED LIFT TRUCK;	126	1 MILWAUKEE CAT NO. 6509 ELECTRIC SAWZALL
		S/N 37980, CUMMINS ENGINE, 2-SPEED	127	1 SHOP BUILT HEAVY DUTY WELDED STEEL
		TRANSMISSION, 2-STAGE 126" MAST		OXY-ACETYLENE STORAGE RACK WTH
		HEIGHT, 72" FORKS, HYDRAULIC FORK		FORKLIFT FORK POCKETS
		POSITIONING, CLIMATE CONTROLLED CAB,	128	1 2,200 LB. CAPACITY NORTHERN
		28" X 16" X 22' DRIVE TIRES, 22" X 10" X 16"		INDUSTRIAL MANUAL HYDRAULIC
		STEER TIRES, 4,291 HOURS, 42,100 LB,		STATIONARY SCISSOR LIFT TABLE, 24" X 47"
		TRUCK WEIGHT ****LOCATED IN DETROIT	100	PLATFORM
		AREA - CONTACT DON MCCHRISTIAN AT	129	1 1,650 LB. CAPACITY NORTHERN
110		586-747-0918 FOR INSPECTION****		
116	1	****2010 - 4,000 LB. RAYMOND MODEL		PORTABLE SCISSOR LIFT TABLE, 20" X 39"
		420-C-40TT ELECTRIC STAND UP LIFT	130	
		TRUCK W/ BOX CLAMP & CHARGER; S/N 420-10-18731, 3-STAGE 83" MAST, 188" LIFT	130	1 750 LB. (APPROX.) WESCO MANUAL HYDRUALIC PORTABLE SCISSOR LIFT
		420-10-16731, 3-31AGE 63 MAST, 166 LIFT HEIGHT, WITH 2,000 LB. AURAMO MODEL		TABLE, 20" X 32" PLATFORM
		K50926AR01 CARTON CLAMP; S/N	131	1 500 LB. MFG UNKNOWN MANUAL
		07D071090, 36-VOLT WITH STANBURY SOLIE		HYDRAULIC PORTABLE SCISSOR LIFT
		STATE BATTERY CHARGER ****LOCATED IN		TABLE, 17" X 28" PLATFORM
		DETROIT AREA - CONTACT DON		Lots 300 Thru 312 are located offsite at a
		MCCHRISTIAN AT 586-747-0918 FOR		construction yard just East of Downtown
		INSPECTION****		Cincinnati, Ohio. Inspection and removal
117	1	60" WIDE ENGEL MODEL M-4616DH DUPLEX		of these assets are by appointment only
		16-STAND TDF ROLLFORMER; S/N 1279090,		with jeffjr@cia-auction.com.
		68" MAX WIDTH, 24" MIN WIDTH, WITH READ) 300	1 ****15" BIRO MODEL 3334 STAINLESS STEEL
		OUT CONTROL, 230 VOLTS, 3-PHASE		VERTICAL MEAT SAW; S/N 47186
118	1	60" WIDE X 360 DEGREE IOWA PRECISION	301	1 ****YORK MODEL YCAL0033EE46X R410A
		MODEL B-S-1 HYDRUALIC FULL WRAP DUCT	Г	CHILLER; S/N 2DXM011166 (2011)
		BRAKE; S/N BSW8210 **NO CONTROL**	302	1 ****YORK MODEL YCAL0025EC46X R22
119	1	24" - 60" WIDE LOCKFORMER / IOWA		CHILLER UNIT; S/N RMSM020960 (2007)
		PRECISION FIVE-STAND DUPLEX CLEAT	303	1 ****EFCO E-Z DECK MODULAR ALUMINUM
		ROLLFORMER MODEL CF-5C; S/N CR-8217,		SHORING SYSTEM; APPROX. (80) 6' SCREW
400		WITH GLVING HEAD		TYPE POSTS ON (5) SKIDS, APPROX. (30) 20"
120	1	24" - 120" WIDE X 18 GAUGE LOCKFORMER		X 90" BRACES ON (2) SKIDS, APPROX. (75)
		9-STAND DUPLEX ROLLFORMER; S/N		20" X 42" BRACES ON (3) SKIDS, POST
404		-D12237, WITH MALE / FEMALE PITTSBURG 500 LB. CAPACITY X 112" HIGH X 12' WIDE	204	
1 21	(SPANCO PORTABLE GANTRY CRANE WITH	304	1 ****CATERPILLAR MODEL D397 DIESEL GENERATOR; 12-CYLINDER ENGINE
		500 LB. CAPACITY CM SHOPAIR PNEUMATIC		1 ****CATERPILLAR MODEL D348 DIESEL
		CHAIN HOIST	5 303	GENERATOR
122	1	10,000 LB. PSI GARDNER BENDER MODEL	306	1 ****CATERPILLAR MODEL D348 DIESEL
,		CM4 MANUAL HYDRAULIC CONDUIT	000	GENERATOR (MISSING HEAD)
		BENDER WITH (6) DIES AND YOKE	307	1 ****1,000-KVA SQUARE D CAST COIL DRY
123	1	ROTHENBERGER MINI COLLINS ELECTRIC		TYPE TRANSFORMER; S/N 986076-AI (NEW
		HAND HELD THREADING MACHINE WITH		1998)
		1/2" DRIVE SOCKET ATTACHMENT		'
124	1	1" DRIVE CENTRAL PNEUMATICS HEAVY		
		DUTY PNEUMATIC IMPACT GUN		
125	1	BOSCH HEAVY DUTY ELECTRIC NIBBLER		

Lot Num	Qty.	Description	Lot Num	Qty.	Description
308	1	****2,047 SQ. FT. ENGLISH BOILER MODEL 25-DR-250 GAS FIRED STEAM BOILER; S/N 31003-1, ECONOMIZER SPECS: MAWP: 250-PSI, 2,047 SQ. FT. TOTAL HEAT SURFACE, 25,000 LB./ HR. STEAMING CAP., FEED SPECS: MAWP 490-PSI AT 700 DEG., 3,319 SQ. FT. HEAT SURFACE, 2,115,000 BTU / HR., EACH W/ 50-HP WEBSTER MODEL HDSXC-725B-9V BURNER UNIT, CALMAG INSULATED TANK, FROM GOOD SAM HOSPITAL IN DAYTON, OHIO IN 2019 (NEW 2011 / 2012) **SUBJECT TO HIGH BID CONFIRMATION**	J		
309	1	****2,047 SQ. FT. ENGLISH BOILER MODEL 25-DR-250 GAS FIRED STEAM BOILER; S/N 31003-2, ECONOMIZER SPECS: MAWP 250-PSI, 2,047 SQ. FT. TOTAL HEAT SURFACE, 25,000 LB. / HR. STEAMING CAP., FEED SPECS: MAWP 490-PSI AT 700 DEG, 3,319 SQ. FT. HEAT SURFACE, 2,115,000 BTU / HR., EACH W/ 50-HP WEBSTER MODEL HDSXC-725B-9V BURNER UNIT, CALMAG INSULATED TANK, FROM GOOD SAM HOSPITAL IN DAYTON, OHIO IN 2019 (NEW 2011 / 2012) **SUBJECT TO HIGH BID CONFIRMATION**			
310	1	****2,047 SQ. FT. ENGLISH BOILER MODEL 25-DR-250 GAS FIRED STEAM BOILER; S/N 31003-3, ECONOMIZER SPECS: MAWP 250-PSI, 2,047 SQ. FT. TOTAL HEAT SURFACE, 25,000 LB. / HR. STEAMING CAP., FEED SPECS: MAWP 490-PSI AT 700 DEG., 3,319 SQ. FT. HEAT SURFACE, 2,115,000 BTU / HR., EACH W/ 50-HP WEBSTER MODEL HDSXC-725B-9V BURNER UNIT, CALMAG INSULATED TANK, FROM GOOD SAM HOSPITAL IN DAYTON, OHIO IN 2019 (NEW 2011 / 2012) **SUBJECT TO HIGH BID CONFIRMATION**			
311	1	****358 SQ. FT. SUPERIOR MODEL 08-225-358 NATURAL GAS FIRED BOILER; S/N 15342, 200-PSI (NEW 2003)			
312	5	****PRYCO FUEL TANK AND PUMP SYSTEMS			