

# SALE CATALOG

# HIKARI USA, INC.

2840 Magnolia St., Orangeburg, SC 29115 TUESDAY, JUNE 29, 2021 - 10:00 AM







Inspection: Day Prior from 10:00 AM to 4:00 PM

Auctioneers:

Cincinnati Industrial Auctioneers Inc - License # 2566

Jeffrey L. Luggen - License # 1250

Joseph M. Luggen - License # 4499

18% BUYER'S PREMIUM IS IN EFFECT FOR ALL PURCHASES!

ALTHOUGH INFORMATION HAS BEEN OBTAINED FROM SOURCES DEEMED RELIABLE, THE AUCTIONEER MAKES NO WARRANTY OR GUARANTEE EXPRESSED OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION HEREIN CONTAINED. IT IS FOR THIS REASON THAT BUYERS SHOULD AVAIL THEMSELVES FOR THE OPPORTUNITY TO MAKE INSPECTION PRIOR TO THE SALE.

Sale Under the Management of

### CINCINNATI **INDUSTRIAL AUCTIONEERS**

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

## SYNOPSIS OF THE TERMS OF SALE HIKARI USA, INC.

### 2840 Magnolia St., Orangeburg, SC 29915 TUESDAY, JUNE 29, 2021 – 10:00 AM

**REGISTRATION:** All Bidders must register at <a href="www.bidspotter.com">www.bidspotter.com</a> and complete the bidder registration form, removal agreement, sales tax exemption form and COVID-19 statement sent by the Auctioneer after registering for the auction.

"AS IS, WHERE IS": Everything is being sold for cash on an " as is", "where is" basis without warranties expressed or implied on part of the Owner and Auctioneer. There are NO REFUNDS, NO EXCHANGES, NO GUARANTEES or NO WARRANTIES on any item.

ALL SALES ARE FINAL. All Items are sold on a "Where Is" basis with the Purchaser to incur all costs in conjunction with the loading, shipping, and removal of the items from the premises.

**DEPOSITS:** The Auctioneer may request a deposit at time of registration.

<u>PAYMENTS:</u> ALL INVOICES MUST BE PAID IN FULL WITHIN 24 HOURS AFTER THE AUCTION. Any merchandise not paid for by this specified time will be considered abandoned and may be resold by the auctioneer, any loss incurred in the resale to be borne by the original buyer. All payments must be made by **check or certified funds by express mail**, **wire transfer or ACH.** Please inquire with auction personnel regarding the acceptance of funding. **NO ONSITE PAYMENTS OR CREDIT CARDS WILL BE ACCEPTED.** 

**REMOVAL:** All Bidders must execute the COVID-19 Health Screening Questionnaire & Self Declaration Sheet. All Bidders must comply with Social Distancing Policies and any other policies as requested by Hikari USA, Inc. and the state of South Carolina. All bidders removing their items will be required to wear a face mask.

### ALL LARGE ITEMS MUST BE OFF THE PREMISES BY FRIDAY, JULY 9, 2021 at 4:00 PM.

At which time the Auctioneer's representative will leave the premises. After this time, arrangements for removal must be made with the "ERRA" Griner Engineering, Inc.

#### "TIME IS OF THE ESSENCE" ALL ITEMS MUST BE OFF THE PREMISES BY FRIDAY, JULY 16, 2021 at 4:00 PM.

At the Owners Discretion, any items remaining after this time will be removed from the premises and stored at the expense of the buyer, considered abandoned and scrapped.

### **REMOVAL & RIGGING**

#### THE EXCLUSIVE RIGGER & REMOVAL AGENT. ("ERRA") FOR THIS AUCTION IS:

### Industrial Services and Sales LLC, Terry Wilson | 704-214-2732 | twilson@industrialservicesandsales.com

Industrial Services and Sales LLC is the "ERRA" is the only company authorized to rig, dismantle, and load equipment at the Hikari USA, Inc. Auction Site. Loading charges for items will be listed in the auction catalog where available. Loading charges are for simple lift & load only, any special preparations will be an additional charge and need to be arranged with "ERRA". All payments for the loading charges and any loading arrangements must be made directly with "ERRA." Some items are listed as "loading charge TBD, (To Be Determined)." Loading charges for these items must be negotiated directly with the "ERRA." Removal arrangements other than those stated herein must be made directly with the Auctioneer and the "ERRA". Loading prices are valid until July 16, 2021.

### **CHECKOUT HOURS:**

Wednesday, July 30<sup>th</sup> & Thursday, July 1<sup>st</sup> From 8:00 AM to 4:00 PM CLOSED — Friday, July 2<sup>nd</sup> & Monday, July 5<sup>th</sup>
Tuesday, July 6<sup>th</sup> — Friday, July 9<sup>th</sup> From 8:00 AM to 4:00 PM
Monday, July 12<sup>th</sup> — Friday, July 16<sup>th</sup> From 8:00 AM to 4:00 PM

### **IMPORTANT AUCTION NOTICES:**

### 18% BUYERS PREMIUM IS IN EFFECT FOR ALL PURCHASES! ALL BUYERS WILL BE REQUIRED TO EXECUTE AN "AUCTION PURCHASE REMOVAL AGREEMENT"

ALL SALES SUBJECT TO STATE AND LOCAL SALES TAX WHERE APPLICABLE
ALL BIDDERS MUST COMPLY WITH OUR CUSTOMARY "TERMS OF SALE" ATTACHED HERETO,
POSTED AT THE SALE SITE & OUR WEBSITE @ WWW.CIA-AUCTION.COM.

Austionage Can Not Assist with Funant Desumental

Auctioneer Can Not Assist with Export Documents!

#### WIRING INSTRUCTIONS

#### Call for Complete Wire Transfer Instructions

PLEASE SPECIFY YOUR BIDDER NUMBER WHEN MAKING YOUR WIRE TRANSFER
NOTE: A BANK WIRE TRANSFER FEE WILL APPLY WHICH IS NOT INCLUDED IN BALANCE DUE OF INVOICE



### **TERMS OF SALE**

NOTICE: All Bidders and other persons attending this sale ("Bidders") agree that they have read and have full knowledge of these terms and agree to be bound hereby. The Bidder identified by the Auctioneer as the high bidder or successful bidder at auction ("successful Bidder") shall have entered into a legally binding contract to purchase the item bid upon ("Lot") at the price and subject to the terms and conditions set forth herein. All determinations, rulings, and adjustments made by the Auctioneer in good faith shall be final, binding, and conclusive upon all Bidders. The term "Auctioneer" herein means Cincinnati Industrial Auctioneers, Inc.

- 1. **IDENTIFICATION** All Bidders are required to give full name and addresses at time of registration.
- 2. **DEPOSIT -** Each successful Bidder will be required to make a deposit in cash or by bank cashier's or certified check of 25 percent (25%) of the successful bid on each Lot at time of knockdown. In default of such deposit, the Lot may be put up again immediately and resold.
- 3. **TIME OF PAYMENT** Each successful Bidder shall receive an invoice during or at the conclusion of the auction. All invoices must be paid in full by the close of business on the last day of the auction sale and prior to removing any Lot. Any other arrangements must be made with auctioneer prior to bidding. In the absence of payment or agreement by the auctioneer, title to the Lot shall not transfer to the successful Bidder and such Bidder will lose any right, title or interest such Bidder may have acquired, and the deposit paid, if any, without further notice to such Bidder. The Bidder shall nonetheless remain liable for any damages caused by the Bidder's failure to pay.
- 4. REMOVAL All purchases must be removed not later than the date specified in the Auction Catalogue and/or announced at the sale. No Lot can, on any account, be removed during the sale. All goods are sold "Where Is." Removal shall be at the expense, risk, and liability of the successful Bidder. Purchases will be released only on presentation of paid invoice. Auctioneer shall not be responsible for Lots not removed within the time allowed, but Auctioneer shall have the option to remove and store at the expense and risk of the successful Bidder any article purchased, but not paid for and removed within the time required.
- 5. MANNER OF PAYMENT All payments must be made by cash, bank cashier's check or company check with a bank letter of authorization guaranteeing funds to "Cincinnati Industrial Auctioneers, Inc." All checks for deposits and balances due shall be payable to the order of "Cincinnati Industrial Auctioneers, Inc." All invoices must be paid to representatives of the Auctioneer at the auction site unless otherwise announced. The full purchase price on all Lots sold to the same successful Bidder must be paid within the time fixed and before removal of any Lot.
- 6. DISCALIMER OF ALL WARRANTIES INCLUDING IMPLIED WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR PARTICULAR PURPOSE; CONDITION OF ARTICLES SOLD The Auctioneer and any owner, seller, or secured party make no warranties express or implied as to merchantability or fitness for purpose whatsoever. All such express or implied warranties are expressly excluded hereby. No oral statement or other writing by any person negates this exclusion. If you think you have received any assurance or warranty of any kind as to a Lot offered in this auction do not bid on such item unless the Auctioneer has signed a writing specifically directed to you and identifying the Lot and stating the modification of this exclusion The Auctioneer shall not be responsible for the correct description, genuineness, authenticity of, or defect in any Lot, and makes no warranty in connection therewith. No sale will be set aside nor allowance made on account of any incorrectness, error in commentary, cataloging, or any imperfection not noted. No deduction, credit or avoidance shall be allowed on damaged articles, all Lots being exposed for public exhibition are purchased and accepted by successful Bidder "AS IS", "WHERE IS" and "WITH ALL FAULTS". Auctioneer makes no warranties or guarantees whatsoever whether written, oral or implied as to quality, quantity, condition, usability, salability, weight, measurement, age, model, mechanical condition, performance or other specifications and all sales made are utterly without recourse.
- 7. **CLAIMS** No Claims will be allowed after removal of Lots from premises.
- 8. **RESPONSIBILITY FOR NON-DELIVERY** Auctioneer, any owner, seller or secured party shall not, in any event, be liable to any Bidder for non-delivery of any Lot or for any other matter or thing, other than for the return to the successful Bidder of the deposit or sum paid on said Lot, should the successful Bidder be entitled thereto. This

- means that if are a successful Bidder and for any reason your Lot is not made available to you, you agree that the damages you may claim for such non-delivery are limited to the amounts you have paid and you waive any claim for damages for lost profits, opportunity, the value of the Lot in excess of the purchase price, your time, expenses, incidental and consequential damages, all of which are expressly waived.
- 9. COMPLIANCE WITH TERMS OF SALE In default of payment of invoices in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. Lots not paid for and removed within the time allowed herein may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charges of resale, will be charged to the defaulting successful Bidder.
- 10. **RISK TO PERSON AND PROPERTY** Persons attending during exhibition, sale, or removal of Lots assume all risks of damage of or loss to person and property and specifically release the Auctioneer from liability therefore and agree to indemnify and hold the Auctioneer harmless from any loss, claim, liability, cost, or expense caused all or in part by such person(s). Neither the auctioneer nor his principal shall be liable by reason of any defect in or condition of the premises on which the exhibition, sale, or removal of Lots is held.
- 11. **ADDITION TO OR WITHDRAWAL FROM SALE** The Auctioneer reserves the right to alter the order of the sale, withdrawal from the sale any of the Lots or parts thereof or to sell at this sale Lots not listed, and also reserves the right to group one or more Lots into one or more selling Lots or to subdivide into two or more selling Lots, or make any combination thereof which Auctioneer in its sole discretion determines. Whenever the best interest of the Seller will be served, the Auctioneer reserves the right to sell Lots in bulk.
- 12. **SALE BY ESTIMATED WEIGHT, COUNT OR MEASURE** Where items are sold by estimated weight, count, or measure, the successful Bidder will be invoiced for and required to pay for the estimated weight, count, or measure. If upon delivery any shortage exists, the successful Bidder will receive a credit at the rate of the bid. If there be an excess, the successful Bidder will be required to take and pay for such excess, at the rate of the bid.
- 13. **DISPUTE BETWEEN BIDDERS/BID INCREMENTS** If any dispute arises between two or more Bidders, the Auctioneer may decide the same or put the Lot up for sale again at once or resell to the highest Bidder. The Auctioneer may reject a nominal or fractional bid advance in the Auctioneer's sole discretion
- 14. **RESERVE** The Auctioneer reserves the right to reject any and all bids. On Lots upon which there is a reserve, the Auctioneer shall have the right to bid on behalf of the seller, owner or secured party and shall have no obligation to denote or announce such reserve or bid.
- 15. **RECORDS** The record of sale kept by the Auctioneer and bookkeeper will be taken as final in the event of any dispute.
- 16. **AGENCY** The Auctioneer is acting as agent only and is not responsible for the acts of its principals.
- 17. **SALES TAX** All sales are subject to state and local taxes, which will be collected from the successful Bidder unless a proper exemption certificate including tax-exempt number is presented at the time of payment.
- 18. **BUYER'S PREMIUM –** The Auctioneer in its sole discretion may impose a Buyer's Premium on any Lots sold. The Buyer's Premium is a percentage that is added to the final purchase price of any Lot.
- 19. **SHIPPING** All coolants, oil and fluids must be drained from all machinery and equipment prior to removal. All of the above must be shipped in compliance with state and federal regulations. Unless otherwise expressly provided in writing, preparation and shipment shall be at the sole responsibility and cost of the successful Bidder.
- 20. **INSURANCE** All successful Bidders, or their riggers must provide the Auctioneer and the owner of the premises of the sale a certificate of insurance in amounts acceptable to the Auctioneer prior to removal of any Lot.
- 21. **ADDITIONAL TERMS AND CONDITIONS** Except as set forth in Section 6 above, the Auctioneer may modify or supplement these terms and conditions of sale by language in the catalog available at the sale site or by announcement at the start of the sale.

### **AUCTION PURCHASE & REMOVAL AGREEMENT**

### HIKARI USA, INC.

2840 Magnolia St., Orangeburg, SC 29115 TUESDAY, JUNE 29, 2021 – 10:00 AM

All purchasers of items at the Hikari USA, Inc. auction conducted by Cincinnati Industrial Auctioneers, Inc. hereby agree to the following:

All purchasers agree to abide by the "Terms of Sale" as listed on our website and posted at the auction premises. The Auctioneer and Owner make no warranties express or implied as to merchantability, fitness for purpose, or condition of the articles being sold. All such expressed or implied warranties are expressly excluded hereby. All Bidders must execute the COVID-19 Health Screening Questionnaire & Self Declaration Sheet. All Bidders must comply with Social Distancing Policies and any other policies as requested by Hikari USA, Inc. and the state of South Carolina. Any bidder removing items will be required to wear a face mask.

All items are purchased on an "As Is, Where Is" basis, with the purchaser to incur all costs in conjunction with the loading, shopping and removal of the items from the premises. ALL EQUIPMENT MUST BE REMOVED IN A WORKMAN LIKE MANNER AND ALL UTILITIES MUST BE CAPPED. ALL ANCHOR BOLTS MUST BE CUT OFF AT FLOOR LEVEL. ALL OILS AND COOLANTS MUST BE REMOVED FROM MACHINES PRIOR TO REMOVAL. All items are available for removal during normal business hours through **Friday**, **July 9**, **2021 at 4:00 PM** at which time our representatives will leave the premises. After this time arrangements for removal must be made by appointment with "ERRA", Griner Engineering, Inc.

<u>"TIME IS OF THE ESSENCE"</u> regarding the removal of items from the premises. All items <u>must</u> be removed by **Friday**, **July 16, 2021 at 3:00 PM.** Any items remaining after this time will be removed and stored at the expense of the buyer or considered abandoned and scrapped. <u>NO EXCEPTIONS!</u>

### **REMOVAL & RIGGING**

### THE EXCLUSIVE RIGGER & REMOVAL AGENT, ("ERRA") FOR THIS AUCTION IS:

Industrial Services and Sales LLC, Terry Wilson | 704-214-2732 | twilson@industrialservicesandsales.com

Industrial Services and Sales LLC is the "ERRA" is the only company authorized to rig, dismantle, and load equipment at the Hikari USA, Inc. Auction Site. Loading charges for items will be listed in the auction catalog where available. Loading charges are for simple lift & load only, any special preparations will be an additional charge and need to be arranged with "ERRA". All payments for the loading charges and any loading arrangements must be made directly with "ERRA." Some items are listed as "loading charge TBD, (To Be Determined)." Loading charges for these items must be negotiated directly with the "ERRA." Removal arrangements other than those stated herein must be made directly with the Auctioneer and the "ERRA". Loading prices are valid until July 16, 2021.

There are NO REFUNDS, NO EXCHANGES, NO GUARANTEES OR NO WARRANTIES on any item. ALL SALES ARE FINAL.

Accepted By Purchaser:		
Company Name		
Buyer Number / Bidspotter Email		
Signature	 Date	
		Hika



## CINCINNATI INDUSTRIAL AUCTIONEERS, INC. COVID-19 Health Screening Questionnaire & Self Declaration

CIA values the health and welfare of our customers, employees, and business partners. We will take all necessary precautions to avoid against the spread of the COVID-19 Virus. For the latest of information regarding the COVID-19 virus and precautions to avoid the spread please review the CDC's website at (<a href="https://www.cdc.gov/coronavirus/2019-ncov/index.html">https://www.cdc.gov/coronavirus/2019-ncov/index.html</a>).

CIA will ask you to confirm that the following statements are correct prior to entering any auction facility for inspection or removal of purchases:

- 1. You have not knowingly had any contact with a person that has COVID-19 in the last 14 days.
- 2. You have not been out of the U.S., or in any risk sites in the last 14 days.
- **3.** You do not have any respiratory systems (cold, cough or shortness of breath), **do not have** a **fever of 100°F**, or have been fever free for at least 48 hours WITHOUT the use of any fever-reducing or other symptom relief medication.

### **AUCTION INSPECTION & REMOVAL GUIDELINES**

- 1. Take your temperature before coming to the facility. IF YOU ARE SICK STAY HOME!
- 2. Please bring your own Personal Protective Equipment to the facility. This includes Safety Glasses, Face Mask & Gloves. You will not be allowed on the premises without these items.
- **3.** Please practice safe Social Distancing while in the facility. Keep at least 6' apart from other individuals.
- **4.** A limited number of customers will be allowed in the facility at one time. Please remain in your vehicle until it is your turn to enter the facility.
- **5.** Truck drivers MUST remain outside the facility.
- **6.** Other safety precautions to remember; wash your hands frequently, do not touch your face and sneeze or cough into your arm or a Kleenex.
- 7. Additional onsite policies will be posted at the sale site.

Temperature:		
Signature:	Buyer #:	Date:
Cell #:	Email:	

### Catalog for Auction:Hikari USA, Inc.

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any of the lots specified herein.

Lot Num	Qty.	Description	Lot Num	Qty. Description
1	1	4 GALLON DURHAM MFT FLAMMABLE	22	1 25 HP ARMSTRONG MODEL 4X3X11.5 4030
		STORAGE CABINET		COMMERCIAL PUMP, BF STANDARD
2	1	OLYMPUS MODEL GX41 INVERTED		CONSTRUCTIONS, 426 US GPM CAPACITY
		METALLURGICAL MICROSCOPE WITH (2)		WITH ARMSTRONG MODEL GS-4X4PN20
		OLYMPUS CAMERAS AND VIEWING		SUCTION GUIDE (NEW 2020 - NEVER USED)
		MONITOR	23	1 2,000 AMP SQUARE D CAT NO.
3	1	FUTURE TECH MODEL FV-300E DIGITAL		37767975-001 2-SECTION SWITCH GEAR
		MICROSCOPE TYPE HARDNESS TESTER;		PANEL
		S/N FV3208, WITH PC (NEW 2003)	24	1 1,200 AMP SQUARE D CAT NO. 1221312897
4	1	MITYTOYO MODEL RA-114 DIGITAL ROUND		1-SECTION SWITCH GEAR PANEL
		TEST MACHINE; S/N 300101, BUILT IN	<b>2</b> 5	1 1,200 AMP SQUARE D CAT NO. 1223718265
		PRINTER, 3" 3-JAW CHUCK		1-SECTION SWITCH GEAR PANEL
5	1	14" MITUTOYO MODEL PJ-H3000F DIGITAL	26	1 800 AMP SQUARE D CAT NO. 14327N
		OPTICAL COMPARITOR		SAFETY SWITCH
6	1	12" SM CUT MODEL 702C CUT OFF SAW;	27	1 225 KVA SQUARE D CAT NO. 225T3HNV
		S/N 429, ENCLOSED CABINET, 6" VISE		SORGEL THREE PHASE TRANSFORMER
7	1	6" SUN-TEC MODEL R-FRS 5-SAMPLE	28	4 TOTES AND SKID MISCELLANEOUS
		AUTOMATIC GRINDING POLISHING		ELECTRICAL SWITCHES AND
		MACHINE		TRANSFORMERS
8	1	5,000 LB. TOYOTA MODEL 8FGCU25 SOLID	29	1 168" LONG X 100" WIDE X 95" HIGH HEAVY
		TIRE LP LIFT TRUCK W/ ROTATING		DUTY STEEL MEZZANINE WITH STEEL
		ATTACHMENT; S/N N/A, 3-STAGE MAST, 82"		GRATE FLOORING, 85" HIGH CEILING
		MAST HEIGHT, 48" FORKS, 189" LIFT		HEIGHT
		HEIGHT, CASCADE ROTATING FORKS, SIDE	30	1 OPEN
		SHIFT, 6,866 HOURS	31	1 OPEN
9	1	5,000 LB. TOYOTA MODEL 8FGCU25 SOLID	32	1 OPEN
		TIRE LP GAS LIFT TRUCK; S/N 41669,	33	1 OPEN
		3-STAGE MAST, 82" MAST HEIGHT, 189" LIFT		1 OPEN
		HEIGHT, 48" FORKS, SIDE SHIFT, 10,655	35	1 OPEN
		HOURS	36	1 OPEN
10	1	TENNANT MODEL T20 RIDER TYPE LP	37	1 OPEN
		FLOOR SCRUBBER; S/N 9825, 379 HOURS	38	1 OPEN
11	1	OPEN	39	1 OPEN
12		OPEN	40	1 OPEN
13		OPEN	41	1 OPEN
14		OPEN	42	1 OPEN
15		OPEN	43	1 OPEN
16		OPEN	44	1 OPEN
17	1		45	1 OPEN
18	1		46	1 OPEN
19	1		47	1 OPEN
20		OPEN	48	1 OPEN
21		25 HP ARMSTRONG MODEL 4X3X11.5 4030	49	1 OPEN
<u>-</u> 1	,	COMMERCIAL PUMP, BF STANDARD	70	1 Of Elf
		CONSTRUCTIONS, 426 US GPM CAPACITY		
		WITH ARMSTRONG MODEL GS-4X4PN20		
		SUCTION GUIDE (NEW 2020 - NEVER USED)		
		SOUTION GOIDE (NEW 2020 - NEVER OSED)	'	

Lot Num	Qty.	Description	Lot Num	Qty.	D	Description	
50	1	KOYO THERMO SYSTEMS MODEL INH-100CD-S HIGH TEMP BATCH INERT GAS	66	1		50 HP QUINCY MODEL QSI-500 AIR COMPRESSOR; S/N 94133J	
		OVEN; S/N 123030, MAX TEMP 600 DEGREE	67	. 1		50 HP QUINCY MODEL QSI-500 AIR	
		CELSIUS, PROFACE TOUCH CONTROL,	O,	•	•	COMPRESSOR; S/N 94363J	
		TEMP PROGRAMMER, TEMP RECORDER,	68	1	1	INGERSOLL RAND MODEL D13601NA400	
		40" X 40" X 40" DEEP INTERIOR DIMENSIONS		'	'	AIR DRYER; S/N WCH1037641, 300 PSIG	
		(NEW 2012 - NEVER USED)				(NEW 2019)	
51	1	KOYO THERMO SYSTEMS MODEL	69	4		INGERSOLL RAND MODEL D13601NA400	
01	•	UTO-100NI-S ULTRA TEMP OVEN; S/N	03	!	'	AIR DRYER; S/N WCH1037836, 300 PSIG	
		123081, MAX TEM 700 DEGREE CELSIUS,	,			(NEW 2019)	
		TEMP PROGRAMMER, TEMP RECORDER,	70	4		INGERSOLL RAND MODEL D11901NA400	
		40" X 40" X 40" DEEP INTERIOR DIMENSIONS			'	AIR DRYER; S/N 549091-2 (NEW APPROX.	
		(NEW 2012 - NEVER USED)				2014) - Machine was in service until 5/2021 then	
52	4	OPEN				unhooked and moved to complete the plant	
53		N2 METHANOL SUPPLY UNIT, SKID				•	
55	'	MOUNTED	71			clean up	
E.4	4		<i>F</i> 1	1	1	INGERSOLL RAND MODEL D11901NA400	
54		OPEN				AIR DRYER; S/N 549094-1 (NEW APPROX.	
55 50		OPEN				2014) - Machine was in service until 5/2021 then	
56		OPEN				unhooked and moved to complete the plant	
57		OPEN		-		clean up	
58		OPEN	72	1	1	ZEKS MODEL 700NCEA400 AIR DRYER; S/N	
59		OPEN				492471	
60	1	60 HP INGERSOLL RAND MODEL RS45I-A125 AIR COMPRESSOR; S/N	73	1	1	ZEKS MODEL 700NCEA400 AIR DRYER; S/N 492472	
		MOX1000222U19192, APPROX. 5,280 RUN	74	1	1	APPROX. 250 GALLON VERTICAL AIR	
		HOURS (NEW 2019)				RECEIVING TANK	
61	1	60 HP INGERSOLL RAND MODEL	75	•	1	DURA BLAST MODEL 6BB RUBBER BELT	
		RS45I-A125 AIR COMPRESSOR; S/N				TUMBLE BLAST SYSTEM WITH RECLAIM;	
		MOX1000399U19193, APPROX. 9,566 RUN				S/N 180713 (NEW 2018) - Machine was in	
		HOURS (NEW 2019)				service until 5/2021 then unhooked and moved	
62	1	60 HP INGERSOLL RAND MODEL				to complete the plant clean up	
		RS45I-A125 AIR COMPRESSOR; S/N	76	•	1	GENERAL HYDRAULICS MODEL 314-60L13	
		MOX1000563U19207, APPROX. 3,660 RUN				VERTICAL HYDRUALIC BALER; S/N 5251	
		HOURS (NEW 2019)	<b>7</b> 7	•	1	OHMIYA MODEL OC-18BR-150 CENTERLESS	
63	1	60 HP INGERSOLL RAND MODEL				GRINDER; S/N 1826, FANUC O-GC CONTROL	
		RS45I-A125 AIR COMPRESSOR; S/N	77A	•	1	OHMIYA MODEL OC-18BR-150 CENTERLESS	
		MOX1000466U19205, APPROX. 4,203 RUN				GRINDER; S/N 1824, FANUC O-GC CONTROL	
		HOURS (NEW 2019)	78	,	1	YODOGAWA MODEL DET220EY DUST	
64	1	125 HP INGERSOLL RAND MODEL				COLLECTOR	
		R901-A125 AIR COMPRESSOR; S/N	79	,	1	IZUMI MODEL KN-312B ANGULAR HEAD	
		V2093U14077, APPROX. 29,179 LOADED				CNC GRINDER; S/N 0605, MARPOSS E78	
		HOURS (NEW 2014) - Machine was in service				IN-PROCESS GAGE, FANUC POWER MATE	
		until 5/2021 then unhooked and moved to				CONTROL, 32" VIBRATORY BOWL WITH	
		complete the plant clean up				CONTROL (NEW 2006)	
65	1	125 HP INGERSOLL RAND MODEL	80		1	KOYO MODEL 3RG510A ANGULAR HEAD	
= =	•	R901-A125 AIR COMPRESSOR; S/N				CNC GRINDER; S/N 5R226AE07, FANUC	
		V2092U14073, APPROX. 40,903 LOADED				POWER MATE CONTROL, MARPOSS P-5	
1		HOURS (NEW 2014) - Machine was in service				IN-PROCESS GAUGING, 500 LB. CHAIN	
		until 5/2021 then unhooked and moved to				HOIST (NEW 2006)	
		complete the plant clean up				110101 (11217 2000)	
		The state of the second state of the second					

Lot Num	Qty.	Description	Lot Num	Qty.	Description
81		KOYO MODEL 3RG510A ANGULAR HEAD CNC GRINDER; S/N 5R206AD03, FANUC POWER MATE CONTROL, MARPOSS P-5 IN-PROCESS GAUGING, 500 LB. CHAIN HOIST (NEW 2006)	92	1	MURATA MURATEC MODEL MW120 TWO-SPINDLE CNC CHUCKER; S/N 03KX310420001, MURATEC FANUC CNC CONTROL, 8" CHUCK CAPACITY, (2) 8-STATION TURRETS, MARPOSS E3U
82	1	MARUYASU MODEL MMX224-309-100-100 K90 BELT FEED SYSTEM; S/N 03-302632-01, 4" WIDE X 109" LONG BELT, TRANFER	93	. 1	IN-PROCESS GAUGING, APPROX. WIEGHT 9,500 LB. (NEW 2003) 8" WIDE X 80" LONG MFG UNKNOWN
83	1	CONTROL KOYO MODEL 3RG510A ANGULAR HEAD CNC GRINDER; S/N 5R255AG01, FANUC	94	1	MAGNETIC BELT PARTS LOADER WITH 5" X 48" BELT FEEDER MURATA MURATEC MODEL MW120
84	1	POWER MATE CONTROL (NEW 2006) (FOR PARTS ONLY) IZUMI MODEL KN113B CENTERLESS GRINDER; S/N 0736, FANUC POWERMATE			TWO-SPINDLE CNC CHUCKER; S/N 02KX306110001, MURATEC FANUC CNC CONTROL, 8" CHUCK CAPACITY, (2) 8-STATION TURRETS, MARPOSS E3U
85	1	CONTROL (NEW 2007) ICHIKAWA MODEL ICB-240 ROTARY SURFACE GRINDER; S/N 240454, ICB PANEL PULCOM U400 ELECTRONIC MICROMETER,	-	1	IN-PROCESS GAUGING, APPROX. WEIGHT 9,500 LB. (NEW 2003) 8" WIDE X 80" LONG MFG UNKNOWN MAGNETIC BELT PARTS LOADER WITH 5" X
86	1	24" ELECTRO-MAGNETIC CHUCK MURATA MURATEC MODEL MW120 TWO-SPINDLE CNC CHUCKER; S/N	96	1	48" BELT FEEDER  1 KIWA MODEL KNV-410 CNC VERTICAL  MACHINING CENTER; S/N 2139-002, FANUC
		02KX356110002, MURATED FANUC CNC CONTROL, 8" CHUCK CAPACITY, (2) 8-STATION TURETS, MARPOSS E3U IN-PROCESS GAUGING, APPROX. WEIGHT			18I-MB CONTROL, FANUC RJ3-1B MATE ROBOT WITH CONTROLS, TEACHING PENDANT, APPROX. WEIGHT 12,000 LB. (2003) (FOR PARTS ONLY)
87		9,500 LB. (NEW 2003) 8" WIDE X 80" LONG MFG UNKNOWN MAGNETIC BELT PARTS LOADER WITH 5" X 48" BELT FEEDER	.97		1 KIWA MODEL KNV-410 CNC VERTICAL MACHINING CENTER; S/N N/A, FANUC 18I-MB CONTROL, FANUC RJ3-1B MATE ROBOT WITH CONTROLS, TEACHING
88	1	MURATA MURATEC MODEL MW120 TWO-SPINDLE CNC CHUCKER; S/N 02KX356110003, MURATEC FANUC CNC	98		PENDANT, APPROX. WEIGHT 12,000 LB. (2003) (FOR PARTS ONLY)  1 KIWA MODEL KNV-410 CNC VERTICAL
		CONTROL, 8" CHUCK CAPACITY, (2) 8-STATION TURRETS, MARPOSS E36 IN-PROCESS GAUGING, APPROX. WEIGHT 9,500 LB. (NEW 2003)			MACHINING CENTER; S/N N/A, FANUC 18I-MB CONTROL, FANUC RJ3-1B MATE ROBOT WITH CONTROLS, TEACHING PENDANT, APPROX. WEIGHT 12,000 LB.
89	1	8" WIDE X 80" LONG MFG UNKNOWN MAGNETIC BELT PARTS LOADER WITH 5" WIDE X 48" LONG BELT FEEDER	99	,	(2003) (FOR PARTS ONLY)  1 KIWA MODEL KNV-410 CNC VERTICAL  MACHINING CENTER; S/N N/A, FANUC
90	1	MURATA MURATEC MODEL MW120 TWO-SPINDLE CNC CHUCKER; S/N 03KX310420002, MURATEC FANUC CNC CONTRL, 8" CHUCK CAPACITY, (2) 8-STATION TURRETS, MARPOSS E3U IN-PROCESS GAUGING, APPROX. WEIGHT 9,500 LB. (NEW 2003)			18i-MB CONTROL, 20 ROBOT, TECHING PENDANT, APPROX. WEIGHT 12,000 LB. (2003) (FOR PARTS ONLY)
91	1	8" WIDE X 80" LONG MFG UNKNOWN MAGNETIC BELT PARTS LOADER WITH 5" X 48" BELT FEEDER			

Lot Num	Qty.	Description	Lot Num	Qty. Description
100	1	TSUGAMI MODEL B0205ii FIVE-AXIS CONVERTIBLE SWISS TYPE LATHE; S/N 24436B, FANUC OI-TD CONTROL, .79" MAX BAR DIAMETER SLIDING HEADSTOCK AND CONVERTIBLE (CHUCKER) CAPACITY, 8.26" MAX HEADSTOCK STROKE WITH GUIDE,	112	1 FANUC ROBODRILL MODEL A-D21MiA CNC DRILLING AND TAPPING CENTER WITH 4TH AXIS TABLE; S/N P12XYK010, FANUC 31i-B CONTROL, 25.6" X 15.7" TABLE, 19.7" X-AXIS, 15.7" Y-AXIS, 12.9" Z-AXIS, 21-POS ATC, COOLANT SYSTEM WITH FILTRATION,
		1.77" MAX HEADSTOCK STROKE WITHOUT GUIDE, 21-TOOL STATIONS, 4-LIVE TOOL STATIONS, 10,000 RPM MAIN SUB SPINDLE (NEW 12/2014)	113	LIGHT CURTIAN (NEW 2012)  1 FANUC ROBODRILL MODEL A-T21IEL CNC DRILLING AND TAPPING CENTER WITH 4TH AXIS; S/N P055VH057, FANUC 31I-A5
101	1	IKURA SEIKI MODEL BARTOP SSH205 BLANK LOADER (NEW 2014)		CONTROL, 33.4" X 16.1" TABLE, 27.5" X-AXIS, 15.7" Y-AXIS, 12.9" Z-AXIS, 21-POS ATC,
102	1	TSUGAMI MODEL BA20 FOUR-AXIS SWISS TYPE CNC LATHE; S/N 141, FANUC 32iA CONTROL, .79" SWING, 6.7" LENGTH, .31"	114	COOLANT WITH FILTRATION SYSTEM, LIGHT CURTAIN (NEW 2005) 1 FANUC ROBODRILL MODEL A-T2LIE CNC
103	1	HOLE, CHIP CONVEYOR (NEW 2005) IKURA SEIKI MODEL BARTOP LNC165 BLANK LOADER (NEW 2005)		DRILLING AND TAPPING CENTER WITH 4TH AXIS; S/N P055V077, FANUC 31i-A5 CONTROL, BLUM TC52 PROBE, 25.6" X 15.7"
104	1	TSUGAMI MODEL BA20 FOUR-AXIS SWISS TYPE CNC LATHE; SN 142, FANUC 32IA CONTROL, .79" SWING, 6.7" LENGTH, .31"		TABLE, 19.7" X-AXIS, 15.8" Y-AXIS, 12.9" Z-AXIS, 21-POS ATC, COOLANT SYSTEM WITH FILTRATION, LIGHT CURTIAN (NEW
105	1	HOLE, CHIP CONVEYOR (NEW 2005) IKURA SEIKI MODEL BARTOP LCH165 BLANK LOADER (NEW 2005)		2005) LOTS 115 TO END ARE LOCATED IN THE PLANT NEXT DOOR
106	1	TSUGAMI MODEL BA20 FOUR-AXIS SWISS TYPE CNC LATHE; S/N 143, FANUC 32IA CONTROL, .79" SWING, 6.7" LENGTH, .31" HOLE, CHIP CONVEYOR (NEW 2005)	115	HEALD MODEL 273A INTERNAL UNIVERSAL GRINDER; S/N G1-142 - Machine located next door in the Koyo Bearing Plant. Inspection and
107	1	IKURA SEIKI MODEL BARTOP LCH165 BLANK LOADER (NEW 2005)	116	removal are by appointment with auctioneer.  1 BLANCHARD MODEL NO. 18-36 ROTARY SURFACE GRINDER; S/N 5014, 36"
108	.1	MIYANO MODEL BM-200W SWISS TYPE CNC LATHE; S/N 02BW0011, FANUC 21i-T CONTROL, CHIP CONVEYOR, 16" VIBRATORY BOWL (NEW 2003)	;	DIAMETER MAGNETIC CHUCK - Machine located next door in the Koyo Bearing Plant. Inspection and removal are by appointment with auctioneer.
109	1	MIYANO MODEL BM-200W SWISS TYPE CNO LATHE; S/N 03BW00196 FANUC 21i-T CONTROL, CHIP CONVEYOR, 16" VIBRATORY BOWL (NEW 2003)	117	1 TOYODA MODEL GS15-100 CYLINDRICAL OD GRINDER; S/N R5055, CONTROL, MIST COLLECTOR - Machine located next door in the Koyo Bearing Plant. Inspection and removal are
110	1	MIYANO MODEL BM-200W SWISS TYPE CNO LATHE; S/N 03BW0018U, FANUC 21i-T CONTROL, CHIP CONVEYOR, 16" VIBRATORY BOWL (NEW 2003)	) 118	by appointment with auctioneer.  1 TAKISAWA MODEL TC-4 CNC TURNING CENTER; S/N THXN7074, 10-STATION TURRET, 12" 3-JAW CHUCK, COOLANT, CHIP
111	1			CONVEYOR, FANUC CONTROL - Machine located next door in the Koyo Bearing Plant. Inspection and removal are by appointment with auctioneer.  1 KOYO MODEL ICF-90KGC RACEWAY BORE GRINDER; S/N 46191 - Machine located next
		LIGHT CURTIAN (NEW 2012)		door in the Koyo Bearing Plant. Inspection and removal are by appointment with auctioneer.

Lot Num	Qty.	Description	Lot Num	Qty.	Description
120	1	KOYO MODEL ICF-90 RACEWAY BORE GRINDER; S/N N/A, FANUC CONTROL - Machine located next door in the Koyo Bearing Plant. Inspection and removal are by appointment with auctioneer.			
121	1	OPEN			
122		KOYO MODEL 3RG-500A INNER RING RACEWAY GRINDING MACHINE; S/N 8805209, FANUC 18i-ME CONTROL - Machine located next door in the Koyo Bearing Plant. Inspection and removal are by appointment with auctioneer.			
123	1	KOYO MODEL 3RG-500 INNER RING RACEWAY GRINDING MACHINE; S/N 8806217, FANUC 18i-ME CONTROL - Machine located next door in the Koyo Bearing Plant. Inspection and removal are by appointment with auctioneer.			·
124	1	KOYO MODEL 2RG-120 RIB GRINDER; S/N 2R112ZX10, FANUC POWER MATE CONTROL - Machine located next door in the Koyo Bearing Plant. Inspection and removal are by appointment with auctioneer.	-		
125	1	KOYO MODEL 2RG-180 INNER RING RIB GRINDING MACHINE; S/N GR84566A, FANUC POWER MATE CONTROL - Machine located next door in the Koyo Bearing Plant. Inspection and removal are by appointment with auctioneer			
126	1	SHARPE MODEL VH3 VERTICAL MILLING MACHINE; S/N 2B399, 12" X 52" TABLE, SPINDLE SPEED 35-1,700 RPM, ACU-RITE DRO (NEW 2000) - Machine located next door in the Koyo Bearing Plant. Inspection and removal are by appointment with auctioneer.			
127	1	OKUMA MODEL 5V-NC CNC VERTICAL MILLING MACHINE; S/N 55698, FANUC OM CONTROL, 64" X 22" TABLE - Machine located next door in the Koyo Bearing Plant. Inspection and removal are by appointment with auctioneer			