

PUBLIC AUCTION



SALE CATALOG

AVANTI SCREW, INC.

231 Cross St., Bristol, CT 06010

THURSDAY, NOVEMBER 17, 2022 - 10:00 AM



Inspection: Wednesday, November 16th from 10:00 AM to 4:00 PM

Auctioneers: Cincinnati Industrial Auctioneers, Inc.

Jeffrey L. Luggen

Joseph M. Luggen

18% BUYER'S PREMIUM IS IN EFFECT FOR ALL PURCHASES!

ALTHOUGH INFORMATION HAS BEEN OBTAINED FROM SOURCES DEEMED RELIABLE, THE AUCTIONEER MAKES NO WARRANTY OR GUARANTEE EXPRESSED OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION HEREIN CONTAINED. IT IS FOR THIS REASON THAT BUYERS SHOULD AVAIL THEMSELVES FOR THE OPPORTUNITY TO MAKE INSPECTION PRIOR TO THE SALE.



Sale Under the Management of

CINCINNATI **INDUSTRIAL AUCTIONEERS**

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

SYNOPSIS OF THE TERMS OF SALE

AVANTI SCREW, INC.

231 Cross St., Bristol, CT 06010

THURSDAY, NOVEMBER 17, 2022 – 10:00 AM

REGISTRATION: All Bidders must register at www.bidspotter.com and complete the bidder registration form, removal agreement, and sales tax exemption form sent by the Auctioneer after registering for the auction.

"AS IS, WHERE IS": Everything is being sold for cash on an "as is", "where is" basis without warranties expressed or implied on part of the Owner and Auctioneer. There are NO REFUNDS, NO EXCHANGES, NO GUARANTEES or NO WARRANTIES on any item.

ALL SALES ARE FINAL. All Items are sold on a "Where Is" basis with the Purchaser to incur all costs in conjunction with the loading, shipping, and removal of the items from the premises.

DEPOSITS: The Auctioneer may request a deposit at time of registration.

PAYMENTS: ALL INVOICES MUST BE PAID IN FULL WITHIN 24 HOURS AFTER THE AUCTION. Any merchandise not paid for by this specified time will be considered abandoned and may be resold by the auctioneer, any loss incurred in the resale to be borne by the original buyer. All payments must be made by **check or certified funds by express mail, wire transfer or ACH.** Please inquire with auction personnel regarding the acceptance of funding. **NO ONSITE PAYMENTS OR CREDIT CARDS WILL BE ACCEPTED.**

REMOVAL: All Bidders must comply with Social Distancing Policies and any other policies as requested by the Avanti Screw, Inc. Auction Site and the state of Connecticut. All bidders removing their items may be required to wear a face mask.

"TIME IS OF THE ESSENCE" ALL ITEMS MUST BE OFF THE PREMISES BY FRIDAY, DECEMBER 9, 2022 at 4:00 PM.
At the Owners Discretion, any items remaining after this time will be removed from the premises and stored at the expense of the buyer, considered abandoned and scrapped.

CHECKOUT HOURS:

Friday, November 18th From 8:00 AM to 4:00 PM

Monday, November 21st & Tuesday, November 22nd From 8:00 AM to 4:00 PM

CLOSED FOR THANKSGIVING NOVEMBER 23RD, 24TH & 25TH

Monday, November 28th – Friday, December 2nd From 8:00 AM to 4:00 PM

Monday, December 5th – Friday, December 9th By Appointment Only!!

IMPORTANT AUCTION NOTICES:

18% BUYERS PREMIUM IS IN EFFECT FOR ALL PURCHASES!

ALL BUYERS WILL BE REQUIRED TO EXECUTE AN "AUCTION PURCHASE REMOVAL AGREEMENT"

ALL SALES SUBJECT TO STATE AND LOCAL SALES TAX WHERE APPLICABLE

ALL BIDDERS MUST COMPLY WITH OUR CUSTOMARY "TERMS OF SALE" ATTACHED HERETO,

POSTED AT THE SALE SITE & OUR WEBSITE @ WWW.CIA-AUCTION.COM.

Auctioneer Can Not Assist with Export Documents!

WIRING INSTRUCTIONS

The balance of your invoice may be wired directly to our bank:

Call for Complete Wire Transfer Instructions

PLEASE SPECIFY YOUR BIDDER NUMBER WHEN MAKING YOUR WIRE TRANSFER

NOTE: A BANK WIRE TRANSFER FEE WILL APPLY WHICH IS NOT INCLUDED IN BALANCE DUE OF INVOICE



CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com

2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

TERMS OF SALE

NOTICE: All Bidders and other persons attending this sale ("Bidders") agree that they have read and have full knowledge of these terms and agree to be bound hereby. The Bidder identified by the Auctioneer as the high bidder or successful bidder at auction ("successful Bidder") shall have entered into a legally binding contract to purchase the item bid upon ("Lot") at the price and subject to the terms and conditions set forth herein. All determinations, rulings, and adjustments made by the Auctioneer in good faith shall be final, binding, and conclusive upon all Bidders. The term "Auctioneer" herein means Cincinnati Industrial Auctioneers, Inc.

1. **IDENTIFICATION** - All Bidders are required to give full name and addresses at time of registration.
2. **DEPOSIT** - Each successful Bidder will be required to make a deposit in cash or by bank cashier's or certified check of 25 percent (25%) of the successful bid on each Lot at time of knockdown. In default of such deposit, the Lot may be put up again immediately and resold.
3. **TIME OF PAYMENT** - Each successful Bidder shall receive an invoice during or at the conclusion of the auction. All invoices must be paid in full by the close of business on the last day of the auction sale and prior to removing any Lot. Any other arrangements must be made with auctioneer prior to bidding. In the absence of payment or agreement by the auctioneer, title to the Lot shall not transfer to the successful Bidder and such Bidder will lose any right, title or interest such Bidder may have acquired, and the deposit paid, if any, without further notice to such Bidder. The Bidder shall nonetheless remain liable for any damages caused by the Bidder's failure to pay.
4. **REMOVAL** - All purchases must be removed not later than the date specified in the Auction Catalogue and/or announced at the sale. No Lot can, on any account, be removed during the sale. All goods are sold "Where Is." Removal shall be at the expense, risk, and liability of the successful Bidder. Purchases will be released only on presentation of paid invoice. Auctioneer shall not be responsible for Lots not removed within the time allowed, but Auctioneer shall have the option to remove and store at the expense and risk of the successful Bidder any article purchased, but not paid for and removed within the time required.
5. **MANNER OF PAYMENT** - All payments must be made by cash, bank cashier's check or company check with a bank letter of authorization guaranteeing funds to "Cincinnati Industrial Auctioneers, Inc." All checks for deposits and balances due shall be payable to the order of "Cincinnati Industrial Auctioneers, Inc." All invoices must be paid to representatives of the Auctioneer at the auction site unless otherwise announced. The full purchase price on all Lots sold to the same successful Bidder must be paid within the time fixed and before removal of any Lot.
6. **DISCALIMER OF ALL WARRANTIES INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE; CONDITION OF ARTICLES SOLD - The Auctioneer and any owner, seller, or secured party make no warranties express or implied as to merchantability or fitness for purpose whatsoever. All such express or implied warranties are expressly excluded hereby. No oral statement or other writing by any person negates this exclusion. If you think you have received any assurance or warranty of any kind as to a Lot offered in this auction do not bid on such item unless the Auctioneer has signed a writing specifically directed to you and identifying the Lot and stating the modification of this exclusion The Auctioneer shall not be responsible for the correct description, genuineness, authenticity of, or defect in any Lot, and makes no warranty in connection therewith. No sale will be set aside, nor allowance made on account of any incorrectness, error in commentary, cataloging, or any imperfection not noted. No deduction, credit or avoidance shall be allowed on damaged articles, all Lots being exposed for public exhibition are purchased and accepted by successful Bidder "AS IS", "WHERE IS" and "WITH ALL FAULTS". Auctioneer makes no warranties or guarantees whatsoever whether written, oral, or implied as to quality, quantity, condition, usability, salability, weight, measurement, age, model, mechanical condition, performance or other specifications and all sales made are utterly without recourse.**
7. **CLAIMS** - No Claims will be allowed after removal of Lots from premises.
8. **RESPONSIBILITY FOR NON-DELIVERY**- Auctioneer, any owner, seller, or secured party shall not, in any event, be liable to any Bidder for non-delivery of any Lot or for any other matter or thing, other than for the return to the successful Bidder of the deposit or sum paid on said Lot, should the successful Bidder be entitled thereto. This means that if are a successful Bidder and for any reason your Lot is not made available to you, you agree that the damages you may claim for such non-delivery are limited to the amounts you have paid and you waive any



CINCINNATI INDUSTRIAL AUCTIONEERS
auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

claim for damages for lost profits, opportunity, the value of the Lot in excess of the purchase price, your time, expenses, incidental and consequential damages, all of which are expressly waived.

9. **COMPLIANCE WITH TERMS OF SALE** – In default of payment of invoices in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. Lots not paid for and removed within the time allowed herein may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charges of re-sale, will be charged to the defaulting successful Bidder.
10. **RISK TO PERSON AND PROPERTY** – Persons attending during exhibition, sale, or removal of Lots assume all risks of damage of or loss to person and property and specifically release the Auctioneer from liability therefore and agree to indemnify and hold the Auctioneer harmless from any loss, claim, liability, cost, or expense caused all or in part by such person(s). Neither the auctioneer nor his principal shall be liable by reason of any defect in or condition of the premises on which the exhibition, sale, or removal of Lots is held.
11. **ADDITION TO OR WITHDRAWAL FROM SALE** – The Auctioneer reserves the right to alter the order of the sale, withdrawal from the sale any of the Lots or parts thereof or to sell at this sale Lots not listed, and also reserves the right to group one or more Lots into one or more selling Lots or to subdivide into two or more selling Lots or make any combination thereof which Auctioneer in its sole discretion determines. Whenever the best interest of the Seller will be served, the Auctioneer reserves the right to sell Lots in bulk.
12. **SALE BY ESTIMATED WEIGHT, COUNT OR MEASURE** – Where items are sold by estimated weight, count, or measure, the successful Bidder will be invoiced for and required to pay for the estimated weight, count, or measure. If upon delivery any shortage exists, the successful Bidder will receive a credit at the rate of the bid. If there be an excess, the successful Bidder will be required to take and pay for such excess, at the rate of the bid.
13. **DISPUTE BETWEEN BIDDERS/BID INCREMENTS** – If any dispute arises between two or more Bidders, the Auctioneer may decide the same or put the Lot up for sale again at once or resell to the highest Bidder. The Auctioneer may reject a nominal or fractional bid advance in the Auctioneer's sole discretion.
14. **RESERVE** – The Auctioneer reserves the right to reject any and all bids. On Lots upon which there is a reserve, the Auctioneer shall have the right to bid on behalf of the seller, owner or secured party and shall have no obligation to denote or announce such reserve or bid.
15. **RECORDS** – The record of sale kept by the Auctioneer and bookkeeper will be taken as final in the event of any dispute.
16. **AGENCY** – The Auctioneer is acting as agent only and is not responsible for the acts of its principals.
17. **SALES TAX** – All sales are subject to state and local taxes, which will be collected from the successful Bidder unless a proper exemption certificate including tax-exempt number is presented at the time of payment.
18. **BUYER'S PREMIUM** – The Auctioneer in its sole discretion may impose a Buyer's Premium on any Lots sold. The Buyer's Premium is a percentage that is added to the final purchase price of any Lot.
19. **SHIPPING** – All coolants, oil and fluids must be drained from all machinery and equipment prior to removal. All of the above must be shipped in compliance with state and federal regulations. Unless otherwise expressly provided in writing, preparation and shipment shall be at the sole responsibility and cost of the successful Bidder.
20. **INSURANCE** – All successful Bidders, or their riggers must provide the Auctioneer and the owner of the premises of the sale a certificate of insurance in amounts acceptable to the Auctioneer prior to removal of any Lot.
21. **ADDITIONAL TERMS AND CONDITIONS** – Except as set forth in Section 6 above, the Auctioneer may modify or supplement these terms and conditions of sale by language in the catalog available at the sale site or by announcement at the start of the sale.



CINCINNATI INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

AUCTION PURCHASE & REMOVAL AGREEMENT

AVANTI SCREW, INC.

231 Cross St., Bristol, CT 06010

THURSDAY, NOVEMBER 17, 2022 – 10:00 AM

All purchasers of items at the Surplus from Avanti Screw, Inc. auction conducted by Cincinnati Industrial Auctioneers, Inc. hereby agree to the following:

All purchasers agree to abide by the "Terms of Sale" as listed on our website and posted at the auction premises. The Auctioneer and Owner make no warranties express or implied as to merchantability, fitness for purpose, or condition of the articles being sold. All such expressed or implied warranties are expressly excluded hereby. All Bidders must comply with Social Distancing Policies and any other policies as requested by the Avanti Screw, Inc. and the state of Connecticut. Any bidder removing items might be required to wear a face mask.

All items are purchased on an "**As Is, Where Is**" basis, with the purchaser to incur all costs in conjunction with the loading, shipping, and removal of the items from the premises. ALL EQUIPMENT MUST BE REMOVED IN A WORKMAN LIKE MANNER AND ALL UTILITIES MUST BE CAPPED. ALL ANCHOR BOLTS MUST BE CUT OFF AT FLOOR LEVEL. ALL OILS AND COOLANTS MUST BE REMOVED FROM MACHINES PRIOR TO REMOVAL. All items are available for removal during normal business hours through **Friday, December 2, 2022 at 4:00 PM** at which time our representatives will leave the premises. After this time arrangements for removal must be made by appointment with the Auctioneer.

"TIME IS OF THE ESSENCE" regarding the removal of items from the premises, unless noted in the lot description. All items must be removed by **Friday, December 9, 2022 at 4:00 PM**. Any items remaining after this time will be removed and stored at the expense of the buyer or considered abandoned and scrapped. **NO EXCEPTIONS!**

All purchasers and/or riggers of machinery MUST provide Cincinnati Industrial Auctioneers, Inc. and Avanti Screw, Inc. a certificate of insurance in the amount of \$2,000,000.00 prior to removal. Cincinnati Industrial Auctioneers, Inc. and Avanti Screw, Inc. must be named on the policy as co-insurer.

There are NO REFUNDS, NO EXCHANGES, NO GUARANTEES OR NO WARRANTIES on any item.
ALL SALES ARE FINAL.

Accepted By Purchaser:

Company Name

Buyer Number / Bidspotter Email

Signature

Date

Avanti Screw, Inc.
November 17, 2022



CINCINNATI INDUSTRIAL AUCTIONEERS
auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com
2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

Catalog for Auction:Avanti Screw, Inc.

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any of the lots specified herein.

| Lot Num | Qty. | Description | Lot Num | Qty. | Description |
|---------|------|--|---------|------|--|
| 1 | 75 | 13" X 18" X 5" DEEP PLASTIC TOTES | 33 | 2 | VERMONT PIN GAGE SETS: .0615 -.2505 |
| 2 | 125 | 13" X 18" X 5" DEEP PLASTIC TOTES | | | AND .061 - .250 |
| 3 | 1 | TASK FORCE TOOLBOX WITH TOOLS | 34 | 1 | DIMENSION ALL GRANTIE STAND WITH |
| 4 | 1 | 1,000 LB. CAPACITY PLATFORM SCALE | | | MITUTOYO DIGIMATIC INDICATORS |
| 5 | 1 | 40" BOX TYPE FLOOR FAN | 35 | 1 | DIMENSION ALL GRANTIE STAND WITH |
| 6 | 1 | 40" BOX TYPE FLOOR FAN | | | MITUTOYO DIGIMATIC INDICATORS |
| 7 | 1 | 32" PORTABLE BOX FAN | 36 | 1 | DIMENSION ALL GRANTIE STAND WITH |
| 8 | 1 | PEDESTAL FAN | | | MITUTOYO DIGIMATIC INDICATORS |
| 9 | 1 | PEDESTAL FAN | 36A | 12 | UNIVERSAL PUNCH CORP PENETRATION |
| 10 | 1 | PEDESTAL FAN | | | GAGES |
| 11 | 1 | ELECTRIC WALK-BEHIND SWEEPER *NO | 37 | 1 | 30" X 60" BENCH |
| | | BATTERY* | 38 | 1 | 16" WIDE CUSHION PACK CP422 PAPER |
| 12 | 1 | 1/2 HP BARREL TYPE VACUUM | | | SHREDDER |
| 13 | 1 | (LOT) BENCH WITH DE GRINDER, VISE AND | 39 | 1 | 34" X 96" STEEL BENCH |
| | | DUST COLLECTOR | 40 | 1 | HARDINGE MODEL HLV-H TOOLROOM |
| 14 | 1 | (LOT) BENCH WITH DE GRINDER, VISE, | | | LATHE, 5" 3-JAW CHUCK, TAILSTOCK WITH |
| | | DE-MAG UNIT, ETCHER AND MAGNETS | | | TOOLING ON SHELF UNIT BEHIND LATHE |
| 15 | 1 | VIBRATORY FEEDER, 24" X 24" HOPPER | 41 | 3 | 5" LATHE CHUCKS |
| 16 | 1 | WARDWELL SLOTTING SAW | 42 | 28 | 5-C COLLETS |
| 17 | 1 | 12" X 24" JET MODEL 1324 PBD BENCH | 43 | 1 | 12" X 24" KBC MODEL 1224AH SURFACE |
| | | TYPE LATHE; S/N B7607-299, 60-1,240 RPM, | | | GRINDER; S/N 5147, WITH HYDRAULIC PUMP |
| | | 6" 6-JAW CHUCK, TAILSTOCK | | | AND COOLANT PUMP |
| 18 | 1 | TOOLPOST WITH (2) HOLDERS | 44 | 1 | SUNNEN MODEL MBB-1600 PRECISION |
| 19 | 1 | 70 TON DAKE MODEL PSS POWERED | | | HONING MACHINE; S/N 40561 |
| | | HYDRAULIC H-FRAME PRESS; S/N 2060 | 45 | 1 | (LOT) MISCELLANEOUS SUNNEN HONE |
| 20 | 1 | 75 TON H-FRAME HYDRAULIC PRESS, 44" | | | TOOLING |
| | | BETWEEN UPRIGHTS | 46 | 1 | 3 HP JET VERTICAL MILLING MACHINE; S/N |
| 21 | 1 | 14" / SIZE 1/2 AVEY SINGLE SPINDLE FLOOR | | | 208505741, 9" X 49" POWER TABLE, SPINDLE |
| | | DRILL | | | SPEED 60-4,200 RPM, SARGON GOLD |
| 22 | 1 | 6" X 12" ENCO MODEL 120-5615 SURFACE | | | TRACER, DRO |
| | | GRINDER; S/N 860430 | 46A | 1 | 6" KURT MACHINE VISE |
| 23 | 1 | DELTA TYPE 1 DUST COLLECTOR | 47 | 1 | 8" PHASE II 225-008 HORIZONTAL / |
| 24 | 1 | 1/2 HP DE PEDESTAL GRINDER | | | VERTICAL SUPER SPACER |
| 25 | 1 | 6" X 12" BOYAR-SCHULTZ SURFACE | 48 | 1 | COLLET SPIN INDEXER |
| | | GRINDER WITH DUST COLLECTOR AND | 49 | 1 | (LOT) MISCELLANEOUS FIXTURES |
| | | GRINDING WHEELS | | | INCLUDING (2) 3" VISES AND (2) V-BLOCKS |
| 26 | 1 | 5,000 LB. BENERAL PLATFORM SCALE WITH | 50 | 1 | 48" X 24" STEEL FRAME BENCH |
| | | GE600 DRO | 51 | 1 | 2 HP GRIZZLY 2-BAG DUST COLLECTOR |
| 27 | 1 | STARRETT BENCH TYPE MICROMETER | 52 | 1 | 12" METAL EDGE INTL FASTAY METAL |
| | | WITH DIAL INDICATOR | | | EDGE BOX ASSEMBLY MACHINE; S/N |
| 28 | 1 | (LOT) (2) STANDS WITH MITUTOYO | | | AR5896 |
| | | DIGIMATIC INDICATORS AND INSPECTION | 53 | 1 | 12" METAL EDGE INTL FASTAY METAL |
| | | LIGHT | | | EDGE BOX ASSEMBLY MACHINE; S/N |
| 29 | 5 | GREENSLADE MICROMETERS | | | AST-1003 (NEW 2000) |
| 30 | 1 | UNIVERSAL CONCENTRIC GAGE | 54 | 1 | 24" X 20" CLAMCO MODEL 5124 L-BAR |
| 31 | 2 | MITUTOYO ABSOLUTE GAGES | | | SEALER; S/N 2605 |
| 32 | 1 | TECO FREQUENCY DRIVE | | | |

Catalog for Auction:Avanti Screw, Inc.

| Lot Num | Qty. | Description | Lot Num | Qty. | Description |
|---------|------|--|---------|------|---|
| 55 | 1 | 24" X 20" CLAMCO MODEL 5124 L-BAR SEALER; S/N 2613 | 87 | 1 | 24" DIAMETER X 24" DEEP BAIRD MODEL 2C BARREL TUMBLER / POLISHER |
| 56 | 1 | 24" X 20" CLAMCO MODEL 5124 L-BAR SEALER; S/N 2607 | 88 | 1 | 24" DIAMETER X 24" DEEP BAIRD MODEL 2C BARREL TUMBLER / POLISHER |
| 57 | 1 | 26" X 21" QVAC MODEL T1824 TABLE TOP VACUUM SEAL MACHINE; S/N 179604 | 89 | 1 | 20" DIAMETER X 27" DEEP GLOBE BARREL TUMBLER / POLISHER |
| 58 | 1 | 22" X 10" CLAMCO MODEL 6022 HEAT SHRINK TUNNEL; S/N 6340 | 90 | 1 | 27" DIAMETER X 29" DEEP MFG UNKNOWN TUMBLER / POLISHER |
| 59 | 1 | 22" X 10" CLAMCO MODEL 6022 HEAT SHRINK TUNNEL; S/N 6362 | 91 | 1 | 15" DIAMETER X 19" DEEP PORTABLE BARREL TUMBLER / POLISHER |
| 60 | 1 | 22" X 10" CLAMCO MODEL 6022 HEAT SHRINK TUNNEL; S/N 6321 | 92 | 1 | 12" DIAMETER CENTRIFUGE |
| 60A | 3 | ROLLS FLEX-O-FILM, .005" THICKNESS, 20" WIDE, 900' LONG | 93 | 1 | PNEUAMTIC BARREL VACUUM |
| 61 | 1 | AMERICAN MACHINE WORKS WIRE STITCHER; S/N 3658, 1/3 HP | 94 | 1 | 16" DIAMETER BARRETT MODEL 125 CENTRIFUGE WITH 3/4 HP PUMP |
| 62 | 1 | FTI ROLL SORTER; S/N 4673, 24" X 24" FEED, 24" VIBRATORY BOWL, 36" ROLLER SORTER | 95 | 1 | 22" DIAMETER BARRETT CENTRIFUGE |
| 63 | 1 | 60" ROLLER SORTER | 96 | 1 | 1/2 TON MILWAUKEE ELECTRIC CHAIN HOIST WITH MONORAIL TYPE A-FRAME RAIL, 11' WIDE X 10' HIGH |
| 64 | 1 | (LOT) MACHINE BELTS | 96A | 1 | (LOT) CUTTERS |
| 65 | 4 | SKIDS MISCELLANEOUS MACHINE PARTS INCLUDING MOTORS, PUMPS, CONVEYORS | 96B | 1 | (LOT) CLEAR DPR FLEXPAC |
| 66 | 30 | 16" X 9" X 7" STEEL TUBS | 97 | 1 | 3,000 LB. RAYMOND MODEL EASI 24 VOLT ELECTRIC STAND UP REACH TRUCK; S/N ET13-94-00390, 216" LIFT HEIGHT, 96" 3-STAGE MAST, 30" FORKS **OUT OF SERVICE** |
| 67 | 45 | 16" X 9" X 7" STEEL TUBS | 98 | 1 | 3,000 LB. CROWN MODEL SC4510-30 36 VOLT ELECTRIC SOLID TIRE LIFT TRUCK; S/N 9A156581, 83" 3-STAGE MAST, 192" LIFT HEIGHT, SIDE SHIFT, 9,912 HOURS, 36 VOLT EAGLETRONIC M-L2 CHARGER |
| 68 | 54 | 16" X 9" X 7" STEEL TUBS | 99 | 1 | 3,000 LB. CROWN MODEL SC4020-35 36 VOLT ELECTRIC SOLID TIRE SIT-DOWN LIFT TRUCK; S/N 9A115114, 82" 3-STAGE MAST, 190" LIFT HEIGHT, SIDE SHIFT, 36 VOLT HOBART BATTERY MATE CHARGE **BATTERY DOES NOT TAKE CHARGE - OUT OF SERVICE** |
| 69 | 33 | 16" X 9" X 7" STEEL TUBS | | | |
| 70 | 60 | 16" X 9" X 7" STEEL TUBS | | | |
| 70A | 35 | MISCELLANEOUS STEEL TUBS | | | |
| 71 | 60 | 16" X 9" X 7" STEEL TUBS | | | |
| 72 | 70 | 16" X 9" X 7" STEEL TUBS | | | |
| 73 | 55 | 16" X 9" X 7" STEEL TUBS | | | |
| 74 | 65 | 16" X 9" X 7" STEEL TUBS | | | |
| 74A | 64 | 16" X 9" X 7" STEEL TUBS | | | |
| 74B | 64 | 16" X 9" X 7" STEEL TUBS | | | |
| 74C | 45 | 16" X 9" X 7" STEEL TUBS | | | |
| 75 | 200 | APPROX. 16" X 10" X 5" STEEL PANS | | | |
| 76 | 150 | APPROX. 16" X 10" X 5" STEEL PANS | 100 | 1 | 15 V / 60 A BIG JOE MODEL BAJ-60 BATTERY CHARGER |
| 77 | 130 | APPROX. 16" X 10" X 5" STEEL PANS | | | |
| 78 | 200 | APPROX. 16" X 10" X 5" STEEL PANS | 101 | 1 | 42" FORKS |
| 79 | 150 | APPROX. 16" X 10" X 5" STEEL PANS | 102 | 1 | 90" BOOM |
| 80 | 225 | APPROX. 16" X 10" X 5" STEEL PANS | 103 | 1 | WULFTEC MODEL WHP-100 ROTARY TABLE STRETCH WRAPPER; S/N 1295-1070, 80" MAX HEIGHT, 4' X 4' ROTARY TABLES |
| 81 | 3 | DOLLIES | | | |
| 82 | 1 | OPEN | | | |
| 83 | 1 | OPEN | 104 | 1 | OPEN |
| 84 | 1 | OPEN | 105 | 1 | OPEN |
| 85 | 1 | OPEN | 106 | 1 | 3/8" HARTFORD MODEL 10-400 HIGH SPEED THREAD ROLLER; S/N 35-377-8, 3/8" THREAD DIAMETER, 3" LENGTH, 4" BLANK LENGTH, 200-400 PPM, WITH 21" VIBRATORY BOWL |
| 86 | 1 | AJAMATIC INDUSTRIAL MARK II 3-TANK PARTS WASHER; S/N 60, 80" X 24" INFEED BELT CONVEYOR, 18" X 24" EXIT CONVEYOR | | | |

Catalog for Auction:Avanti Screw, Inc.

| Lot Num | Qty. | Description | Lot Num | Qty. | Description |
|---------|------|--|---------|------|---|
| 107 | 1 | 6 CUBIC FOOT WARREN MODEL WL-1000 INCLINE LOADER; S/N 0994886, 60" DISCHARGE HEIGHT | 117 | 1 | 3/16" HARTFORD MODEL 0-500 HIGH SPEED THREAD ROLLER, 3/16" THREAD DIAMETER, 1-5/8" THREAD LENGTH, 2-1/2" BLANK, |
| 108 | 1 | VIBRATORY PARTS FEEDER SYSTEM WITH (2) 16" SYNTRON VIBRATORY BOWL / FEEDERS | 118 | 1 | 250-500 PPM, 18" VIBRATORY BOWL, COOLANT PUMP; S/N 33-124-2A |
| 109 | 1 | 3/16" HARTFORD MDOEL 0-500 HIGH SPEED THREAD ROLLER, 3/16" THREAD DIAMETER, 1-5/8" THREAD LENGTH, 2-1/2" BLANK LENGTH, 250-500 PPM, 18" VIBRATORY BOWL FEEDER, COOLANT PUMP; S/N 33-190-6 | 119 | 1 | 3/16" HARTFORD MODEL 0-500 HIGH SPEED THREAD ROLLER, 3/16" THREAD DIAMETER, 1-5/8" THREAD LENGTH, 2-1/2" BLANK, |
| 110 | 1 | 3/16" HARTFORD MDOEL 0-500 HIGH SPEED THREAD ROLLER, 3/16" THREAD DIAMETER, 1-5/8" THREAD LENGTH, 2-1/2" BLANK LENGTH, 250-500 PPM, 18" VIBRATORY BOWL FEEDER, COOLANT PUMP; S/N 33-168-4 | 120 | 1 | 5/16" WARREN MODEL WS-1000 HIGH SPEED HEAD SLOTTER; S/N 0577247, 5/16" BLANK DIAMETER, 2" BLANK, 600 PPM, 18" VIBRATORY BOWL, STAINLESS STEEL PACKAGE |
| 111 | 1 | 3/16" HARTFORD MDOEL 0-500 HIGH SPEED THREAD ROLLER, 3/16" THREAD DIAMETER, 1-5/8" THREAD LENGTH, 2-1/2" BLANK LENGTH, 250-500 PPM, 18" VIBRATORY BOWL FEEDER, COOLANT PUMP; S/N 33-189-6 | 121 | 2 | 17" WARREN SLOTTER DIALS |
| 112 | 1 | 3/16" HARTFORD MDOEL 0-500 HIGH SPEED THREAD ROLLER, 3/16" THREAD DIAMETER, 1-5/8" THREAD LENGTH, 2-1/2" BLANK LENGTH, 250-500 PPM, 18" VIBRATORY BOWL FEEDER, COOLANT PUMP; S/N 33-470-32 | 122 | 1 | 5/16" WARREN MODEL WS-1000 HIGH SPEED HEAD SLOTTER; S/N 0778290, 5/16" BLANK DIAMETER, 2" BLANK, 600 PPM, 21" VIBRATORY BOWL |
| 113 | 1 | 3/16" HARTFORD MDOEL 0-500 HIGH SPEED THREAD ROLLER, 3/16" THREAD DIAMETER, 1-5/8" THREAD LENGTH, 2-1/2" BLANK LENGTH, 250-500 PPM, 18" VIBRATORY BOWL FEEDER, COOLANT PUMP; S/N 33-449-31 | 123 | 1 | (LOT) WARREN SLOTTER DIALS AND OTHER TOOLING |
| 114 | 1 | 1/4" WARREN MODEL WT-1500 HIGH SPEED THREAD ROLLER; S/N 990014, 1/4" THREAD DIAMETER, 3" THREAD LENGTH, 3" BLANK LENGTH, 700 PPM, 21" WARREN VIBRATORY BOWL | 124 | 1 | 3/8" STRACHAN MODEL 958-10 SHANK SLOTTER, 2-3/8" BLANK DIAMETER, 1/4" - 2-1/2" BLANK LENGTH, 180 PPM, 18" VIBRATORY BOWL |
| 115 | 1 | 3/8" HARTFORD MODEL 6-600 HIGH SPEED PINCH POINTER; S/N 2502-185-13, 3/8" BLANK DIAMETER, 4" BLANK LENGTH, 200-600 PPM, ROTOVANE HOPPER | 125 | 1 | 3/8" STRACHAN MODEL 958-10 SHANK SLOTTER; S/N 8967, 2-3/8" BLANK DIAMETER, 1/4" - 2-1/2" BLANK LENGTH, 180 PPM, ROTOVANE HOPPER |
| 116 | 1 | 3/16" HARTFORD MODEL 0-500 HIGH SPEED THREAD ROLLER, 3/16" THREAD DIAMETER, 1-5/8" THREAD LENGTH, 2-1/2" BLANK, 250-500 PPM, 18" VIBRATORY BOWL, COOLANT PUMP; S/N 33-380-25 | 126 | 14 | STRACHAN SLOTTER DIALS |
| | | | 127 | 1 | (LOT) STRACHAN SLOTTER PARTS |
| | | | 128 | 1 | 1/8" WARREN MODEL WS-500 HIGH SPEED HEAD SLOTTER; S/N 037963, .136" BLANK DIAMETER, 1-1/4" SHANK LENGTH, 1,000 PPM, 12" VIBRATORY BOWL |
| | | | 129 | 1 | 1/4" ITW MODEL 322 SHANK SLOTTER; S/N 658, 1/4" SHANK DIAMETER, 1/2" - 2" SHANK LENGTH, 60 PPM, ROTOVANE HOPPER |
| | | | 130 | 1 | (LOT) ITW SLOTTER DIALS |
| | | | 131 | 1 | 5/16" WARREN MODEL WS-1000 HIGH SPEED HEAD SLOTTER; S/N 1276230, 5/16" BLANK DIAMETER, 2" BLANK, 600 PPM, 21" VIBRATORY BOWL |
| | | | 132 | 2 | WARREN SLOTTER DIALS |

Catalog for Auction:Avanti Screw, Inc.

| Lot Num | Qty. | Description | Lot Num | Qty. | Description |
|---------|------|---|---------|------|--|
| 133 | 3 | WARREN SLOTTER DC MOTORS ON SKID | 149 | 1 | (LOT) ASSORTED THREAD ROLLING DIES |
| 134 | 1 | 3/8" HARTFORD MODEL 6-600 HIGH SPEED PINCH POINTER; S/N 2502-128-5, 3/8" BLANK DIAMETER, 4" BLANK LENGTH, 200-600 PPM, 24" VIBRATORY BOWL | 150 | 1 | ON (1) SECTIONS OF SHELVING |
| 135 | 1 | (LOT) HARTFORD 6-600 DIALS AND PARTS | 151 | 1 | (LOT) ASSORTED THREAD ROLLING DIES ON (1) SECTIONS OF SHELVING |
| 136 | 1 | 6 CUBIC FOOT WARREN MODEL WL-1000 INCLINE LOADER; S/N 037708, 66" DISCHARGE HEIGHT | 152 | 1 | (LOT) ASSORTED THREAD ROLLING DIES ON (1) SECTIONS OF SHELVING |
| 137 | 1 | 3/8" HARTFORD MODEL 6-600 HIGH SPEED PINCH POINTER; S/N 20715, 3/8" BLANK DIAMETER, 4" BLANK LENGTH, 200-600 PPM, 18" VIBRATORY BOWL | 153 | 1 | (LOT) ASSORTED THREAD ROLLING DIES ON (1) SECTIONS OF SHELVING |
| 138 | 1 | (LOT) HARTFORD 6-600 DIALS AND PARTS | 154 | 1 | (LOT) ASSORTED THREAD ROLLING DIES ON (1) SECTIONS OF SHELVING |
| 139 | 1 | 3/8" HARTFORD MODEL 6-600 HIGH SPEED PINCH POINTER; S/N 2500-147-3R, 3/8" BLANK DIAMETER, 4" BLANK LENGTH, 200-600 PPM, ROTOVANE HOPPER | 155 | 1 | (LOT) ASSORTED THREAD ROLLING DIES ON (1) SECTIONS OF SHELVING |
| 140 | 1 | (LOT) HARTFORD 6-600 DIALS AND PARTS | 156 | 1 | (LOT) ASSORTED THREAD ROLLING DIES ON (1) SECTIONS OF SHELVING |
| 141 | 1 | 3/8" TANISAKA-HARTFORD MODEL 10-400 HIGH SPEED THREAD ROLLER; S/N 3502008, 3/8" THREAD DIAMETER, 3" THREAD LENGTH, 4" SHANK, 200-400 PPM, VIBRATORY BOWL FEEDER | 157 | 1 | (LOT) THREAD ROLLING DIES ON (3) CARTS WITH THE CARTS |
| 142 | 1 | 6 CUBIC FOOT WARREN MODEL WL-1000 INCLINE LOADER; S/N 1084305, 60" DISCHARGE HEIGHT | 157A | 10 | SECTIONS 12" X 36" STEEL SHELVING |
| 143 | 1 | 1/8" WARREN MODEL WT-500 HIGH SPEED THREAD ROLLER; S/N 1279005, .136" THREAD DIAMETER, 1-1/8" THREAD LENGTH, 1-1/4" BLANK, 150-1,000 PPM, 15" VIBRATORY FEEDER | 158 | 1 | 5/16" NATIONAL HIGH SPEED DSSD COLD HEADER; S/N 32855, 5/16" CUT-OFF DIAMETER, 100,000 PSI, 1-1/2" SHANK LENGTH, 2-3/4" CUT-OFF LENGTH, 250 PPM, WITH BUSHING CUT-OFF, PKO, RELIEVING KNOCKOUT |
| 144 | 1 | 1/4" WARREN MODEL WT-1500 HIGH SPEED THREAD ROLLER; S/N 099434, 1/4" THREAD DIAMETER, 3" THREAD LENGTH, 3" BLANK, 700 PPM, VIBRATORY BOWL FEEDER, CHOKE FINGER | 159 | 1 | 5/16" RMG MODEL 56-0761-68 INLINE WIRE DRAWER; S/N 92072504, 5/16" NOMINAL WIRE DIAMETER, 61 FPM, 24" CAPSTAN |
| 145 | 1 | 1/4" WARREN MODEL WT-1000 HIGH SPEED THREAD ROLLER; S/N 05844112, 1/4" THREAD DIAMETER, 2" THREAD LENGTH, 2" SHANK, 1,000 PPM, VIBRATORY BOWL FEEDER | 160 | 1 | 30" DIAMETER WIRE PAY-OFF REEL |
| 146 | 1 | WARREN MODEL WL-1000 INCLINE LOADER, 6 CUBIC FOOT; S/N 057713, 72" DISCHARGE HEIGHT | 161 | 1 | 1/8" HARTFORD MODEL 2-450 HIGH SPEED DSSD COLD HEADER; S/N 5204-173-10, .125" CUT OFF DIAMETER, 100,000 PSI, .781" MAX LENGTH UNDER HEAD, 1.460" CUT-OFF LENGTH, 450 PPM |
| 147 | 1 | (LOT) ASSORTED THREAD ROLLING DIES ON (1) SECTIONS OF SHELVING | 162 | 1 | (LOT) HARTFORD 2-450 CUT-OFF KNIVES |
| 148 | 1 | (LOT) ASSORTED THREAD ROLLING DIES ON (1) SECTIONS OF SHELVING | 163 | 1 | 3/16" RMG MODEL 34-0366-75 INLINE WIRE DRAWER; S/N 92122991, 3/16" NOMINAL WIRE DIAMETER, 66 FPM, 20" CAPSTAN |
| | | | 164 | 1 | 30" DIAMETER WIRE PAY-OFF REEL |
| | | | 165 | 1 | 3/16" NAKASHIMADA MODEL NH-15B HIGH SPEED DSSD COLD HEADER; S/N 81073, .190 CUT-OFF DIAMETER, 1.50" SHANK LENGTH, 2.00" CUT-OFF LENGTH, 275 PPM |
| | | | 166 | 1 | 3/16" RMG MODEL 34 WIRE DRAWER; S/N N/A, 3/16" NOMINAL WIRE DIAMETER, 50 FPM, 17" CAPSTAN, TECO L510 VARI-DRIVE |
| | | | 167 | 1 | 30" DIAMETER WIRE PAY-OFF REEL |
| | | | 168 | 1 | (LOT) SHELF UNIT WITH HEADER TOOLING |

Catalog for Auction:Avanti Screw, Inc.

| Lot Num | Qty. | Description | Lot Num | Qty. | Description |
|---------|------|--|---------|------|--|
| 169 | 1 | 1/4" NAKASHIMADA MODEL H20FU LONG STROKE HIGH SPEED DSSD COLD HEADER, 6 MM CUT-OFF DIAMETER, 100,000 PSI, 100 MM SHANK LENGTH, 135 MM CUT-OFF LENGTH, 80,100 PPM; S/N 780586 | 184 | 1 | 1/8" HARTFORD MODEL 2-450 HIGH SPEED DSSD COLD HEADER, S/N: 5204-172-10, .125" CUTOFF DIAMETER, 100,000 PSI .781 MAX LENGTH UNDER HEAD, 1.460" CUTOFF LENGTH, 450 PPM |
| 170 | 1 | 3/16" RMG MODEL 34-0370-87 INLINE WIRE DRAWER; S/N 96043843, 3/16" NOMINAL WIRE DIAMETER, 70 FPM, 20' CAPSTAN | 185 | 1 | 3/16" RMG MODEL 34 INLINE WIRE DRAWER, S/N N/A, 3/16" NOMINAL WIRE DIAMETER, 50 FPM, 20" CAPSTAN, ACVD |
| 171 | 1 | 30" DIAMETER WIRE PAY-OFF REEL | 186 | 1 | 50" DIAMETER WIRE PAYOFF REEL |
| 172 | 1 | 1/4" NAKASHIMADA MODEL H20A HIGH SPEED DSSD COLD HEADER, 6 MM CUT-OFF DIAMETER, 100,000 PSI, 50 MM SHANK LENGTH, 20 MM CUT-OFF LENGTH, 180 PPM; S/N 780601 | 187 | 1 | 1/8" CARLO SALVI MODEL RF/SV HIGH SPEED DSSD SEMI TUBULAR COLD HEADER, S/N 855/74, 3MM CUTOFF DIAMETER, 25 MM SHANK LENGTH, 37 MM CUTOFF LENGTH, 550 PPM *REQUIRES KICK PIERCE MECHANISM FOR TUBULAR RIVETS* |
| 173 | 1 | 1/4" RMG MODEL 45-0554-01 INLINE WIRE DRAWER; S/N 202791, 1/4" NOMINAL WIRE DIAMETER, 20" CAPSTAN, 54 FPM *STARTER NEEDS REPAIR* | 188 | 1 | 1/8" FASTENER ENGINEERS MODEL WR-01-16 INCLINE WIRE DRAWER; S/N 973/1907, 1/8" NOMINAL WIRE DIAMETER, 60 FPM |
| 174 | 1 | 30" DIAMETER WIRE PAYOFF REEL | 189 | 1 | 30" DIAMETER WIRE PAYOFF REEL |
| 175 | 1 | 1/4" NAKASHIMADA MODEL H20A HIGH SPEED DSSD COLD HEADER, 6 MM CUTOFF DIAMETER, 100,000 PSI, 50 MM SHANK LENGTH, 20 MM CUTOFF LENGTH, 180 PPM; S/N 770566 | 190 | 1 | 3/16" NAKASHIMADA MODEL NH-15B HIGH SPEED DSSD COLD HEADER; S/N 81074, .190" CUTOFF DIAMETER, 1.50" SHANK LENGTH, 2.00" CUTOFF LENGTH, 275 PPM |
| 176 | 1 | 3/16" RMG MODEL 23-0254-87 INLINE WIRE DRAWER, S/N 96114028, 3/16" NOMINAL WINE DIAMETER, 54 FPM, 20' CAPSTAN, ACVD | 191 | 1 | 1/4" FASTENER ENGINEERS MODEL DTHA 02-20 INLINE WIRE DRAWER; S/N 3845828, 1/4" NOMINAL WIRE DIAMETER, 50 FPM, 20" CAPSTAN |
| 177 | 1 | 30" DIAMETER WIRE PAYOFF REEL | 192 | 1 | 30" DIAMETER WIRE PAYOFF REEL |
| 178 | 1 | 1/4" NAKASHIMADA MODEL H20A HIGH SPEED DSSD COLD HEADER, 6 MM CUTOFF DIAMETER, 100,000 PSI, 50 MM SHANK LENGTH, 20 MM CUTOFF LENGTH, 180 PPM; S/N 750462 | 193 | 1 | 1/4" NAKASHIMADA MODEL H20E LONG STROKE DSSD COLD HEADER; S/N 780584, 6 MM CUTOFF DIAMETER, 75 MM SHANK LENGTH, 95 MM CUTOFF LENGTH, 200 PPM, 2-PLANE WIRE STRAIGHTNER |
| 179 | 1 | 3/16" RMG MODEL 23-0254-87 INLINE WIRE DRAWER S/N: 97014080, 3/16" NOMINAL WIRE DIAMETER, 54 FPM, 20" CAPSTAN, ACVD | 194 | 1 | 3/16" RMG MODEL 34-0366-75 INLINE WIRE DRAWER; S/N 802192, 3/16" NOMINAL WIRE DIAMETER, 66 FPM, 20" CAPSTAN |
| 180 | 1 | 30" DIAMETER WIRE PAYOFF REEL | 195 | 1 | 30" DIAMETER WIRE PAYOFF REEL |
| 181 | 1 | 1/4" NAKASHIMADA MODEL H20A HIGH SPEED DSSD COLD HEADER; 6 MM CUTOFF DIAMETER, 100,000 PSI, 50 MM SHANK LENGTH, 20 MM CUTOFF LENGTH, 180 PPM; S/N 75441 | 196 | 1 | 1/4" NAKASHIMADA MODEL H20A HIGH SPEED DSSD COLD HEADER, 6 MM CUTOFF DIAMETER, 100,000 PSI, 50 MM SHANK LENGTH, 20 MM CUTOFF LENGTH, 700 180 PPM; S/N 790633 |
| 182 | 1 | 3/16" RMG MODEL 34-0370-87VF INLINE WIRE DRAWER, S/N 95013238, 3/16" WIRE DIAMETER, 70 FPM, 20" CAPSTAN, ACVD | 197 | 1 | 3/16" RMG MODEL 34-0366-75 INLINE WIRE DRAWER; S/N 802185, 3/16" NOMINAL WIRE DIAMETER, 66 FPM, 20" CAPSTAN |
| 183 | 1 | 30" DIAMETER WIRE PAYOFF REEL | 198 | 1 | 30" DIAMETER WIRE PAYOFF REEL |

Catalog for Auction:Avanti Screw, Inc.

| Lot Num | Qty. | Description | Lot Num | Qty. | Description |
|---------|------|--|---------|------|---|
| 199 | 1 | 3/16" CARLO SALVI MODEL TP2/CL HIGH SPEED DSSD COLD HEADER; S/N 832/74, 5/32" CUTOFF DIAMETER, 1 1/2" SHANK LENGTH, 2" CUTOFF LENGTH, 400 PPM | 215 | 1 | 3/16" HARTFORD MODEL 3-300 HIGH SPEED LONG STROKE DSSD COLD HEADER, .180" CUTOFF DIAMETER, 100,000 PSI, 2" SHANK LENGTH, 3" CUTOFF LENGTH, 300 PPM, WIRE STRAIGHTENER; S/N 5301-180-9-B |
| 200 | 1 | 3/16" RMG MODEL 34-0340-75 INLINE WIRE DRAWERS; S/N 88082035, 3/16" NOMINAL WIRE DIAMETER, 20" CAPSTAN, 40 FPM (NEEDS DRAW BOX) | 216 | 1 | 3/16" RMG MODEL 23-0254-87 INLINE WIRE DRAWER; S/N 98104636, 3/16" NOMINAL WIRE DIAMETER, 54 FPM, 20" CAPSTAN, ACVD |
| 201 | 1 | 30" DIAMETER WIRE PAYOFF REEL | 217 | 1 | 30" DIAMETER WIRE PAYOFF REEL |
| 202 | 1 | 1/4" NAKASHIMADA MODEL H20A HIGH SPEED DSSD COLD HEADER, 6 MM CUTOFF DIAMETER, 100,000 PSI, 50 MM SHANK LENGTH, 20 MM CUTOFF LENGTH, 700 180 PPM, S/N 770570 | 218 | 1 | 1/4" NAKASHIMADA MODEL H20A HIGH SPEED DSSD COLD HEADER, 6 MM CUTOFF DIAMETER, 100,000 PSI, 50 MM SHANK LENGTH, 20 MM CUTOFF LENGTH, 700 180 PPM; S/N 770569 |
| 203 | 1 | 3/16" RMG MODEL 34-0366-75 INLINE WIRE DRAWER; S/N 802189, 3/16" NOMINAL WIRE DIAMETER, 66 FPM, 20" CAPSTAN | 219 | 1 | 3/16" RMG MODEL 34-0366-75 INLINE WIRE DRAWER; S/N 802186, 3/16" NOMINAL WIRE DIAMETER, 66 FPM, 20" CAPSTAN |
| 204 | 1 | 30" DIAMETER WIRE PAYOFF REEL | 220 | 1 | 30" DIAMETER WIRE PAYOFF REEL |
| 205 | 1 | 1/4" NAKASHIMADA MODEL H20A HIGH SPEED DSSD COLD HEADER, 6 MM CUTOFF DIAMETER, 100,000 PSI, 50 MM SHANK LENGTH, 20 MM CUTOFF LENGTH, 700 180 PPM; S/N 770571 | 221 | 1 | 3/16" NAKASHIMADA MODEL NH-15B HIGH SPEED DSSD COLD HEADER; S/N 80072, .190 CUTOFF DIAMETER, 1.50" SHANK LENGTH, 2.00 CUTOFF LENGTH, 275 PPM (1981) |
| 206 | 1 | 3/16" RMG MODEL 34-0366-75 INLINE WIRE DRAWER; S/N 802187, 3/16" NOMINAL WIRE DIAMETER, 66 FPM, 20" CAPSTAN | 222 | 1 | 3/16" RMG MODEL 34-0370-87 INLINE WIRE DRAWER; S/N 95073583, 3/16" NOMINAL WIRE DIAMETER, 70 FPM, 20" CAPSTAN |
| 207 | 1 | 30" DIAMETER WIRE PAYOFF REEL | 223 | 1 | 30" DIAMETER WIRE PAYOFF REEL |
| 208 | 1 | 1/4" NAKASHIMADA MODEL H20E LONG STROKE DSSD COLD HEADER; S/N 76505, 6 MM CUTOFF DIAMETER, 75 MM SHANK LEGTH, 95 MM CUTOFF LENGTH, 120-100 PPM, 2-PLANE WIRE STRAIGHTENER (1978) | 224 | 1 | 1/4" NAKASHIMADA MODEL H20A HIGH SPEED DSSD COLD HEADER, 6 MM CUTOFF DIAMETER, 100,000 PSI, 50 MM SHANK LENGTH, 20 MM CUTOFF LENGTH, 700 180 PPM; S/N 76492 |
| 209 | 1 | 3/16" RMG MODEL 34-366-75 INLINE WIRE DRAWER; S/N 802193, 3/16" NOMINAL WIRE DIAMETER, 66 FPM, 20" CAPSTAN | 225 | 1 | 3/16" RMG MODEL 34-0366-75 INLINE WIRE DRAWER; S/N 802188, 3/16" NOMINAL WIRE DIAMETER, 66 FPM, 20" CAPSTAN |
| 210 | 1 | 30" DIAMETER WIRE PAYOFF REEL | 226 | 1 | 30" DIAMETER WIRE PAYOFF REEL |
| 211 | 1 | (LOT) ASSORTED COLD HEADER TOOLING AGAINST BACK WALL ON (12) SHELF UNITS AND CARTS | 227 | 1 | 1/4" CARLO SALVI MODEL INT/CL HIGH SPEED DSSD COLD HEADER; S/N 835/74, 1/4" CUTOFF DIAMETER, 2 3/8" SHANK LENGTH, 3" CUTOFF LENGTH, 280 FPM |
| 212 | 1 | 3/16" HARTFORD MODEL 3-300 HIGH SPEED LONG STROKE DSSD COLD HEADER, .180" CUTOFF DIAMETER, 100,000 PSI, 2" SHANK LENGTH, 3" CUTOFF LENGTH, 300 PPM, WIRE STRAIGHTENER; S/N 5301-198-11-A | 228 | 1 | 3/16" RMG MODEL 23-0250-87VF-RET INLINE WIRE DRAWER; S/N N/A, 3/16" NOMINAL WIRE DIAMETER, 54 FPM, 20" CAPSTAN, ACVD |
| 213 | 1 | 3/16" RMG MODEL 34-0356-87 INLINE WIRE DRAWER; S/N 96104008, 3/16" NOMINAL WIRE DIAMETER, 20" CAPSTAN, 56 FPM, ACVD | 229 | 1 | 30" DIAMETER WIRE PAYOFF REEL |
| | | | 230 | 1 | POTARY GAGE PARTS CATCHER |
| | | | 231 | 1 | 2-PLANE WIRE STRAIGHTENER |
| 214 | 1 | 30" DIAMETER WIRE PAYOFF REEL | 232 | 4 | IMPAK MONITORS |
| | | | 233 | 1 | 30" DIAMETER WIRE PAYOFF REEL |

Catalog for Auction:Avanti Screw, Inc.

| Lot Num | Qty. | Description | Lot Num | Qty. | Description |
|---------|------|--|---------|------|--|
| 234 | 1 | 30" DIAMETER WIRE PAYOFF REEL | 258 | 1 | 1/4" ROBERTSON/HARTFORD MODEL 4-500 |
| 235 | 1 | 30" DIAMETER WIRE PAYOFF REEL | | | THREAD ROLLER; S/N 5R-1, PARTS |
| 236 | 1 | 30" DIAMETER WIRE PAYOFF REEL | | | MACHINE |
| 237 | 1 | NORLING MODEL 1980 INLINE RESISTANCE WIRE HEATER; S/N 250, .080-.310" WIRE DIAMETER 3 KVA, SLIDER CONTACTS, 54 LBS./HR TO 575 DEGREE | 258A | 1 | TEPCO WALL MOUNTER MIST COLLECTOR, NOTED AS MACHINE NO. 2, ABOVE LOT NO. 172 |
| 238 | 1 | NORLING MODEL 1980 INLINE RESISTANCE WIRE HEATER; S/N 368, .080-.310" WIRE DIAMETER, 3 KVA, ROLLER CONTACTS, 54 LBS./HR TO 575 DEGREE | 258B | 1 | THIEL WALL MOUNTED MIST COLLECTOR, NOTED AS MACHINE NO. 1, ABOVE LOT #166 |
| 239 | 1 | NORLING MODEL 2980 INLINE RESISTANCE WIRE HEATER, .080-.375" WIRE DIAMETER, 6 KVA, ROLLER CONTACTS, 135 LBS./HR TO 575 DEGREE, 208 VOLT; S/N 400 | 258C | 1 | THIEL WALL MOUNTED MIST COLLECTOR, ABOVE LOT #202 |
| 240 | 1 | NORLING MODEL 2980 INLINE RESISTANCE WIRE HEATER, .080-.375" WIRE DIAMETER, 6 KVA, ROLLER CONTACTS, 135 LBS./HR TO 575 DEGREE, 208 VOLT; S/N 374 | 258D | 1 | ELTRON WALL MOUNTED MIST COLLECTOR, ABOVE LOT # 184 |
| 241 | 1 | IDEAL WERK BUTT WELDER; S/N 193651, 1/4" DIAMETER, WIRE, 6 KVA | 258E | 1 | THIEL CEILING HUNG MIST COLLECTOR ABOVE LOT # 137 |
| 242 | 1 | PORTABLE DUST COLLECTOR | 258F | 1 | CEILING HUNG MIST COLLECTOR, ABOVE LOT # 113 |
| 243 | 1 | 3/16" RMG WIRE DRAWER; S/N N/A, 20" CAPSTAN | 259 | 1 | (LOT) CONTENTS OF (2) SECTION SHELVING (BACK TO BACK) OF HEADER PUNCHES AND TOOLING |
| 244 | 1 | 3/16" RMG MODEL 34-0372-75 WIRE DRAWER; S/N 89092334, 3/16" WIRE DIAMETER, 72 FPM, 20" CAPSTAN | 260 | 1 | (LOT) CONTENTS OF (2) SECTIONS SHELVING (BACK TO BACK) OF HEADER TOOLING |
| 245 | 1 | FASTENER ENGINEERS WIRE DRAWER, 20" CAPSTAN | 261 | 1 | (LOT) CONTENTS OF (1) SECTION SHELVING - HEADER TOOLING |
| 246 | 1 | FASTENER ENGINEERS MODEL WR-01-16 WIRE DRAWER; S/N 3722025, 17" CAPSTAN | 262 | 1 | (LOT) CONTENTS OF (1) SECTION SHELVING - HEADER TOOLING |
| 247 | 1 | FASTENER ENGINEERS MODEL WR-01-16 WIRE DRAWER; S/N 12772484, 17" CAPSTAN | 263 | 1 | (LOT) CONTENTS OF (1) SECTION SHELVING - HEADER TOOLING |
| 248 | 1 | FASTENER ENGINEERS MODEL WR-01-16 WIRE DRAWER; S/N 12772491, 17" CAPSTAN | 264 | 1 | (LOT) CONTENTS OF (1) SECTION SHELVING - HEADER TOOLING |
| 249 | 1 | (LOT) EXTRA WIRE DRAWER TENSIONERS | 265 | 1 | (LOT) CONTENTS OF (1) SECTION SHELVING - HEADER TOOLING |
| 250 | 1 | (LOT) CABINET WITH HEADER TOOLING | 266 | 1 | (LOT) CONTENTS OF (1) SECTION SHELVING - HEADER TOOLING |
| 251 | 1 | (LOT) HEADER PUNCHER ON SKID | 267 | 1 | (LOT) CONTENTS OF (1) SECTION SHELVING - HEADER TOOLING |
| 252 | 1 | (LOT) CUTOFF TOOLING IN PAN | 268 | 1 | (LOT) CONTENTS OF (1) SECTION SHELVING - HEADER TOOLING |
| 253 | 1 | (LOT) HEADER TOOLING ON SKID | 269 | 1 | (LOT) CONTENTS OF (1) SECTION SHELVING - HEADER TOOLING |
| 254 | 1 | (LOT) HEADER TOOLING ON SKID | 270 | 1 | (LOT) CONTENTS OF (1) SECTION SHELVING - HEADER TOOLING |
| 255 | 1 | (LOT) HEADER TOOLING ON SKID | 271 | 1 | (LOT) CONTENTS OF (1) SECTION SHELVING - HEADER TOOLING |
| 256 | 1 | NAKASHIMADA MODEL H20 COLD HEADER; S/N 79064, OUT OF SERVICE, PARTS MACHINE | 272 | 1 | (LOT) CONTENTS OF (1) SECTION SHELVING - HEADER TOOLING |
| 257 | 1 | BEHR MODEL B-400 PINCH POINTER, 5/16" SHANK DIAMETER, 2 1/2" SHANK LENGTH, 400 PPM, ROTO VANE HOPPER | 273 | 1 | (LOT) CONTENTS OF (2) SECTIONS SHELVING (BACK TO BACK) OF HEADER PUNCHES AND TOOLING |

Catalog for Auction:Avanti Screw, Inc.

| Lot Num | Qty. | Description | Lot Num | Qty. | Description |
|---------|------|---|---------|------|-------------|
| 273A | 1 | (LOT) CONTENTS OF (2) SECTIONS SHELVING (BACK TO BACK) OF HEADER PUNCHES AND TOOLING | | | |
| 273B | 1 | (LOT) CONTENTS OF (2) SECTIONS SHELVING (BACK TO BACK) OF HEADER PUNCHES AND TOOLING | | | |
| 273C | 23 | SECTIONS OF 12" X 36" STEEL SHELVING IN ROOM - DELAYED REMOVAL TO DEC. 22 | | | |
| 274 | 1 | (LOT) 2-DOOR STEEL CABINET - TOOLING FOR CARLO SALVI, HARTFORD AND OTHER MACHINES: PUNCHES, CUTOFF KNIVES | | | |
| 275 | 1 | (LOT) STEEL CART WITH HARDWARE | | | |
| 276 | 1 | (LOT) ASSORTED HEADER TOOLING ON TABLE AND SHELF | | | |
| 277 | 1 | (LOT) ASSORTED HARDWARE AND TOOLING ON SHELF AND IN FILING CABINET | | | |
| 278 | 1 | (LOT) CONTENTS OF (2) SECTIONS SHELVING - HEADER TOOLING - INCLUDES THE SHELVING | | | |