PUBLIC AUCTION CA

SALE CATALOG BOLTTECH MANNINGS, INC.

501 Mosside Blvd., North Versailles, PA 15137 Sale Date: Tuesday, October 3rd at 10:00 AM







Auctioneers: Cincinnati Industrial Auctioneers, Inc. - License #AAY002219

Jeffrey L. Luggen - License #AU003274R, Joseph M. Luggen - License #AU005954

Inspection: Monday, October 2nd from 10:00 AM to 4:00 PM

18% BUYER'S PREMIUM IS IN EFFECT FOR ALL PURCHASES!

ALTHOUGH INFORMATION HAS BEEN OBTAINED FROM SOURCES DEEMED RELIABLE, THE AUCTIONEER MAKES NO WARRANTY OR GUARANTEE EXPRESSED OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION HEREIN CONTAINED. IT IS FOR THIS REASON THAT BUYERS SHOULD AVAIL THEMSELVES FOR THE OPPORTUNITY TO MAKE INSPECTION PRIOR TO THE SALE.

Sale Under the Management of



aaaaaa

CINCINNATI **INDUSTRIAL AUCTIONEERS**

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

SYNOPSIS OF THE TERMS OF SALE BOLTTECH MANNINGS, INC.

501 Mosside Blvd., North Versailles, PA 15137 Tuesday, October 3, 2023 – 10:00 AM

REGISTRATION: All Bidders must register at www.bidspotter.com and complete the bidder registration form, removal agreement, and sales tax exemption form sent by the Auctioneer after registering for the auction.

"AS IS, WHERE IS": Everything is being sold for cash on an "as is", "where is" basis without warranties expressed or implied on part of the Owner and Auctioneer. There are NO REFUNDS, NO EXCHANGES, NO GUARANTEES or NO WARRANTIES on any item.

<u>ALL SALES ARE FINAL.</u> All Items are sold on a "Where Is" basis with the Purchaser to incur all costs in conjunction with the loading, shipping, and removal of the items from the premises.

DEPOSITS: The Auctioneer may request a deposit at the time of registration.

<u>PAYMENTS:</u> ALL INVOICES MUST BE PAID IN FULL WITHIN 24 HOURS AFTER THE AUCTION. Any merchandise not paid for by this specified time will be considered abandoned and may be resold by the auctioneer, any loss incurred in the resale to be borne by the original buyer. All payments must be made by check or certified funds by express mail, wire transfer or ACH. Please inquire with auction personnel regarding the acceptance of funding. NO ONSITE PAYMENTS OR CREDIT CARDS WILL BE ACCEPTED.

REMOVAL: All Bidders may have to comply with Social Distancing Policies and any other policies as requested by the Owner.

"TIME IS OF THE ESSENCE" ALL ITEMS MUST BE OFF THE PREMISES BY WEDNESDAY, OCTOBER 18, 2023 at 4:00 PM.

At the Owners Discretion, any items remaining after this time will be removed from the premises and stored at the expense of the buyer, considered abandoned and scrapped.

REMOVAL & RIGGING

THE EXCLUSIVE RIGGER & REMOVAL AGENT, ("ERRA") IS:
Castle Service & Installation, Jeff McGhee | 724-681-9786 | jeff@csandi.net

Castle Service & Installation is the "ERRA" and is the only company authorized to rig, dismantle, and load equipment at the BOLTTECH MANNINGS Auction site. Auction Buyers are responsible to pay the loading fee listed in the descriptions of each lot and for convenience these loading fees will be added to the Auction Invoices and remitted to the "ERRA." Loading charges are for simple lift & load only, any special preparations will be an additional charge and need to be arranged with "ERRA". Some items DO NOT HAVE A PRICE or are listed as "loading charge TBD, (To Be Determined)." Loading charges for these items must be negotiated directly with the "ERRA." Removal arrangements other than those stated herein must be made directly with the Auctioneer and the "ERRA". Loading prices are valid from October 4th to October 18, 2023.

CHECKOUT HOURS:

Wednesday, October 4th – Friday, October 6th from 8:00 AM to 4:00 PM Saturday, October 7th from 9:00 AM to 2:00 PM – NO LARGE MACHINES LOADED Monday, October 9th – Friday, October 9th – Friday, October 13th from 8:00 AM to 4:00 PM Saturday, October 14th from 9:00 AM to 2:00 PM – NO LARGE MACHINES LOADED Monday, October 16th – Wednesday, August 18th By Appointment Only!

IMPORTANT AUCTION NOTICES:

18% BUYERS PREMIUM IS IN EFFECT FOR ALL PURCHASES!
ALL BUYERS WILL BE REQUIRED TO EXECUTE AN "AUCTION PURCHASE REMOVAL AGREEMENT"
ALL SALES SUBJECT TO STATE AND LOCAL SALES TAX WHERE APPLICABLE

ALL SALES SUBJECT TO STATE AND LOCAL SALES TAX WHERE APPLICABLE

ALL BIDDERS MUST COMPLY WITH OUR CUSTOMARY "TERMS OF SALE" ATTACHED HERETO,

POSTED AT THE SALE SITE & OUR WEBSITE @ WWW.CIA-AUCTION.COM.

Auctioneer Can Not Assist with Export Documents!

WIRING INSTRUCTIONS

Call for Complete Wire Transfer Instructions



TERMS OF SALE

NOTICE: All Bidders and other persons attending this sale ("Bidders") agree that they have read and have full knowledge of these terms and agree to be bound hereby. The Bidder identified by the Auctioneer as the high bidder or successful bidder at auction ("successful Bidder") shall have entered a legally binding contract to purchase the item bid upon ("Lot") at the price and subject to the terms and conditions set forth herein. All determinations, rulings, and adjustments made by the Auctioneer in good faith shall be final, binding, and conclusive upon all Bidders. The term "Auctioneer" herein means Cincinnati Industrial Auctioneers, Inc.

- 1. IDENTIFICATION All Bidders are required to give their full name and addresses at the time of registration.
- DEPOSIT Each successful Bidder will be required to make a deposit in cash or by bank cashier's or certified check
 of 25 percent (25%) of the successful bid on each Lot at time of knockdown. In default of such deposit, the Lot
 may be put up again immediately and resold.
- 3. TIME OF PAYMENT Each successful Bidder shall receive an invoice during or at the conclusion of the auction. All invoices must be paid in full by the close of business on the last day of the auction sale and prior to removing any Lot. Any other arrangements must be made with the auctioneer prior to bidding. In the absence of payment or agreement by the auctioneer, title to the Lot shall not transfer to the successful Bidder and such Bidder will lose any right, title, or interest such Bidder may have acquired, and the deposit paid, if any, without further notice to such Bidder. The Bidder shall nonetheless remain liable for any damage caused by the Bidder's failure to pay.
- 4. REMOVAL All purchases must be removed not later than the date specified in the Auction Catalogue and/or announced at the sale. No Lot can, on any account, be removed during the sale. All goods are sold "Where Is." Removal shall be at the expense, risk, and liability of the successful Bidder. Purchases will be released only on presentation of paid invoice. Auctioneer shall not be responsible for Lots not removed within the time allowed, but Auctioneer shall have the option to remove and store at the expense and risk of the successful Bidder any article purchased, but not paid for and removed within the time required.
- 5. MANNER OF PAYMENT All payments must be made by cash, bank cashier's check or company check with a bank letter of authorization guaranteeing funds to "Cincinnati Industrial Auctioneers, Inc." All checks for deposits and balances due shall be payable to the order of "Cincinnati Industrial Auctioneers, Inc." All invoices must be paid to representatives of the Auctioneer at the auction site unless otherwise announced. The full purchase price on all Lots sold to the same successful Bidder must be paid within the time fixed and before removal of any Lot.
- 6. DISCALIMER OF ALL WARRANTIES INCLUDING IMPLIED WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR PARTICULAR PURPOSE; CONDITION OF ARTICLES SOLD The Auctioneer and any owner, seller, or secured party make no warranties express or implied as to merchantability or fitness for purpose whatsoever. All such express or implied warranties are expressly excluded hereby. No oral statement or other writing by any person negates this exclusion. If you think you have received any assurance or warranty of any kind as to a Lot offered in this auction do not bid on such item unless the Auctioneer has signed a writing specifically directed to you and identifying the Lot and stating the modification of this exclusion The Auctioneer shall not be responsible for the correct description, genuineness, authenticity of, or defect in any Lot, and makes no warranty in connection therewith. No sale will be set aside, nor allowance made on account of any incorrectness, error in commentary, cataloging, or any imperfection not noted. No deduction, credit or avoidance shall be allowed on damaged articles, all Lots being exposed for public exhibition are purchased and accepted by successful Bidder "AS IS", "WHERE IS" and "WITH ALL FAULTS". Auctioneer makes no warranties or guarantees whatsoever whether written, oral, or implied as to quality, quantity, condition, usability, salability, weight, measurement, age, model, mechanical condition, performance or other specifications and all sales made are utterly without recourse.
- 7. CLAIMS No Claims will be allowed after removal of Lots from premises.
- 8. RESPONSIBILITY FOR NON-DELIVERY- Auctioneer, any owner, seller, or secured party shall not, in any event, be liable to any Bidder for non-delivery of any Lot or for any other matter or thing, other than for the return to the successful Bidder of the deposit or sum paid on said Lot, should the successful Bidder be entitled thereto. This means that if are a successful Bidder and for any reason your Lot is not made available to you, you agree that



- the damages you may claim for such non-delivery are limited to the amounts you have paid and you waive any claim for damages for lost profits, opportunity, the value of the Lot in excess of the purchase price, your time, expenses, incidental and consequential damages, all of which are expressly waived.
- COMPLIANCE WITH TERMS OF SALE In default of payment of invoices in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. Lots not paid for and removed within the time allowed herein may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charges of resale, will be charged to the defaulting successful Bidder.
- 10. RISK TO PERSON AND PROPERTY Persons attending during exhibition, sale, or removal of Lots assume all risks of damage of or loss to person and property and specifically release the Auctioneer from liability therefore and agree to indemnify and hold the Auctioneer harmless from any loss, claim, liability, cost, or expense caused all or in part by such person(s). Neither the auctioneer nor his principal shall be liable by reason of any defect in or condition of the premises on which the exhibition, sale, or removal of Lots is held.
- 11. ADDITION TO OR WITHDRAWAL FROM SALE The Auctioneer reserves the right to alter the order of the sale, withdrawal from the sale any of the Lots or parts thereof or to sell at this sale Lots not listed, and also reserves the right to group one or more Lots into one or more selling Lots or to subdivide into two or more selling Lots or make any combination thereof which Auctioneer in its sole discretion determines. Whenever the best interest of the Seller will be served, the Auctioneer reserves the right to sell Lots in bulk.
- 12. SALE BY ESTIMATED WEIGHT, COUNT OR MEASURE Where items are sold by estimated weight, count, or measure, the successful Bidder will be invoiced for and required to pay for the estimated weight, count, or measure. If upon delivery any shortage exists, the successful Bidder will receive credit at the rate of the bid. If there is an excess, the successful Bidder will be required to take and pay for such excess, at the rate of the bid.
- 13. DISPUTE BETWEEN BIDDERS/BID INCREMENTS If any dispute arises between two or more Bidders, the Auctioneer may decide the same or put the Lot up for sale again at once or resell to the highest Bidder. The Auctioneer may reject a nominal or fractional bid in advance in the Auctioneer's sole discretion.
- 14. RESERVE The Auctioneer reserves the right to reject any and all bids. On Lots upon which there is a reserve, the Auctioneer shall have the right to bid on behalf of the seller, owner or secured party and shall have no obligation to denote or announce such reserve or bid.
- RECORDS The record of sales kept by the Auctioneer and bookkeeper will be taken as final in the event of any dispute.
- AGENCY The Auctioneer is acting as agent only and is not responsible for the acts of its principals.
- SALES TAX All sales are subject to state and local taxes, which will be collected from the successful Bidder unless a proper exemption certificate including tax-exempt number is presented at the time of payment.
- 18. **BUYER'S PREMIUM** The Auctioneer in its sole discretion may impose a Buyer's Premium on any Lots sold. The Buyer's Premium is a percentage that is added to the final purchase price of any Lot.
- 19. SHIPPING All coolants, oil and fluids must be drained from all machinery and equipment prior to removal. All of the above must be shipped in compliance with state and federal regulations. Unless otherwise expressly provided in writing, preparation and shipment shall be the sole responsibility and cost of the successful Bidder.
- INSURANCE All successful Bidders, or their riggers must provide the Auctioneer and the owner of the premises
 of the sale a certificate of insurance in amounts acceptable to the Auctioneer prior to removal of any Lot.
- 21. ADDITIONAL TERMS AND CONDITIONS Except as set forth in Section 6 above, the Auctioneer may modify or supplement these terms and conditions of sale by language in the catalog available at the sale site or by announcement at the start of the sale.

AUCTION PURCHASE & REMOVAL AGREEMENT

BOLTTECH MANNINGS, INC.

501 Mosside Blvd., North Versailles, PA 15137 Tuesday, October 3, 2023 – 10:00 AM

All purchasers of items at the Bolttech Mannings, Inc. auction conducted by Cincinnati Industrial Auctioneers, Inc. hereby agree to the following:

All purchasers agree to abide by the "Terms of Sale" as listed on our website and posted at the auction premises. The Auctioneer and Owner make no warranties express or implied as to merchantability, fitness for purpose, or condition of the articles being sold. All such expressed or implied warranties are expressly excluded hereby. All Bidders may have to comply with Social Distancing Policies and any other policies as requested by the Owner.

All items are purchased on an "As Is, Where Is" basis, with the purchaser to incur all costs in conjunction with the loading, shipping, and removal of the items from the premises. <u>ALL EQUIPMENT MUST BE REMOVED IN A WORKMAN LIKE MANNER AND ALL UTILITIES MUST BE CAPPED. ALL ANCHOR BOLTS MUST BE CUT OFF AT FLOOR LEVEL. ALL OILS AND COOLANTS MUST BE REMOVED FROM MACHINES PRIOR TO REMOVAL.</u> All items are available for removal during normal business hours through **Friday, October 13, 2023, at 4:00 PM** at which time our representatives will leave the premises. After this time arrangements for removal must be made by appointment with the Auctioneer.

"TIME IS OF THE ESSENCE" regarding the removal of items from the premises. All items <u>must</u> be removed by **Wednesday**, **October 18, 2023, at 4:00 PM.** Any items remaining after this time will be removed and stored at the expense of the buyer or considered abandoned and scrapped. NO EXCEPTIONS!

REMOVAL & RIGGING

THE EXCLUSIVE RIGGER & REMOVAL AGENT, ("ERRA") IS:
Castle Service & Installation, Jeff McGhee | 724-681-9786 | jeff@csandi.net

Castle Service & Installation is the "ERRA" and is the only company authorized to rig, dismantle, and load equipment at the BOLTTECH MANNINGS Auction site. Auction Buyers are responsible to pay the loading fee listed in the descriptions of each lot and for convenience these loading fees will be added to the Auction Invoices and remitted to the "ERRA." Loading charges are for simple lift & load only, any special preparations will be an additional charge and need to be arranged with "ERRA". Some items DO NOT HAVE A PRICE or are listed as "loading charge TBD, (To Be Determined)." Loading charges for these items must be negotiated directly with the "ERRA." Removal arrangements other than those stated herein must be made directly with the Auctioneer and the "ERRA". Loading prices are valid from October 4th to October 18, 2023.

There are NO REFUNDS, NO EXCHANGES, NO GUARANTEES OR NO WARRANTIES on any item. ALL SALES ARE FINAL.

Accepted By Purchaser:				
Company Name				
Buyer Number / Bidspotter Email				
Signature	Date			

Bolttech Mannings, Inc. October 3, 2023



Catalog for Auction:Bolttech Mannings, Inc.

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any of the lots specified herein.

Lot Num	Qty.	Description	Lot Num	Qty. Description
1	1	****WITHDRAWN FROM AUCTION**** TESA	20F	1 50 - 75 MM MITUTOYO DIGITAL
		TECHNOLOGY TESAHITE 400 MAGNA		MICROMETER
		SYSTEM ELECTRONIC DIGITAL HEIGHT	20G	1 75 - 100 MM MITUTOYO DIGITAL
		GAGE; S/N 8M001403		MICROMETER
2	1	10" - 16" MITUTOYO DIAL TYPE BORE GAGE	20H	1 175 - 150 MM MITUTOYO DIGITAL
3	1	160 - 250 MM MITUTOYO DIAL TYPE BORE		MICROMETER
		GAGE	201	1 0-6" SPI DIGITAL MICROMETER
4		2" - 6" MITUTOYO DIAL TYPE BORE GAGE	20J	1 0-6" SPI DIGITAL MICROMETER
5	1	100 - 160 MM MITUTOYO DIAL TYPE BORE	20K	1 0-6" SPI DIGITAL MICROMETER
		GAGE	21	1 MITUTOYO MICROMETER ET WITH BOX
6	1	35 - 60 MM MITUTOYO DIAL TYPE BORE	22	1 ANYTIME MICROMETER SET IN BOX
		GAGE	23	2 MITUTOYO DIGITAL MICROMETERS; 0 - 1"
7	1	18 - 35 MM MITUTOYO DIAL TYPE BORE		AND 1 - 2"
		GAGE	24	2 8" MITUTOYO DIGITAL CALIPERS
8	1	50 - 150 MM MITUTOYO DIAL TYPE BORE	25	1 (LOT) (2) 8" MITUTOYO DIGITAL CALIPERS
		GAGE		AND (10 6" DIGITAL CALIPER
9		1.4 - 6" WESTWARD DIGITAL BORE GAGE	26	1 8" MITUTOYO CALIPER WITH GROOVE
10	1	FOWLER MODEL SBX DIAL TYPE BORE		MASTER CALIPERS, 8" DIGITAL INSIDE
		GAGE AND .47" TAKACHINO DIAL TYPE		MICROMETER
		BORE GAGE	27	1 600 MM MITUTOYO DIGITAL CALIPERS
11	1	HAWKEYE PRO RIGID PRECISION BORE	28	1 40" MITUTOYO DIGITAL CALIPERS
		SCOPE	29	1 LARGE ASSORTMENT OF RING, THREAD
12	1	PHASE II SURFACE ROUGHNESS TESTER,		AND PLUG GAGES WITH RUBBERMAID
		SPARE SAMPLE PLATE ASSORTMENT		ROLLING CART
13	1	MISCELLANEOUS PRECISION	30	1 10-DRAWER HUSKY ROLLING TOOL CHEST
		INSTRUMENTS; DIAL INDICATORS,		WITH LARGE ASSORTMENT OF PLUG
		PORTABLE HARDNESS TESTERS, DREMEL		GAGES, RING SETTING GAGES
		ENGRAVER, SHORE D DIGITAL INDICATOR,	31	1 10-DRAWER HUSKY ROLLER TOOL CHEST
		MITUTOYO BORE GAGE		WITH LARGE ASSORTMENT OF PLUG AND
14		METRIC PIN GAGE SET; 3.13 - 9.50 MM		RING GAGES
15		METRIC PIN GAGE SET; 1.64 - 12.86 MM	32	1 12" BENCH TYPE OPTICAL COMPARATOR,
16		V-BLOCKS		PROFILE AND SURFACE ILLUMINATION
17		MEYER PIN GAGE SET; .061248"	33	1 36" X 24" X 6" RAHM BLACK GRANITE
18	1	MEYER PIN GAGE SET; .061248"		SURFACE PLATE WITH ROLLING CART
19		MEYER PIN GAGE SET; .061248"	34	1 24" X 18" X 4" PRECISION GRANITE
20		MEYER PIN GAGE SET; .061248"		SURFACE PLATE WITH ROLLING CART
20A	1	18" - 24" MITUTOYO MICROMETER WITH	35	1 ****WITHDRAWN FROM AUCTION**** 24" X
		INSIDE MIC SET		18" X 4" STARRETT PINK GRANITE SURFACE
20B	1	12" - 18" MITUTOYO MICROMETER WITH		PLATE WITH ROLLING CART
		INSIDE MIC SET	36	1 MISCELLANEOUS PRECISION
20C	1	6" - 12" SPI DIGITAL MICROMETER WITH		INSTRUMENTS PIN GAGE SET, INSIDE
		INSIDE MIC SET		MICROMETER
20D	1	6" - 12" SPI DIGITAL MICROMETER WITH	37	1 MISCELLANEOUS PRECISION
		INSIDE MIC SET		INSTRUMENTS INSIDE BORE GAGES, (2)
20E	1	6" - 12" SPI DIGITAL MICROMETER WITH		MICROMETERS, CHAMFER GAGE
		INSIDE MIC SET		

Lot Num	Qty.	Description	Lot Num	Qty.	C	Description
38	1	MISCELLANEOUS PRECISION	66		1	SECTION OF HEAVY DUTY PALLET
		INSTRUMENTS SPI MICROMETER, INSIDE				RACKING - NO CONTENTS
		MICROMETER, CLAMPS	67		1	SHOP SHELF UNIT - NO CONTENTS
39	1	MISCELLANEOUS PRECISION	68		1	SECTION OF HEAVY DUTY PALLET
		INSTRUMENTS, TORGUE GAGE, BORE				RACKING - NO CONTENTS
		GAGES, BAKER INSIDE MICROMETER, 0-1"	69		1	SHOP SHELF UNIT - NO CONTENTS
		MITUTOYO MICROMETER	70		1	SHORT SECTION OF HEAVY DUTY PALLET
40	1	10-30 AND 30-50 MM INSIDE DIAL CALIPERS,				RACKING - NO CONTENTS
		PROTRACTOR	71		1	WELDING CURTAIN AND WOODEN SHOP
41	1	GAGE BLOCK SETS AND ROLLING				BENCH
		STORAGE UNIT	72		1	SHOP SHELF UNIT WITH CONTENTS
42	1	MITUTOYO DIAL TYPE INSIDE CALIPERS,	73			8" MODEL CS-108 BUFFER; S/N 06030158,
		SPI MICROMETERS				ON TABLE, 120 VOLT
43	1	MAGNUM ELECTRIC TORQUE WRENCH IN	74		1	CINCINNATI ELECTRIC MODEL 109 DUAL
	·	вох			•	END PEDESTAL GRINDER; S/N 226848, 1 HP,
44	1	MAGNUM ELECTRIC RIGHT ANGLE TORQUE				1/60/110 VOLT, 10" WHEEL
	·	WRENCH IN BOX	75		2	18" X 12" X 4" GRANITE SURFACE PLATES
45	1	AMETEK MODEL T-2 DISTILLED WATER	76			LEVER ACTION GREASE GUNS
	·	SEAL PRESSURE PUMP; S/N 99743 (NEW	77			BATTERY POWERED DRILLS, BATTERIES
		11/2007)				AND CHARGERS
46	1	AMETEK PORTABLE PRESSURE TESTER,	78		1	GUARD AIR GUN HOLSTER WITH
10		(2) PSI VIBRAGAUGES	70			MAGNETIC ATTACHMENT
47	1	9" X 12" ANGLE PLATE	79		1	MISCELLANEOUS HAND TOOLS
48		6" WILTON VISE	80			MISCELLANEOUS HAND TOOLS
49		NSF ROLLING WIRE RACKS, NO CONTENTS				MISCELLANEOUS HAND TOOLS
50		NSF ROLLING WIRE RACK - NO CONTENTS	82			LARGE ASSORTMENT OF 5C COLLETS
51		MAGNAFLUX MODEL MAGIII PARTICLE	83			R8 AND 5C COLLETS, R8 TOOLHOLDERS
31		INSPECTION UNIT; S/N 80317, 1/60/230 VOLT				COLLET NOSE OF ASSORTMENT OF
52	1	ROCKWELL MODEL 3OUR BENCH TYPE	04		'	COLLETS
02	· ·	HARDNESS TESTER; S/N 401	85		1	MILL SETUP HARDWARE
53	1	PROPEN MODEL P3000 PEEN TYPE	86			ANGLE BLOCK AND TOOLBLOCKS
55		MARKING MACHINE; S/N P3000/D,	87			WORKBENCH WITH VISE
		PN-07-07-8271, 50/60 HZ, 115/230 VOLT (NEW				BURR KING GRINDER / BUFFER; S/N
		7/2007)	00		1	BK36278
54	1	TOUGHBILT SAW HORSE LEGS	89		1	SECTION OF PALLET RACKING WITH SOFT
55	-	6.25 HP SHOP VAC SHOP VACUUM	09		'	LATHE JAWS, ANGLE BLOCKS
56		VERNIER HEIGHT GAGES, 18' AND 24"	90		1	COMPOUND SINE PLATE, MOUNTING BASE
57		****WITHDRAWN FROM AUCTION**** DIAL	90 91			PHASE II TABLE MOUNTS RADIUS
57	1	INDICATOR STANDS	91		'	DRESSER IN BOX
58	1	CHATILLON PRESSURE GAGE MOUNTED	92		4	SUBURBAN TOOL MODEL MG-5CV-S1
36	ļ	ON ALUMINUM STAND	92		1	COLLET INDEXER; S/N 51929905
5 0	1		03		4	·
59 60		FEDERAL TEST STAND	93			EXPANDING MANDRELS
60		72" X 24" X 1-3/4" WOOD TOP TABLE	94 05			LATHE TOOLING
61		72" X 24" X 1-3/4" WOOD TOP TABLE	95			DRILL CHUCKS, BUSHINGS
62		72" X 24" X 1-3/4" WOOD TOP TABLE	96 07			LATHE LIVE CENTERS
63		72" X 24" X 1-3/4" WOOD TOP TABLE	97			BORING BARS, MT TOOLHOLDERS
64		30" X 60" SHOP TABLE	98			BORING HEADS
65	1	SHOP SHELF UNIT WITH TOOL STORAGE	99		1	YUASA AND PHASE II COLLET INDEXERS,
		RACK - NO CONTENTS				TAILSTOCK

Lot Num	Qty.	Description	Lot Num	Qty. I	Description
100	1	ROLLING CART WITH TOOLING	108	1	SMID COMPOUND VISE
		ASSORTMENT, (2) ER40 COLLET HOLDERS,	109	1	8" COMPOUND VISE
		DRAWERED BIN WITH TOOLING, DRILL	110	1	4" MILLING VISE WITH ROTARY BASE AND
		INDEX, PERISHABLE TOOLING INVENTORY			TILT
101	1	2-WHEEL SHOP CARTS	111	1	6" MILLING VISE WITH TORQUE SPEED
102	1	RIDGID SHOP VACUUM			HANDLE
103	1	KNIGHTS MODEL KMT618-7 BENCH TOP	112	1	6" KURT MILLING VISE WITH HANDLE
		DRAGON FIRE HEATTREAT FURNACE; S/N	113	1	4" KURT MILLING VISE WITH KNOB
		388103, SENTRY 2.0 MICRO PROCESSOR,	114	1	4" KURT MILLING VISE WITH KNOB
		13" X 18" X 13" CHAMBER SIZE, 2,400	115	1	4" KURT MILLING VISE WITH KNOB
		DEGREES MAX TEMP	116	· 1	5" MILLING VISE WITH ROTARY BASE AND
104	1	6" X 18" ACER MODEL SUPRA 618 HAND			TILT
		FEED HORIZONTAL SPINDLE SURFACE	117	1	6" KURT MILLING VISE WITH HANDLE
		GRINDER; S/N 99100878 (NEW 1999),	118	1	6" KURT MILLING VISE WITH HANDLE
		LONGITUDINAL TABLE TRAVEL 20", CROSS	119	1	6" KURT MILLING VISE WITH HANDLE
		TRAVEL 7-1/16", MAX DISTANCE TABLE TO	120	1	6" KURT MILLING VISE WITH HANDLE
		SPINDLE CENTERLINE 18", MAX GRIND	121	1	6" KURT MILLING VISE WITH HANDLE
		LENGTH 18" MAX GRIND WIDTH 7", 8" X 1/2"	122	1	6" KURT MILLING VISE WITH HANDLE
		X 1-1/2" WHEEL SIZE, WITH SONY DIGITAL	122A	6	LATHE CHUCKS; 12" 4-JAW, 10" 6-JAW, 10"
		READOUT, 6" X 18" ACER PERMANENT			3-JAW, 8" 4-JAW, 8" 3-JAW AND 10" 4-JAW
		MAGNETIC CHUCK **For convenience, the	122B	1	6" X 12" MAGNETIC CHUCK
		loading fee of \$200.00 will be added to the	123	1	6" KURT MILLING VISE WITH HANDLE
		invoice and paid to the Exclusive Rigging and	124	1	8" KURT MILLING VISE WITH HANDLE
		Removal Agent the "ERRA", Loading prices are	125	1	VISE PARALLELS WITH ROLLING SHOP
		valid from October 4th to October 18, 2023, SEE			CART
		PRICING SPECIFICS**	126	1	18" X 48" HWACHEON MODEL HL460 GAP
105	1	BRIDGEPORT SERIES 1 VERTICAL MILLING			BED ENGINE LATHE; S/N 224803 (NEW 2000),
		MACHINE; S/N 283046, 9" X 42" TABLE,			11" SWING OVER CROSS SLIDE, 9-1/2" GAP
		VARIABLE SPINDLE SPEEDS UP TO 4,200			LENGTH, 28" SWING IN GAP, SPINDLE
		RPM, WITH R8 SPINDEL NOSE, SERVO TYPE	Ē		SPEEDS 32-1,800 RPM, CAMLOCK SPINDLE,
		150 POWER LONGITUDINAL FEED, NEWALL			INCH FEEDS, (640 .0011247 IPR, INCH
		TOPAZ 2 AXIS DIGITAL READOUT, 2 HP **For			THREADS, (35) 4 - 80 TPI, 2" HOLE THRU
		convenience, the loading fee of \$350.00 will be			SPINDLE, WITH 10" 6-JAW CHUCK, TAPER
		added to the invoice and paid to the Exclusive			ATTACHMENT, COLLET CLOSER WITH
		Rigging and Removal Agent the "ERRA",			COLLET NOSE, 17-1/2" FACEPLATE, 4" AND
		Loading prices are valid from October 4th to			10" STEADY RESTS, COLLANT, CARRIAGE
		October 18, 2023, SEE PRICING SPECIFICS**			STOP, THREAD CHASING DIAL, 3/60/220/440
106	1	BRIDGEPORT SERIES 1 VERTICAL MILLING			VOLT, 7.5 HP **For convenience, the loading
		MACHINE; S/N 282670, 9" X 42" TABLE,			fee of \$300.00 will be added to the invoice and
		VARIABLE SPINDLE SPEEDS UP TO 4,200			paid to the Exclusive Rigging and Removal
		RPM, WITH R8 SPINDEL NOSE, SERVO TYPE			Agent the "ERRA", Loading prices are valid from
		150 POWER LONGITUDINAL FEED, NEWALL			October 4th to October 18, 2023, SEE PRICING
		TOPAZ 2 AXIS DIGITAL READOUT, WITH R8			SPECIFICS**
		COLLET SET **For convenience, the loading fee	е		
		of \$350.00 will be added to the invoice and paid			
		to the Exclusive Rigging and Removal Agent the	!		
		"ERRA", Loading prices are valid from October			
		4th to October 18, 2023, SEE PRICING			
		SPECIFICS**			
107	1	6" MILLING VISE WITH HANDLE			

Lot Num	Qty.	Description	Lot Num	Qty. Description
127	1	22" X 120" HARRISON MODEL M550 GAP BED ENGINE LATHE; S/N SM0081 (NEW 1997), 14-1/2" SWING OVER CROSS SLIDE, 13" GAP LENGTH, 30" SWING IN GAP, SPINDLE SPEEDS 18-1,400 RPM, CAMLOCK SPINDLE, D1-11, INCH / METRIC, DP / MODULE THREADING, METRIC .2 - 14 MM, TPI 2 - 84 TPI, FEEDS IN INCH AND METRIC, 3.25: HOLE THRU SPINDLE, WITH NEWALL DP700 DIGITAL READOUT, TAPER ATTACHMENT, 15-3/4" 6-JAW CHUCK WITH 5-1/2" HOLE, 19-1/2" 4-JAW CHUCK WITH 5" HOLE, 20" FACEPLATE, 8" STEADY REST,	133	1 FANUC MODEL ROBOCUT A-OIC CNC WIRE EDM; S/N 04YC0411 (NEW 2004), TABLE AREA 21" X 14", X-AXIS 12.5", Y-AXIS 8.6", Z-AXIS 10.03", MAX WORK PIECES WEIGHT 1,100 LB., WITH FANUC 180is-WB CNC CONTROL, AUTOWIRE THREADING, DIELECTRIC FLUID TANK WITH FLUSH AND FILL, 3/60/230 VOLT **For convenience, the loading fee of \$900.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**
128	1	3/60/230 VOLT, 12-1/2 HP **For convenience, the loading fee of \$500.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS** NSF ROLLING WIRE RACK WITH CONTENTS; VISE AND LATHE SOFT JAWS	134	1 FANUC MODEL ROBOCUT A-OIC CNC WIRE EDM; S/N 043C0085 (NEW 2004), TABLE AREA 21" X 14", X-AXIS 12.5", Y-AXIS 8.6", Z-AXIS 10.03", MAX WORK PIECES WEIGHT 1,100 LB., WITH FANUC 180is-WB CNC CONTROL, AUTOWIRE THREADING, DIELECTRIC FLUID TANK WITH FLUSH AND FILL, 3/60/230 VOLT **For convenience, the
129 130 131	1	FOOT OPERATED LIFT CART FOOT OPERATED LIFT CART MILLER MODEL SYNCROWAVE 350LX CC/ AC /DC WELDING POWER SUPPLY; S/N LC010274, 17.4 KW, 300 AMP, 1/50 / 60 / 208 230 / 460 VOLT, WITH FOOT PEDAL, CABLES		loading fee of \$900.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS** 1 FANUC MODEL ROBOCUT A-01A CNC WIRE
131A	1	CLAMP AND GUN, ON 4-WHEEL ROLLING CART SPINNER MODEL HD-728 DEBURRING AND POLISHING MACHINE, 9.25" DIAMETER		EDM; S/N 99401078 (NEW 1999), STORED OUTSIDE, FANUC SERIES 18iw CNC CONTROL ON BALCONY, TABLE AREA 21" X 14", X-AXIS TRAVEL 12.6", Y-AXIS TRAVEL
132	1	FANUC MODEL A-OiA ROBOCUT CNC WIRE EDM; S/N 01501175 (NEW 2001) TABLE AREA 21" X 14", X-AXIS 12.6", Y-AXIS 8.66", Z-AXIS 7" WITH FANUC 18i-W CNC CONTROL, AUTOMATIC WIRE THREADING, DIELECTRIC FLUID TANK WITH FLUSH AND FILL, **For convenience, the loading fee of \$900.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**	135A 135B	8.66", Z-AXIS TRAVEL 7", WITH AUTO WIRE THREADING, FLUSH / FILL TANK **For convenience, the loading fee of \$900.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS** 1 SHOP SHELF UNIT WITH EDM TOOLING AND LARGE QUANTITY OF FILTERS 1 EDM WIRE SUPPLY, BEDRA BOLINE BRASS, .25 MM

Lot Num	Qty.	Description	Lot Num	Qty. Description
136	1	12" X 24" ACER MODEL SUPRA-1428AHR/AHD THREE AXIS AUTOMATIC HORIZONTAL SPINDLE SURFACE GRINDER; S/N 99070624 (NEW 1999), 12" X 28" TABLE AREA, 28" MAX GRIND LENGTH, 13" MAX GRINDING WIDTH, DISTANCE TABLE TO SPINDLE CENTERLINE 24", 14" X 2" X 5" WHEEL SIZE, 5 HP SPINDLE MOTOR, WITH 12" X 24" WALKER ELECTROMAGNETIC CHUCK WITH CHUCK CONTROL, OVER THE WHEEL DRESSER, FILTRATION WITH MAGNETIC AND PAPER UNITS, REMOTE OPERATORS CONSOLE, POWER ELEVATION, SPARKOUT, 3/60/240 VOLT **For convenience, the loading fee of \$600.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING.	148	1 COSEN MODEL C-320 CNC DOUBLE COLUMN AUTOMATIC HORIZONTAL BAND SAW; S/N C1022579 (NEW 2013), ROUND CAPACITY 12.8", SQUARE CAPACITY 12.8", RECTANGULAR CAPACITY 15" X 12.8", BLADE SIZE 166.9" X 1.3" X .042", 4,240 MM X 34 MM X 1.1 MM, BLADE SPEED 20-100 M/MIN, 66-328 FPM, 5 HP, AUTO INDEX LENGTH SINGLE STROKE 15.9" WORKBED HEIGHT 31.3", WITH REMOTE OPERATORS CONSOLE, AUTO BLADE ELEVATION, AUTO CLAMP OUTFEED ROLLER CONVEYOR, COOLANT **For convenience, the loading fee of \$150.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS** 1 ****WITHDRAWN FROM AUCTION****
407		4th to October 18, 2023, SEE PRICING SPECIFICS**	149	COSEN MODEL C-320NC-CE DOUBLE
137		C&M TOPLINE BOWL TYPE VIBRATORY PARTS FINISHER		COLUMN AUTOMATIC HORIZONTAL BAND SAW; S/N 109CM00612, ROUND CAPACITY
138	1	FARO GAGE PLUS MEASURING MACHINE; S/N F-04-02-09-07719 (NEW 11/2021), WITH COMPUTER, BOOKS, SOFTWARE, STORAGE CASE, (2) BALL SPHERES		12.6", SQUARE CAPACITY 12.6", RECTANGLE CAPACITY 12.6" X 15", BLADE SIZE 167" X 1.34" X .04", 4,240 MM X 34 MM X 1.1 MM, BLADE SPEED 15.80 M/MIN, 49-262 FPM, 5
139	1	****WITHDRAWN FROM AUCTION**** 36" X 48" X 6" BLACK GRANITE SURFACE PLATE, DRILLED AND TAPPED		HP, AUTO INDEX LENGTH, SINGLE STROKE 15.9", WORKBED HEIGHT 31.1", WITH REMOTE OPERATORS CONSOLE, AUTO
140	1	JET MODEL JTM-4VS VARIABLE SPEED VERTICAL MILLING MACHINE; S/N 8081415, 9" X 49" TABLE, WITH JET LONGITUDINAL POWER FEED, 3 HP **For convenience, the loading fee of \$350.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**		BLADE ELEVATION, AUTO CLAMP, OUTBOARD CONVEYOR **For convenience, the loading fee of \$150.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**
141	1	16" DOALL VERTICAL BANDSAW; S/N 436807 WITH BLADE WELDER / GRINDER		
142	1	METABO CUTOFF SAW ON BASE		
143	1	8" JET DUAL END BENCH GRINDER; S/N 1108, WITH JET DUST COLLECTOR BASE		
144	1	FORKLIFT BARREL TILT ATTACHMENT		
145	1	EMPIRE MODEL PF-3642 SO-46474 PRO FINISH SHOT BLAST CABINET; S/N 9027		
146	1	BLACK OXIDE DIP LINE, (7) TANKS, TEMP CONTROLS		
147	1	300 LB. GANTRY CRANE WITH 600 LB. COFFING ELECTRIC HOIST WITH PENDANT		

Lot Num	Qty.	Description	Lot Num	Qty. Description
150	1	*****WITHDRAWN FROM AUCTION**** DOOSAN MODEL NHP4000 6-PALLET CNC HORIZONTAL MACHINING CENTER; S/N MH0028-000447 (NEW 4/2022), PALLET SIZE 400 MM 15.74", X-AXIS TRAVEL 560 MM 22.05", Y-AXIS TRAVEL 640 MM 25.20", Z-AXIS TRAVEL 660 MM 25.98", MAX LOAD ON PALLET 400 KG, SPINDLE SPEED MAX 15,00 RPM, SPINDLE TAPER CAT 40, SPINDLE HORSEPOWER 40/29.5/24.8, XYZ RAPIDS 60M/MIN, 2,362 IPM, CUTTING FEED RATES 1-30,000 MM/MIN, .04-1,181 IPM, SPINDEL NOSE TO TABLE 80-740 MM 3.15-29.13", SPINDLE CENTER TO PALLET 80-720MM 3.15-28.35" WITH FANCU SERIES 31I MODEL B CNC CONTROL, (4) POSITION ROUND TYPE AUTOMATIC PALLET CHANGING SYSTEM, 120 POSITON ATC, FULL 4TH AXIS ANCILLARY PALLET STATION FOR SETUP, SHOWER COOLANT, THRU SPINDLE COOLANT, RENISHAW PROBE AND TOOL PRESETTER, VIDEO CAMERA, 300 WORK OFFSETS, LNS TURBO CHIP CONVEYOR, FEDERAL PACIFIC TRANFORMER, 112 KVA, PRIMARY 480 VOLT, SECONDARY 208 VOLT RUN TIME 4,007 HOURS **For convenience, the loading fee of \$4,500.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**	0	1 DOOSAN MODEL HC-400 TWIN PALLET CNC HORIZONTAL MACHINING CENTER; S/N MH0001-000812 (NEW 6/2014), PALLET SIZE 400 MM 15.74", X-AXIS TRAVEL 600 MM 23.62", Y-AXIS 560 MM 22.05", Z-AXIS 565 MM 22.24", B-AXIS 1 DEGREE, SPINDLE SPEEDS 10,000 RPM, SPINDLE TAPER CAT 40, SPINDLE HP 14/24, CUTTING FEEDS 1-20,000 M/MIN, .04-787.4 IPR, XYZ RAPID TRAVELS 40M/MIN 1.58 IPM, SPINDLE NOSE TO TABEL CENTER 150-715 MM 5.91-28.15", SPINDLE CENTER TO PALLET TOP 50-610 MM 1.97-24.02" WITH FANUC SERIES 32I MODEL B CNC CONTROL, 60 POSITION ATC, RENISHAW RMP60 PROBE HEAD WITH RED GARNET PROBE, 1 DEGREE PALLET ROTATION, COOLANT THRU SPINDLE, LNS TURBO CHIP CONVEYOR, HAMMOND POWER SYSTEMS TRANSFORMER, 75 KVA, PRIMARY 480 VOLT, SECONDARY 208 VOLT, HAMMOND POWER SYSTEMS TRANSFORMER 75 KVA, PRIMARY 480 VOLT, RUN TIM 579 HOURS **For convenience, the loading fee of \$1,800.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**

Lot Num	Qty.	Description	Lot Num	Qty. Description
152		DOOSAN DAEWOO MODEL DHC-400 TWIN PALLET CNC HORIZONTAL MACHINING CENTER; S/N HC400315 (NEW 10/2005), PALLET SIZE 400 MM 15.7", X-AXIS TRAVEL 600 MM 23.62", Y-AXIS TRAVEL 560 MM 22.05", Z-AXIS TRAVEL 565 MM 22.24", B-AXIS ROTATION 1 DEGREE, SPINDLE SPEED 10,000 RPM, SPINDLE TAPER CAT 40, SPINDLE HP 14/24, XYZ RAPID TRAVELS 32M/MIN, CUTTING FEED RATES 1-16,000 M/MIN, .04-629 IPM, SPINDLE NOSE TO TABLE CENTER 150-715 MM 5.91 - 28.15", SPINDLE CENTER TO PALLET TOP 50-610 MM 1.97-24.02", WITH FANUC SERIES 21I MODEL MB CNC CONTROL, 40 POSITION ATC, JORGENSON CHIP CONVEYOR, COOLANT WITH PROFLUID FILTER, FARGO ELECTRIC TRANSFORMER, 75 KVA, PRIMARY 480 VOLT, SECONDARY 208 VOLT **For convenience, the loading fee of \$1,800.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING	156	1 DOOSAN MODEL TT1800SY DUAL SPINDLE LIVE TOOL CNC LATHE; S/N ML0177-000929 (NEW 7/2016), DISTANCE BETWEEN OPPOSED SPINDLE NOSES 980 MM, SWING OVER SADDLE 230 MM, RECOMMENDED TURNING DIAMETER 210 MM, MAX TURNING DIAMETER 230 MM, MAX WORK LENGTH 230 MM, BAR WORKING DIAMETER 65 MM, CHUCK SIZE 210 MM, SPINDLE NOSE AZ-6, SPINDLE THRU HOLE 76 MM, MAX SPINDLE SPEED 5,000 RPM, TOOL STATIONS 12 X 2, OD TOOL SIZE 20 MM X 20 MM, BORING BAR SIZE 32 MM, ROTARY TOOL SPEED 5,000 RPM, ROTARY TOOL MOTOR 5.5, X1-AXIS TRAVEL 165 MM, X2-AXIS TRAVEL 190 MM, Z1-AXIS TRAVEL 100 MM (+/-50), A-AXIS 770 MM, C1 AND C2 .001, X1a2 RAPIDS 20 M/MM, Z1aZ2 RAPIDS 40M/MIN, V-AXIS RAPIDS 7.5M/MIN, A-AXIS RAPIDS 40M/MM, C1 AND C2 RAPIDS 600, WITH FANUC SERIES 31 MODEL B CNC CONTROL, CHIP BLASTER MODEL J2-60 HIGH PRESSURE COOLANT SYSTEM; S/N T754 (NEW 3/2017), (2) 8" KITAGAWA 3-JAW BB208 CHUCKS, TOOL
153	1	SPECIFICS** 400 MM FUTURE TOOL HYDRAULIC TOMBSTONE SYSTEM, 3 HP HYDRAULIC SYSTEM		PRESETTER, HENNING CHIP CONVEYOR, 4-MOTOR COOLANT, GE TRANSFORMER, 75 KVA, 3/60, PRIMARY 480 VOLT, SECONDARY 208 VOLT, CAT NO. 9T83B3874, DUAL FOOT
154	1	400 MM HMC PALLET WILL FIT DOOSAN NHP4000 DOOSAN HC400 HORIZONTAL MACHINING CENTER		PEDAL, 220 VOLT **For convenience, the loading fee of \$1,400.00 will be added to the invoice and paid to the Exclusive Rigging and
155	75	****WITHDRAWN FROM AUCTION**** CAT 40 TAPER TOOLHOLDERS, FOR DOOSAN NHP 4000 HORIZONTAL MACHINING CENTER		Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**

Lot Num	Qty.	Description	Lot Num	Qty. Description
157	1	DOOSAN MODEL TT1800SY DUAL SPINDLE LIVE TOOL CNC LATHE; S/N ML0177-000927 (NEW 6/2016), DISTANCE BETWEEN OPPOSED SPINDLE NOSES 980 MM, SWING OVER SADDLE 230 MM, RECOMMENDED TURNING DIAMETER 210 MM, MAX TURNING DIAMETER 230 MM, MAX WORK LENGTH 230 MM, BAR WORKING DIAMETER 65 MM, CHUCK SIZE 210 MM, SPINDLE NOSE AZ-6, SPINDLE THRU HOLE 76 MM, MAX SPINDLE SPEED 5,000 RPM, TOOL STATIONS 12 X 2, OD TOOL SIZE 20 MM X 20 MM, BORING BAR SIZE 32 MM, ROTARY TOOL SPEED 5,000 RPM, ROTARY TOOL MOTOR 5.5, X1-AXIS TRAVEL 165 MM, X2-AXIS TRAVEL 190 MM, Z1-AXIS TRAVEL 100 MM (+/-50), A-AXIS 770 MM, C1 AND C2 .001, X1a2 RAPIDS 20 M/MM, Z1aZ2 RAPIDS 40M/MIN, V-AXIS RAPIDS 7.5M/MIN, A-AXIS RAPIDS 40M/MM, C1 AND C2 RAPIDS 600, WITH FANUC SERIES 31 MODEL B CNC CONTROL, CHIP BLASTER MODEL J2-60 HIGH PRESSURE COOLANT SYSTEM; S/N T753 (NEW 3/2017), (2) 8" KITAGAWA 3-JAW BB208 CHUCKS, TOOL PRESETTER, HENNING CHIP CONVEYOR, 4-MOTOR COOLANT, GE TRANSFORMER, 75 KVA, 3/60, PRIMARY 480 VOLT, SECONDARY 208 VOLT, CAT NO. 9T83B3874, DUAL FOOT PEDAL, 220 VOLT **For convenience, the loading fee of \$1,400.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**		1 DOOSAN MODEL TT1800SY DUAL SPINDLE LIVE TOOL CNC LATHE; S/N ML0177-001030 (NEW 10/2017), DISTANCE BETWEEN OPPOSED SPINDLE NOSES 980 MM, SWING OVER SADDLE 230 MM, RECOMMENDED TURNING DIAMETER 210 MM, MAX TURNING DIAMETER 230 MM, MAX WORK LENGTH 230 MM, BAR WORKING DIAMETER 65 MM, CHUCK SIZE 210 MM, SPINDLE NOSE AZ-6, SPINDLE THRU HOLE 76 MM, MAX SPINDLE SPEED 5,000 RPM, TOOL STATIONS 12 X 2, OD TOOL SIZE 20 MM X 20 MM, BORING BAR SIZE 32 MM, ROTARY TOOL SPEED 5,000 RPM, ROTARY TOOL MOTOR 5.5, X1-AXIS TRAVEL 165 MM, X2-AXIS TRAVEL 190 MM, Z1-AXIS TRAVEL 100 MM (+/-50), A-AXIS 770 MM, C1 AND C2 .001, X1a2 RAPIDS 20 M/MM, Z1aZ2 RAPIDS 40M/MIN, V-AXIS RAPIDS 7.5M/MIN, A-AXIS RAPIDS 40M/MM, C1 AND C2 RAPIDS 600, WITH FANUC SERIES 31 MODEL B CNC CONTROL, (2) 8" KITAGAWA 3-JAW BB208 CHUCKS, TOOL PRESETTER, HENNING CHIP CONVEYOR, 4-MOTOR COOLANT, GE TRANSFORMER, 75 KVA, 3/60, PRIMARY 480 VOLT, SECONDARY 208 VOLT, CAT NO. 9783B3874, DUAL FOOT PEDAL, 220 VOLT **For convenience, the loading fee of \$1,400.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**

Lot Num Q	ty. Description	Lot Num	Qty. Description
159	1 DOOSAN MODEL TT1800SY DUAL SPINDLE LIVE TOOL CNC LATHE; S/N ML0177-000970 (NEW 4/2017), DISTANCE BETWEEN OPPOSED SPINDLE NOSES 980 MM, SWING OVER SADDLE 230 MM, RECOMMENDED TURNING DIAMETER 210 MM, MAX TURNING DIAMETER 230 MM, MAX WORK LENGTH 230 MM, BAR WORKING DIAMETER 65 MM, CHUCK SIZE 210 MM, SPINDLE NOSE AZ-6, SPINDLE THRU HOLE 76 MM, MAX SPINDLE SPEED 5,000 RPM, TOOL STATIONS 12 X 2, OD TOOL SIZE 20 MM X 20 MM, BORING BAR SIZE 32 MM, ROTARY TOOL SPEED 5,000 RPM, ROTARY TOOL MOTOR 5.5, X1-AXIS TRAVEL 165 MM, X2-AXIS TRAVEL 190 MM, Z1-AXIS TRAVEL 100 MM (+/-50), A-AXIS 770 MM, C1 AND C2 .001, X1a2 RAPIDS 20 M/MM, Z1aZ2 RAPIDS 40M/MIN, V-AXIS RAPIDS 7.5M/MIN, A-AXIS RAPIDS 40M/MM, C1 AND C2 RAPIDS 600, WITH FANUC SERIES 31 MODEL B CNC CONTROL, NO CHIP BLASTER, (2) 8" KITAGAWA 3-JAW BB208 CHUCKS, TOOL PRESETTER, HENNING CHIF CONVEYOR, 4-MOTOR COOLANT, HPS TRANSFORMER, 75 KVA, 3/60, PRIMARY 480 VOLT, SECONDARY 208 VOLT, CAT NO. 9T83B3874, DUAL FOOT PEDAL, 220 VOLT **For convenience, the loading fee of \$1,400.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**	160A 161	1 DOOSAN MODEL PUMA 200SY DUAL SPINDLE LIVE TOOL CNC LATHE; S/N P200SY0853 (NEW 5/2007), SWING 23.62", TURNING DIAMETER 12", BAR CAPACITY 2.6", SPINDLE SPEED 5,000 RPM, DISTANCE BETWEEN CHUCKS 22.8", 12-TURRET STATIONS, MAIN CHUCK 8" SAMCHULLY, 506 SPINDLE CHUCK, 6-1/2" SAMCHULLY WITH FANUC 18i-TB CNC CONTROL, PRESETTER, PARTS CATCHER, EXTERNAL PARTS BELT CONVEYOR, SUBSPINDEL, C-AXIS, Y-AXIS, COOLANT, TURBO CHIP CONVEYOR, (2) FOOT PEDALS, FARGO ELECTRIC TRANSFORMER, 51 KVA, PRIMARY 480 VOLT, SECONDARY 208 VOLT **For convenience, the loading fee of \$800.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS** 1 4-WHEEL ROLLING CART WITH (2) RADIAL LIVE TOOLS, (1) AXIAL LIVE TOOL, PERISHABLE TOOLING 1 DOOSAN MODEL PUMA300C CNC LATHE; S/N ML0052-003716 (NEW 2/2012), SWING OVER BED 590 MM 23.23", SWING OVER SADDLE 450 MM 17.72", MAX TURNING DIAMETER 400 MM 15.74", MAX WORK LENGTH 630 MM 24.8", X-AXIS TRAVEL 282 MM 11.10", Z-AXIS TRAVEL 1,300 MM 52.36", SPINDLE SPEEDS 28-2,800 RPM, SPINDEL NOSE A2-11, SPINDLE BORE 155 MM 4.53", TURRET TOOLS 12, X-AXIS RAPID 29,000 MM/MIN, Z-AXIS RAPIDS 24,000 MM/MIN, WITH FANUC SERIES I CNC CONTROL, TOOL PRESETTER, HENNING CHIP CONVEYOR, 15" KITAGAWA B15 3-JAW CHUCK, COOLANT SYSTEM, HAMMOND POWER SOLUTIONS TRANSFORMER 45 KVA, SECONDARY 208 VOLT, 220 VOLT **For convenience, the loading fee of \$800.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**

Lot Num	Qty.	Description	Lot Num	Qty. Description
162	1	DOOSAN MODEL PUMA 2100 CNC LATHE;	172	3 DOOSAN PUMA TT1800SY TURNING TOOL
		S/N ML0089-000217 (NEW 1/2011), SWING	170	BLOCKS 5 DOOSAN DUMA TT1900SV TUDNING TOOL
		OVER BED 780 MM, SWING OVER SADDLE 630 MM, MAX TURN DIAMETER 406 MM, MAX	173	5 DOOSAN PUMA TT1800SY TURNING TOOL BLOCKS
		TURN LENGTH 520 MM, BAR WORK	174	5 DOOSAN PUMA TT1800SY TURNING TOOL
		DIAMETER 65 MM, SPINDLE SPEEDS 4,500	117	BLOCKS
		RPM, SPINDLE NOSE A2-6, SPINDLE HOLE	175	5 DOOSAN PUMA TT1800SY TURNING TOOL
		THRU 76 MM, TURRET TOOLS 12, X-AXIS		BLOCKS
		TRAVEL 260 MM, Z-AXIS TRAVEL 590 MM, X	176	5 DOOSAN PUMA TT1800SY TURNING TOOL
		AND Z AXIS RAPIDS 30 M/MIN WITH FANUC		BLOCKS
		SERIES CNC CONTROL, 8" SAMCHULLY	177	5 DOOSAN PUMA TT1800SY TURNING TOOL
		3-JAW CHUCK, HENNING CHIP CONVEYOR,		BLOCKS
		(2) FOOT PEDALS, (3) SQUARE D	178	5 DOOSAN PUMA TT1800SY TURNING TOOL
		TRANSFORMERS, 3 KVA **For convenience,		BLOCKS
		the loading fee of \$1,100.00 will be added to the	179	5 DOOSAN PUMA TT1800SY TURNING TOOL
		invoice and paid to the Exclusive Rigging and	400	BLOCKS
		Removal Agent the "ERRA", Loading prices are		4 DOOSAN PUMA TT1800SY BORING BAR
		valid from October 4th to October 18, 2023, SEE		TOOL BLOCKS
163	1	PRICING SPECIFICS** DOOSAN MODEL PUMA 280 CNC LATHE;	181	4 DOOSAN PUMA TT1800SY TURNING AND
103	1	S/N PM2801149 (NEW 2/2009), SWING OVER	182	4 DOOSAN PUMA TT1800SY TURNING AND BORING TOOL BLOCKS
		BED 630 MM, SWING OVER SADDLE 500 MM		4 DOOSAN PUMA TT1800SY BORING BAR
		MAX TURN DIAMETER 420 MM, MAX TURN	, 100	TOOLHOLDERS
		LENGTH 658 MM, BAR WORKING DIAMETER	184	4 DOOSAN PUMA TT1800SY BORING BAR
		76 MM, X-AXIS TRAVEL 242 MM, Z-AXIS		TOOLHOLDERS
		TRAVEL 680 MM, SPINDLE SPEEDS 3,500	185	4 DOOSAN PUMA TT1800SY BORING BAR
		RPM, SPINDLE NOSE AZ-8, SPINDLE THRU		TOOLHOLDERS
		HOLE 86 MM, TURRET TOOLS 10, X-AXIS	186	4 DOOSAN PUMA TT1800SY BORING BAR
		RAPID 20 M/MM, Z-AXIS RAPID 24M/MM,		TOOLHOLDERS
		MOTOR 18.5/22 WITH FANUC 21i-TB CNC	187	4 DOOSAN PUMA TT1800SY BORING BAR
		CONTROL, 12" ACE 3-JAW CHUCK, HENNING	3	TOOLHOLDERS
		CHIP CONVEYOR, COOLANT, (2) FOOT	188	4 DOOSAN PUMA TT1800SY TURNING TOOL
		PEDALS, 220 VOLT, HAMMOND POWER		BLOCKS
		SOLUTIONS, 45 KVA TRANSFORMER,	189	2 DOOSAN PUMA TT1800SY AXIAL AND
		SECONDARY 208 VOLT **For convenience, the	е	RADIAL LIVE TOOLS, MT AND EPPINGER
		loading fee of \$800.00 will be added to the	400	BRAND
		invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are	190	2 DOOSAN PUMA TT1800SY AXIAL AND
		valid from October 4th to October 18, 2023, SEE		RADIAL LIVE TOOLS, MT AND EPPINGER BRAND
		PRICING SPECIFICS**	- 191	2 DOOSAN PUMA TT1800SY AXIAL AND
164	1	MISCELLANEOUS WRENCHES, SPANNER,	101	RADIAL LIVE TOOLS, MT AND EPPINGER
10-1		ALLEN HEX KEYS		BRAND
165	2	BOXES OF DRILL BUSHINGS	192	2 DOOSAN PUMA TT1800SY AXIAL AND
166		STRAIGHT SHANK COLLET TOOLHOLDERS		RADIAL LIVE TOOLS, MT AND EPPINGER
167		MISCELLANEOUS PERISHABLE TOOLING		BRAND
168	1	MISCELLANEOUS PERISHABLE TOOLING	193	2 DOOSAN PUMA TT1800SY AXIAL AND
169	1	CARBIDE INSERTS, LATHE TURNING TOOLS	3	RADIAL LIVE TOOLS, MT AND EPPINGER
170	1	CARBIDE INSERTS AND DRIVERS		BRAND
171	1	SUMOCHAN TOOLING		

Lot Num	Qty.	Description	Lot Num	Qty. Description
194	2	DOOSAN PUMA TT1800SY AXIAL AND RADIAL LIVE TOOLS, MT AND EPPINGER BRAND	211	1 HAAS MODEL VF-4SS; S/N 1127657 (NEW 12/2015), TABLE SIZE 20-1/4" X 52", X-AXIS TRAVEL 50", Y-AXIS TRAVEL 20", Z-AXIS
195	2	DOOSAN PUMA TT1800SY AXIAL AND RADIAL LIVE TOOLHOLDERS, MT BRAND		TRAVEL 25", SPINDLE SPEEDS 12,000 RPM, SPINDLE TAPER CAT 40, SPINDLE HP 30,
196	2	DOOSAN PUMA TT1800SY AXIAL AND RADIAL LIVE TOOLHOLDERS, MT BRAND		RAPIDS 1,400 IPM, CUTTING FEEDS .1-833 IPM, SPINDLE NOSE TO TABLE TOP 7-32",
197	2	DOOSAN PUMA TT1800SY AXIAL AND RADIAL LIVE TOOLHOLDERS, MT BRAND		TABLE LOAD 1,750 LB. WITH HAAS CNC CONTROL, 4TH AXIS READY, 24 POSITION
198	2	DOOSAN PUMA TT1800SY AXIAL AND RADIAL LIVE TOOLHOLDERS, MT BRAND		ATC, THRU SPINDLE COOLANT, TOOL PROBE, DOUBLE ARM TOOL CHANGER,
199	2	DOOSAN PUMA TT1800SY AXIAL AND RADIAL LIVE TOOLHOLDERS, MT BRAND		WORK LIGHTS, 6,500 ON TIME HOURS, 1,980 FEED CUTTING HOURS, 3/60/220 VOLT **For
200	2	DOOSAN PUMA TT1800SY AXIAL AND RADIAL LIVE TOOLHOLDERS, MT BRAND		convenience, the loading fee of \$800.00 will be added to the invoice and paid to the Exclusive
201	2	DOOSAN PUMA TT1800SY AXIAL AND RADIAL LIVE TOOLHOLDERS, MT BRAND		Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to
202	3	DOOSAN PUMA TT1800SY AXIAL LIVE TOOLHOLDERS	212	October 18, 2023, SEE PRICING SPECIFICS** 1 HAAS MODEL HRC-210 ROTARY TABLE; S/N
203	3	DOOSAN PUMA TT1800SY AXIAL LIVE TOOLHOLDERS	212A	230085 1 6" KURT MILLING VISE
204	3	DOOSAN PUMA TT1800SY AXIAL LIVE TOOLHOLDERS	213 214	30 CAT 40 TAPER TOOLHOLDERS 1 HAAS MODEL VF-4 CNC VERTICAL
205	3	DOOSAN PUMA TT1800SY AXIAL LIVE TOOLHOLDERS		MACHINING CENTER; S/N 8810 (NEW 11/1996), TABLE SIZE 18" X 52", X-AXIS
206	11	DOOSAN PUMA TT1800SY LIVE TOOLHOLDERS ON ROLLING CART, (8) AXIAL TOOLHOLDERS, (3) RADIAL TOOLHOLDERS		TRAVEL 50", Y-AXIS TRAVEL 20", Z-AXIS TRAVEL 25", SPINDLE SPEEDS 8,000 RPM, SPINDLE TAPER CAT 40, SPINDLE HORSEPOWER 15 HP, RAPIDS 710 IPM,
207	4	PRECI-FLEX TOOLHOLDERS		WITH HAAS CNC CONTROL, 20 ATC,
208	1	SPINDLE DRIVE		PROGRAMMABLE COOLANT NOZZLE,
209	1	ALUMINUM PIE SAWS AND COLLET SET		SCRAP CHUTE **For convenience, the loading
210	3	MACHINE TOOLBOXES		fee of \$750.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**
			214A	1 ****WITHDRAWN FROM AUCTION**** 24" X 18" X 6" THICK STARRETT GRANITE SURFACE PLATE - DRILLED AND TAPPED

Lot Num	Qty.	Description	Lot Num	Qty. Description
215	1	HAAS MODEL VF-3 CNC VERTICAL MACHINING CENTER VOP-D; S/N 35185 (NEW 4/2004), TABLE SIZE 18" X 48", X-AXIS TRAVEL 40", Y-AXIS TRAVEL 20", Z-AXIS TRAVEL 25", MAX TABLE LOAD 3,500 LB. ,SPINDLE SPEEDS 10,000 RPM, SPINDLE TAPER CAT 40, RAPIDS 1,000 IPM, WITH HAAS CNC CONTROL, 20 HP 2-SPEED GEARED, 4TH AXIS READY, 24 POSITION ATC, DOUBLE ARM TOOL CHANGER, THRU SPINDLE COOLANT, SCRAP CHUTE, WORK LIGHTS **For convenience, the loading fee of \$700.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**	220	1 HAAS MODEL VF-3 CNC VERTICAL MACHINING CENTER; S/N 14355 (nEW 4/1998), TABLE SIZE 18" X 48", X-AXIS TRAVEL 40", Y-AXIS TRAVEL 20", Z-AXIS TRAVEL 25", TABLE LOAD 1,500 LB., SPINDLE SPEEDS 0-7,500 RPM, SPINDLE TAPER CAT 40, SPINDLE HORSEPOWER 20 HP, RAPIDS 710 IPM, SPINDLE NOSE TO TABLE TOP 4-29", WITH HAAS CNC CONTROL, 4TH AXIS READY, 20 POSITION ATC, SCRAP CHUTE **For convenience, the loading fee of \$700.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS** 1 8" KURT MILLING VISE
216	28	LISTA ROLLER BEARING TOOL CABINET WITH CAT 40 TAPER TOOLHOLDERS	222 223	1 6" KURT MILLING VISE 1 HAAS MODEL VF-3 CNC VERTICAL
217	1	6" KURT MILLING VISE		MACHINING CENTER; S/N 10986 (NEW
218		HAAS MODEL HRT-210H ROTARY TABLE; S/N 218997		7/1997), TABLE SIZE 18" X 48", X-AXIS TRAVEL 40", Y-AXIS TRAVEL 20", Z-AXIS
219	1	HAAS MODEL VF-3 CNC VERTICAL MACHINING CENTER; S/N 15619 (NEW 7/1998), TABLE SIZE 18" X 48", X-AXIS TRAVEL 40", Y-AXIS TRAVEL 20", Z-AXIS TRAVEL 25", TABLE LOAD 1,500 LB., SPINDEL SPEEDS 0-7,500 PRM, SPINDLE TAPER CAT 40, SPINDLE HORSEPOWER 20, RAPIDS 710 IPM, SPINDLE NOSE TO TABLE TOP 4-29", WITH HAAS CNC CONTROL, HAAS AUTOMATIC PALLET CHANGER, (2) 18-1/4" X 38-3/4" T-SLOTTED PALLETS, PROGRAMMABLE COOLANT NOZZLE, SCRAP CHUTE, 20 POSITION ATC **For convenience, the loading fee of \$1,200.00 will be added to the invoice and paid to the Exclusive	224	TRAVEL 25", TABLE LOAD 1,500 LB., SPINDLE SPEEDS 0-7,500 RPM, SPINDEL TAPER CAT 40, SPINDLE HORSEPOWER 15 HP, RAPIDS 710 IPM, SPINDLE NOSE TO TABLE TOP 4-29", WITH HAAS CNC CONTROL, 4TH AXIS READY, 20 POSITION ATC, SCRAP CHUTE **For convenience, the loading fee of \$700.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS** 1 12" HAAS ROTARY TABLE; S/N 311153 1 6" KURT MILLING VISE
		Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**		

Lot Num	Qty.	Description	Lot Num	Qty. Description
226	1	HAAS MODEL VF-3 CNC VERTICAL MACHINING CENTER; S/N 10635 (NEW 6/1997), TABLE SIZE 18" X 48", X-AXIS TRAVEL 40", Y-AXIS TRAVEL 20", Z-AXIS TRAVEL 25", TABLE LOAD 1,500 LB., SPINDLE SPEEDS 0-7,500 RPM, SPINDEL TAPER CAT 40, SPINDLE HORSEPOWER 15 HP, RAPIDS 710 IPM, SPINDLE NOSE TO TABLE TOP 4-29", WITH HAAS CNC CONTROL, 4TH AXIS READY, PROGRAMMABLE COOLANT NOZZLE, 20 POSITION ATC, SCRAP CHUTE **For convenience, the loading fee of \$700.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**	231	1 ****WITHDRAWN FROM AUCTION**** ZEISS MODEL CONTURA 10/16/6 DCC CMM; S/N 731702531220 (NEW 2/2017), 76-1/2" X 51-1/2" X 10" DRILLED AND TAPPED BLACK GRANITE SURFACE PLATE, 51-1/2" BETWEEN COLUMNS, 34-1/2" SURFACE TO BRIDGE, X-AXIS 39.4", Y-AXIS 62.99", Z-AXIS 23.6", WITH VAST XTR PROBE HEAD, MSR MINI MULTI SENSOR STORAGE RACK (4) PROBES, ZEISS BALL REFERENCE GATE, ZEISS CALYPSO SOFTWARE AND COMPUTER **For convenience, the loading fee of \$1,500.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**
227	1	12" HAAS ROTARY TABLE; S/N 310567	231A	1 ****WITHDRAWN FROM AUCTION****
228	2	6" KURT MILLING VISE		MISCELLANEOUS THREAD GAUGES
230		HAAS MODEL VF-2 CNC VERTICAL MACHINING CENTER; S/N 8791 (NEW 11/1996), TABLE SIZE 14" X 36", X-AXIS TRAVEL 20", Y-AXIS TRAVEL 16", Z-AXIS TRAVEL 20", SPINDLE SPEEDS 0-7,500 RPM, SPINDEL TAPER CAT 40, SPINDLE HORSEPOWER 15 HP, RAPIDS 710 IPM, WITH HAAS CNC CONTROL, 20 POSITION ATC, SCRAP CHUTE **For convenience, the loading fee of \$600.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS** HAAS MODEL MINI MILL CNC TOOLROOM		1 ****WITHDRAWN FROM AUCTION**** ZEISS DURAMAX 5/5/5 DCC CMM; S/N 732206120324 (NEW 2022), 19-1/2" X 19-1/2" PRECISION GROUND STEEL TABLE, MEASURING RANGE 500 MM X 500 MM X 500 MM, 19.7" X 19.7" X 19.7", WITH ZEISS VAST XXT PROBE HEAD, (6) STYLUS PROBE HEADS, (2) PROBE STORAGE RACKS, ZEISS BALL REFERENCE GAGE, ZEISS CALYPSO SOFTWARE AND COMPUTER **For convenience, the loading fee of \$500.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**
230		MILL; S/N 24748 (NEW 3/2001), TABLE SIZE 12" X 36", X-AXIS TRAVEL 16", Y-AXIS TRAVEL 10", SPINDLE SPEEDS 6,000 RPM, SPINDLE TAPER CAT 40, RAPIDS 650 IPM, DISTANCE SPINDEL NOSE TO TABLE TOP 4-14", WITH HAAS CNO CONTROL, 10 POSITION ATC **For convenience, the loading fee of \$500.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**		1 BROWN AND SHARPE MODEL MICROXCEL 7-10-5 CMM; S/N 07983323 (NEW 1998), 33" X 53" X 4" DRILLED AND TAPPED BLACK GRANITE SURFACE PLATE, 35" BETWEEN COLUMNS, 25-1/4" TABLE TO UNDERSIDE OF BRIDGE, RENISHAW BROWN AND SHARPE MODEL TP-ES PROBE HEAD, WITH HP COMPUTER WITH CMM MANAGER SOFTWARE, (4) GRANITE PROBES **For convenience, the loading fee of \$700.00 will be added to the invoice and paid to the Exclusive Rigging and Removal Agent the "ERRA", Loading prices are valid from October 4th to October 18, 2023, SEE PRICING SPECIFICS**

Lot Num	Qty.	Description	Lot Num	Qty. Description	
234	1	SPI DIGITAL HEIGHT GAGE, 18" X 18" X 4" PINK GRANITE SURFACE PLATE, ANGLE BLOCK	257	1 13-DRAWER VIDMAR ROLLER BEARING STORAGE CABINET WITH ASSORTMENT OF PERISHABLE TOOLING, SET UP	
235	1	7-DRAWER SPECTRUM ROLLER BLARING TOOL CABINET	258	HARDWARE, SHIM STOCK 1 KENNEDY 12-DRAWER ROLLER BEARING	
236	1	MISCELLANEOUS PRECISION INSTRUMENTS; VISE, PERM MAGNETIC CHUCK, 3-JAW CHUCK, MILLING VISE, V-BLOCKS, SETUP HARDWARE ON SHELF	259	STORAGE CABINET WITH LARGE ASSORTMENT OF PERISHABLE TOOLING, DRILLS 1 KENNEDY 12-DRAWER ROLLER BEARING	
237	2	UNIT ULINE WIRE RACK, ULINE ROLLING WIRE		STORAGE CABINET WITH LARGE ASSORTMENT OF CARBIDE INSERTS,	
220		CART, THREAD AND RUNG GAGES		MILLING, THREADING TOOLS,	
238		CAT NO. 40 TAPER TOOLHOLDERS	000	COUNTERBORES	
239		CAT NO. 40 TAPER TOOLHOLDERS	260	1 LYON 8-DRAWER ROLLER BEARING	
240		CAT NO. 40 TAPER TOOLHOLDERS		STORAGE CABINET; HUGE ASSORTMENT	
241		CAT NO. 40 TAPER TOOLHOLDERS		OF COLLETS, STRAIGHT SHANK COLLET	
242		CAT NO. 40 TAPER TOOLHOLDERS	004	TOOLHOLDERS	
243		CAT NO. 40 TAPER TOOLHOLDERS	261	1 LARGE ASSORTMENT OF COLLETS AND	
244		CAT NO. 40 TAPER TOOLHOLDERS		RETENTION STUDS, HAND TOOLS, SHOP	
245		CAT NO. 40 TAPER TOOLHOLDERS	000	WORKHEAD	
246		CAT NO. 40 TAPER TOOLHOLDERS	262	2 HUOT LARGE TOOL INDEXES WITH TAPS,	
247		CAT NO. 40 TAPER TOOLHOLDERS		DRILLS, (3) SMALL DRILL INDEXES,	
248		CAT NO. 40 TAPER TOOLHOLDERS		FRACTIONAL AND NUMERAL DRILL	
248A		CAT 40 TAPER TOOL HOLDERS		INVENTORY, (2) LIGHTED MAGNIFYING	
248B		CAT 40 TAPER TOOL HOLDERS		GLASSES, DIAL CALIPER AND INSIDE	
248C		CAT 40 TAPER TOOL HOLDERS	000	MICROMETER SET	
248D		CAT 40 TAPER TOOL HOLDERS	263	4 SHELF UNITS WITH MISCELLANEOUS	
248E		CAT 40 TAPER TOOL HOLDERS	2004	METALS, HELICOIL SETS	
249	43	CAT NO. 40 TAPER TOOLHOLDERS WITH ROLLING RACK	264	1 ****WITHDRAWN FROM AUCTION**** 7" X 16-3/4" TOOLEX 4-SIDED TOMBSTONE	
250	50	CAT NO. 40 TAPER TOOLHOLDERS WITH (2)	265	2 ****WITHDRAWN FROM AUCTION**** 7" X	
230	50	ROLLING TOOL RACKS	200	16-3/4" TOOLEX 4-SIDED TOMBSTONES	
251	1	STOR-LOC MODULAR TOOL STORAGE	266	1 16-1/4" X 19" TWO SIDED TOMBSTONE	
201	ļ	PORTABLE RACK, (105) CAT NO. 40 TAPER	267	1 16-1/4" X 19" TWO SIDED TOMBSTONE	
		TOOLHOLDERS, CARBIDE INVENTORY,	268	1 15-3/4" X 26" TWO SIDED TOMBSTONE	
		FACE MILLS	269	1 ****WITHDRAWN FROM AUCTION**** 16-1/4"	
252	95	CAT NO. 40 TAPER TOOLHOLDERS WITH	200	X 16-1/4" X 26" FOUR SIDED TOMBSTONE	
202	55	RACK	270	1 13-3/4" X 13-3/4" X 27" FOUR SIDED	
253	1	20 TON SUNEX HYDRAULIC SHOP PRESS	210	TOMBSTONE	
254		BALDOR DUAL END PEDESTAL GRINDER,	271	1 ****WITHDRAWN FROM AUCTION**** 14-3/4"	
204	'	1/2 HP, 1/60/115/230 VOLT	211	X 14-3/4" X 26-1/2" FOUR SIDED TOMBSTONE	
255	1	DAREX DRILL GRINDER; S/N 534018C, 1/3	272	1 18" X 20" TWO SIDED DRILLED AND TAPPED	
200	'	HP, (2) DRILL HOLDERS	LIL	TOMBSTONE	
256	1	VIDMAR 15-DRAWER ROLLER BEARING	273	1 7" X 7" X 22" FOUR SIDED TOMBSTONE	
200	'	STORAGE CABINET WITH EXTENSIVE	210	WITH (2) 6" KURT VISES WITH HANDLE	
		PERISHABLE INVENTORY, REAMERS,	274	1 7" X 7-1/2" X 18" FOUR SIDED TOMBSTONE	
		DRILLS, END MILLS	27 4 275	2 7-3/4" X 18-1/2" FOUR SIDED TOMBSTONE	
		DIVILLO, LIND WILLO	275 276	1 15-3/4" X 18-3/4" TWO SIDED TOMBSTONE	
				WITH 8" MILLING VISE	
			277	1 15-1/4" X 20' TWO SIDED TOMBSTONE	

Lot Num	Qty.	Description Description	Lot Num		-	escription
278	1	10" X 10" X 15" FOUR SIDED TOMBSTONE	305	1	2	2,000 LB. P-HOP-1.0 DUMPING SCRAP
279	1	9" X 9" X 13" FOUR SIDED TOMBSTONE				HOPPER
280		12" X 12" X 11" FOUR SIDED TOMBSTONE	306	1	١	WOOD TOP SHOP TABLE WITH (2) LISTA
281	1	****WITHDRAWN FROM AUCTION**** WIRE			F	ROLLER BEARING STORAGE CABINETS
		STORAGE RACK WITH CONTENTS	307	1	I	DELETE
282	1	8-1/4" X 23" ROTATING FIXTURE, TWO	308	1	١	WOOD TOP SHOP DESK AND CONTENTS,
		VISES			١	WOOD TOP SHOP TABLE
283	1	HAAS ROTARY TABLE; S/N 212192, WITH 8"	309	2	١ ١	WOOD TOP SHOP DESK WITH CONTENTS
		3-JAW CHUCK, COLLET NOSE, NEEDS	310	2	١ ١	WOOD TOP SHOP DESK WITH CONTENTS
		REPAIR	311	1	,	****WITHDRAWN FROM AUCTION**** LISTA
284	1	TENNANT MODEL 7300 SIT DOWN FLOOR			;	SHOP DESK WITH ROLLER BEARING
		SCRUBBER; S/N 7300-1766, 36 VOLT,			;	STORAGE CABINET
		BATTERY WITH CHARGER 235 HOURS	312	1		LISTA SHOP DESK WITH ROLLER BEARING
285	3	METAL 4-WHEEL SHOP CARTS			;	STORAGE CABINET
286	3	PLASTIC 4-WHEEL SHOP CARTS	313	1	١ ١	WOOD TOP SHOP TABLE
287	1	HYDRAULIC LIFT TABLE, FOOT OPERATED	314	1		METAL STORAGE RACK WITH INVENTORY
287A	1	****WITHDRAWN FROM AUCTION****	315	1	1	(LOT) ASSORTED LIFTING DEVICES
		HYDRAULIC LIFT TABLE, FOOT OPERATED	316	1		(LOT) CONTAINER OF NYLON SLINGS
288	1	JET PALLET JACK	317	1	1	(LOT) SKID OF COMFORT MATS
289	1	LARGE METAL ROLLING SHOP CART	318	3	3	STEEL SHOP CARTS
290	1	WOOD TOP SHOP TABLE	318A	1	1	1,100 LB GLOBAL HYDRAULIC LIFT CART,
291	2	WORKSMART ROLLING TOOL CHESTS AND			;	32" X 63" PLATFORM
		CONTENTS	319			WIRE RACKS - (2) ROLLING, (2) STATIC
292	1	WOOD TOP SHOP TABLE, WOOD TOP	320	1		ROLLING TOOL BOX, 58" X 54" INSIDE
		SHOP DESK				DIMENSIONS
293		SKID OF ANGLE BLOCKS	321	1		ROLLING TOOL BOX, 58" X 54" INSIDE
294		SHOP SHELF AND CONTENTS				DIMENSIONS
295		7" X 7-1/2" X 18" FOUR SIDED TOMBSTONE	322	1		ROLLING TOOL BOX, 58" X 54" INSIDE
296	1	BALDOR DUAL END PEDESTAL GRINDER,				DIMENSIONS
		1/2 HP, 1/60/115/230 VOLT	323	1		ROLLING TOOL BOX, 58" X 54" INSIDE
297	1	JET DUAL END BENCH GRINDER WITH				DIMENSIONS
		PEDESTAL BASE	324			OPEN
298	1	11-DRAWER VIDMAR STYLE ROLLER	325	8		SECTIONS 42" X 96" X 15' HIGH PALLET
		BEARING STORAGE CABINET WITH				RACK, (10) UPRIGHTS, (54) CROSS BEAMS,
		CONTENTS				(54) SECTIONS OF WIRE DECKING ** NO
299	1	PALLET RACK SECTION AND SHOP SHELF				CONTENTS - DELAYED REMOVAL - PICKUP
		UNIT WITH CONTENTS		_		
300	1	2,000 LB. P-HOP-1.5 DUMPING SCRAP	326	٤		SECTIONS 42" X 96" X 15' HIGH PALLET
004		HOPPER				RACK, (10) UPRIGHTS, (54) CROSS BEAMS,
301	1	****WITHDRAWN FROM AUCTION**** 2,000				(54) SECTIONS OF WIRE DECKING ** NO
000		LB. P-HOP-1.0 DUMPING SCRAP HOPPER				CONTENTS - DELAYED REMOVAL - PICKUP
302	1	2,000 LB. P-HOP-1.0 DUMPING SCRAP	007	_	_	Control of the Contro
000	4	HOPPER	327	٤		SECTIONS 42" X 96" X 15' HIGH PALLET
303	1	2,000 LB. P-HOP-1.0 DUMPING SCRAP				RACK, (10) UPRIGHTS, (54) CROSS BEAMS,
000 *		HOPPER				(54) SECTIONS OF WIRE DECKING ** NO
303A	1	2,000 LB. P-HOP-1.0 DUMPING SCRAP				CONTENTS - DELAYED REMOVAL - PICKUP
20.4	4	HOPPER				
304	1	2,000 LB. HOP-LP DUMPING SCRAP				
		HOPPER				

Lot Num	Qty.	Description	Lot Num	Qty.	Description
328	9	SECTIONS 42" X 96" X 15' HIGH PALLET RACK, (11) UPRIGHTS, (54) CROSS BEAMS, (54) SECTIONS OF WIRE DECKING ** NO CONTENTS - DELAYED REMOVAL - PICKUP **			
329	4	SECTIONS 42" X 56" X 15' HIGH PALLET RACK, (5) UPRIGHTS, (21) CROSS BEAMS, (20) SECTIONS OF WIRE DECKING ** NO CONTENTS - DELAYED REMOVAL - PICKUP			
330	11	AIR LINE REELS			
331	1	WELDON MODEL 200 END MILL SHARPENING FIXTURE			
332	1	DELETÉ			
333	1	CHICK DOUBLE JAW VISE			
334	1	CUTTERMASTER GRINDING FIXTURE			
335	1	INDI-SQUARE CO MODEL 18X SQUARE			
336	1	KANTO AUTOMATIC OIL TEMP REGULATOR			
337	1	REMCOR LIQUID COOLER			
338	1	DAYTON HYDRAULIC LIFT TABLE			