

Catalog for Auction: Bahrs Die and Stamping

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any of the lots specified herein.

Lot Num	Qty.	Description	Lot Num	Qty.	Description
100	1	17" DELTA FLOOR DRILL; S/N 94-7803, WITH PROCUNIER SIZE #3 HIGH SPEED TAPPING ATTACHMENT	124	1	MILWAUKEE MODEL K VERTICAL MILLING MACHINE; S/N 16-3668
101	1	17" DELTA FLOOR DRILL; S/N 38-8460	125	1	6" PRECISION MACHINE VISE
102	1	17" DELTA FLOOR DRILL; S/N 11-4489	126	1	MILWAUKEE MODEL H HORIZONTAL MILLING MACHINE; S/N 57-3267, WITH VERTICAL HEAD AND (2) K&T 57-3267 HORIZONTAL MILLING MACHINE ARBORS
103	1	17" DELTA FLOOR DRILL; S/N 112-8708			
104	1	14" DELTA FLOOR DRILL; S/N N/A			
105	1	14" DELTA FLOOR DRILL; S/N 11-8877	127	6	CAT 50 TAPER TOOLHOLDERS
106	1	14" DELTA FLOOR DRILL; S/N 90-6206, WITH PROCUNIER SIZE #1 HIGH SPEED TAPPING ATTACHMENT	127A	1	(LOT) MISCELLANEOUS MILL TOOLING
			128	1	3' ARM X 9" COLUMN CINCINNATI GILBERT RADIAL ARM DRILL; S/N 1101, WITH 30" X 20" T-SLOTTED DRILL BOX, 50-2,000 SPINDLE RPM
107	1	14" DELTA FLOOR DRILL; S/N 14-5162			
108	1	6" DAREX DOUBLE END PRECISION DRILL SHARPENER; S/N 53271	129	1	18" X 54" CINCINNATI NO. 18 TRAY TOP TOOLROOM LATHE; S/N HT416D, WITH TAPER ATTACHMENT AND 12" FOUR-JAW CHUCK
109	1	12" DISC / 6" BELT DELTA CAT NO. 52-611 CABINET TYPE COMBINATION SANDER; S/N 95-G-99578			
110	1	6" BELT CRAFTSMAN BENCH MOUNT SANDER WITH BENCH	130	1	ALORIS MODEL CX QUICK CHANGE TOOL POST HOLDER WITH (4) TOOLHOLDERS
111	1	6" DELTA STYLE 705-2222 DOUBLE END STAND MOUNTED GRINDER	131	1	15" X 30" LEBLOND REGAL TOOLROOM ENGINE LATHE; S/N 2B1176, WITH SONY LH32-2 DRO AND JACOBS SPINDLE NOSE LATHE CHUCK
112	1	1-1/2 HP BALDOR MODEL 410B DOUBLE END STAND MOUNTED BUFFER			
113	1	16" DOALL MODEL ML VERTICAL BAND SAW; S/N N/A, WITH BLADE WELDER	132	1	ALORIS MODEL BXA QUICK CHANGE TOOL POST HOLDER WITH (5) TOOLHOLDERS
114	1	(LOT) MISCELLANEOUS SIZE BAND SAW BLADES WITH STORAGE CABINET	133	1	13" X 40" LEBLOND REGAL TOOLROOM LATHE; S/N B7782, WITH SJOGREN NO. 1 SPEED COLLET CHUCK
115	1	16" DOALL MODEL BF VERTICAL BAND FILER; S/N 44262	134	1	8" X 30" LOGAN MODEL 830 TURRET LATHE; S/N 42673
116	1	9" X 16" JOHNSON HORIZONTAL BAND SAW			
117	1	2 HP CINCINNATI MILLING TOOLMASTER VERTICAL MILLING MACHINE; S/N 6J4V5T-27	135	1	12" X 24" GALLMEYER AND LIVINGSTON MODEL 373 HYDRAULIC SURFACE GRINDER; S/N 373-404, 12" X 24" ELECTRO MAGNETIC CHUCK COOLANT PUMP AND TANK
118	1	6" KURT ANGLOCK PRECISION MACHINE VISE			
119	1	1 HP CINCINNATI MILLING TOOLMASTER VERTICAL MILLING MACHINE; S/N 6J1V5B-107, 140-3,800 RPM SPINDLE SPEEDS, NEWALL DP700 DRO	136	1	6" X 18" GALLMEYER AND LIVINGSTON MODEL 20 HAND FEED SURFACE GRINDER; S/N S-20159 *NEW 1965*
120	1	6" SWIVEL BASE PRECISION MACHINE VISE	137	1	6" X 18" GALLMEYER AND LIVINGSTON MODEL 20 HAND FEED SURFACE GRINDER; S/N S-20089
121	1	3/4 HP CINCINNATI MILLING TOOLMASTER VERTICAL MILLING MACHINE; S/N 6J1V5C-215, 108-3,825 RPM SPINDLE SPEED AND SARGON 652A DRO	138	1	6" X 18" GALLMEYER AND LIVINGSTON MODEL 15 HAND FEED SURFACE GRINDER; S/N S-151123 *NEW 1966*
122	1	6" PRECISION MACHINE VISE			
123	1	1/2 HP BRIDGEPORT VERTICAL MILLING MACHINE; S/N 3871	139	1	CINCINNATI NO. 2 TOOL AND CUTTER GRINDER; S/N 1D2T1L-2144

Catalog for Auction: Bahrs Die and Stamping

Lot Num	Qty.	Description	Lot Num	Qty.	Description
140	1	(LOT) MISCELLANEOUS GRINDING WHEELS ON WALL AND BENCH **PEGBOARD STAYS WITH BUILDING**	208	1	SODICK MODEL VZ-500L WIRE EDM MACHINE; S/N 0147, LN3W CONTROLS, 22" X 29" TABLE, VW500T TYPE (NEW 2012)
141	1	AGENT MFG CO. MODEL 2N030 DUSTKOP DUST COLLECTOR; S/N 532	209	1	ELOX TYPE HRP1020 DIE SINKER TYPE EDM MACHINE; S/N 328 **OUT OF SERVICE**
142	1	DAKE NO. 1 BENCH MOUNTED ARBOR PRESS WITH STEEL BENCH	210	1	5 HP QUINCY VERTICAL TANK MOUNTED AIR COMPRESSOR
143	1	GREENERD NO. 3 BENCH MOUNTED ARBOR PRESS WITH BENCH	222	1	HAAS MODEL VF2B CNC VERTICAL MACHINING CENTER; S/N 1064280, 20 HP SPINDLE MOTOR, 20-POSITION AUTOMATIC TOOL CHANGER, CAT 40 TAPER TOOLING, 14" X 36" T-SLOTTED TABLE (NEW 2008)
144	1	(LOT) ACRO STAMPING DIE PIN REMOVAL TOOLS		1	8" KURT MODEL D810 PRECISION MILL VISE
145	1	FAMCO NO. 10 KICK / FOOT PRESS		25	CAT 40 TAPER TOOLHOLDERS
146	1	BRACKER MODEL RN-080 ORBITAL RIVETING MACHINE; S/N 65887	223		
201	1	CAP UNKNOWN FOUR-POST HYDRAULIC PRESS **NO DIE**	224	1	175 TON SEYI SUTHERLAND MODEL 2-176-W GAP FRAME DOUBLE CRANK PRESS; S/N EW-D160-019, 30" X 80" T-SLOTTED BED, 7.9" STROKE, 30-50 SPM, 22" X 60" RAM, SHADOW VI WINTRISS LIGHT CURTAIN AND TRIAD MODEL TR-24-2F-20 LIGHT CURTAIN, WINTRISS SMART PAC 2 CONTROLS, PEDESTAL, PALM / PUSH BUTTON CONTROL, 18" DIE HEIGHT, 4" SLIDE ADJUST AND AMERICAN AEROSMITH QUICK CHANGE CLAMPING SYSTEM WITH CONTROLS (NEW 4-1996) **NO DIE**
202	1	6' X 16 GAUGE MAX WYSONG SHEAR; S/N N/A, 3 HP ELECTRIC MOTOR, MANUAL CRANK BACKGAUGE	225		
203	1	45 TON X 10' HEIM MODEL 45-10 SSDC; S/N H3925, 12" WIDE X 120" BED SIZE, 40 SPM, 3" STROKE, 12" SHUT HEIGHT, 2-1/2" SLIDE ADJUSTMENT AIR CLUTCH, LINK LIGHT, BLACK MAX LIGHT CURTAIN, PEDESTAL PALM BUTTON CONTROLS		1	FEED LEASE FEED EQUIPMENT MODEL PF-2.5-24 SERVO FEEDER; S/N 5269, CAPACITY .090" AT 24" CRMS, CAPACITY .062 AT 24" HSS AND CABINET TYPE CONTROL PANEL, WITH 24" WIDE FEED LEASE MODEL MPS-250-24 SERVO ROLL STRAIGHTENER; S/N 5270, CAPACITY .090 AT 24" CRMS, CAPACITY .062 AT 24" HSS AND MOUNTED CONTROL CABINET AND 6,000 LB. CAPACITY FEED LEASE MODEL R-46M-24 EXPANDING MANDREL COIL REEL; S/N 5271, CAPACITY 60" OD, 24" WIDE
204	1	50 TON X 8' NIAGARA MODEL 50-6-8 PRESS BRAKE; S/N 32446, 3" STROKE, 4" RAM ADJUST, LINK LITE BLACK MAX LIGHT CURTAIN, AUTOMEC I-AXIS CNC BACK GAUGE WITH AUTOMEC CNC 150 DRO AUTOGAUGE, STAND MOUNTED, PALM BUTTON CONTROLS	226		
205	1	26" X 52" OMAX MODEL 2652 WATERJET CUTTING MACHINE; S/N A511714, 50,000 PSI PUMP UNIT, 36" X 63" TABLE, DUMP HOPPER AND SANDPOT, OMAX CNC CONTROLS, REMCOR CHILLER (NEW 2001)		1	100 TON CAPACITY L&J BACKED GEARED OBI PRESS; S/N 100242A, 5" STROKE, 4" ADJUST, 14-3/4" SHUT HEIGHT ON BED, 42" X 28" RIGHT TO LEFT X FRONT TO BACK BED SIZE, SHADOW VI LIGHT CURTAINS, RAPID AIR MODEL LX12E SERVO FEED, AIR CLUTCH, MALFUCTION DETECTOR, PRESS MOUNTED PALM CONTROLS, IMCO SYSTEM NO. 515A-2, PRESS CONTROLS, PRESS # 103 **NO DIE**
206	1	64" DIAMETER ROSEMONT INDUSTRIES VIBRATORY BOWL PARTS FINISHING SYSTEM; S/N 1811, 48" DIAMETER ROSEMONT MODEL RD12-10 VIBRATORY DRYER WITH 22" X 22" VIBRATORY SHAKER SCREEN, COMPLETE TIMER AND CONTROLS <b>****GO TO EDM ROOM BY RAMP DOOR****</b>	227		
207	1	42" ZERO PEEN MODEL 55-6-300-R-DF BLAST CABINET; S/N 42603, WITH DUST COLLECTOR			

Catalog for Auction: Bahrs Die and Stamping

Lot Num	Qty.	Description	Lot Num	Qty.	Description
228	1	60 TON L&J MODEL W-60 FLYWHEEL TYPE OBI PRESS; S/N 50D271A, 5" STROKE, 3" ADJUST, 13-5/8" SHUT HEIGHT ON BED, 36" X 24" RIGHT TO LEFT / FRONT TO BACK BED SIZE, 12" WIDE RAPID AIR MODEL L6P FEEDER, TRIAD MODEL TR-18-2F-20 LIGHT CURTAINS, PALM CONTROLS, IMCO PRESS CONTROLS, WINTRISS MALFUNCTION DETECTOR, AIR CLUTCH, VARIABLE SPEED 0-15 SPM, PRESS NO. 107E **NO DIE**	233	1	50 TON L&J NO. 50 FLYWHEEL TYPE OBI PRESS; S/N 51963A, 5" STROKE, 3" ADJUST, 14-1/4" SHUT HEIGHT ON BED, 30" X 18" RIGHT TO LEFT / FRONT TO BACK BED SIZE, SHADOW VI LIGHT CURTAINS, AIR CLUTCH, WINTRISS WPC CLUTCH / BRAKE CONTROL, WINTRISS PEDESTAL OPERATORS STATION, PRESS #109 **NO DIE**
229	1	60 TON L&J MODEL W-60 FLYWHEEL TYPE OBI PRESS; S/N 50B270A, 5" STROKE, 3" ADJUST, 36" X 24" RIGHT TO LEFT / FRONT TO BACK BED SIZE, 12" RAPID AIR MODEL L6P FEEDER, SHADOW VI LIGHT CURTAINS, AIR CLUTCH, PALM CONTROLS, WINTRISS MALFUNCTION DETECTOR, IMCO PRESS CONTROLS, PRESS # 106E **NO DIE**	234	1	50 TON L&J NO. 50 FLYWHEEL TYPE OBI PRESS; S/N 51962A, 5" STROKE, 3" ADJUST, 14-1/4" SHUT HEIGHT ON BED, 30" X 18" RIGHT TO LEFT / FRONT TO BACK BED SIZE, SHADOW VI LIGHT CURTAINS, AIR CLUTCH, WINTRISS WPC CLUTCH / BRAKE CONTROLS, WINTRISS PEDESTAL OPERATORS STATION, PRESS # 110 **NO DIE**
230	1	60 TON L&J MODEL W-60 BACK GEARED OBI PRESS; S/N 50B239A, 5" STROKE, 3" ADJUST, 12" SHUT HEIGHT ON BED, 36" X 24" RIGHT TO LEFT / FRONT TO BACK BED SIZE, 12" RAPID AIR MODEL L6P FEEDER, SHADOW VI LIGHT CURTAINS, AIR CLUTCH, PALM CONTROLS, WINTRISS MALFUNCTION DETECTOR, IMCO PRESS CONTROLS, PRESS # 105 **NO DIE**	235	1	50 TON L&J NO. 50 FLYWHEEL TYPE OBI PRESS; S/N 51964A, 5" STROKE, 3" ADJUST, 14-1/4" SHUT HEIGHT ON BED, 30" X 18" RIGHT TO LEFT / FRONT TO BACK BED SIZE, 12" RAPID AIR MODEL L12P FEEDER, SHADOW VI LIGHT CURTAINS, AIR CLUTCH, WINTRISS SMART PAC 2 CONTROLS, VARIABLE SPEED, PRESS #102 **NO DIE**
231	1	60 TON L&J MODEL W-60 BACK GEARED OBI PRESS; S/N 50B222-A, 5" STROKE, 3" ADJUST, 12" SHUT HEIGHT ON BED, 36" X 24" RIGHT TO LEFT / FRONT TO BACK BED SIZE, 12" RAPID AIR MODEL L6E FEEDER, SHADOW VI LIGHT CURTAINS, AIR CLUTCH, PALM CONTROLS, WINTRISS MALFUNCTION DETECTOR, IMCO MODEL 515A-2 PRESS CONTROL, PRESS # 104 **NO DIE**	236	1	36 TON L&J NO 36 FLYWHEEL TYPE OBI PRESS; S/N 42269A, 3" STROKE, 3" ADJUST, 9-5/8" SHUT HEIGHT ON BED, 26-1/2" X 15" RIGHT TO LEFT / FRONT TO BACK BED SIZE, 6" RAPID AIR MODEL FX12E FEEDER, AIR CLUTCH, TRIAD MODEL TR-18-2F-20 LIGHT CURTAINS, PALM BUTTONS, WINTRISS SERIES 1000 LOAD ANALYZER, WINTRISS DI PRO 1500 DIE PROTECTION CONTROL, VARIABLE SPEED, PRESS # 113 **NO DIE**
232	1	60 TON L&J MODEL W-60 BACK GEARED OBI PRESS; S/N 56328, 4" STROKE, 3" ADJUST, 11-1/4" SHUT HEIGHT ON BED, 30" X 18" RIGHT TO LEFT / FRONT TO BACK BED SIZE, 12" RAPID AIR MODEL 4X12E FEEDER, AIR CLUTCH, SHADOW 8 LIGHT CURTAINS, PALM CONTROLS, WINTRISS LOAD ANALYZER, PRESS # 101 **NO DIE**	237	1	27 TON L&J NO. 27 FLYWHEEL TYPE OBI PRESS; S/N 35796A, 4" STROKE, 2" ADJUST, 8-1/2" SHUT HEIGHT ON BED, 21-1/2" X 13" RIGHT TO LEFT / FRONT TO BACK BED SIZE, 6" RAPID AIR MODEL F4P FEEDER, AIR CLUTCH, PALM BUTTONS, STAND MOUNTED ELECTRICAL CABINET, PRESS #112 **NO DIE**

Catalog for Auction: Bahrs Die and Stamping

Lot Num	Qty.	Description	Lot Num	Qty.	Description
238	1	27 TON L&J NO. 27 FLYWHEEL TYPE OBI PRESS; S/N 35795A, 4" STROKE, 2" AJUST, 9-1/2" SHUT HEIGHT ON BED, 21-1/2" X 13" RIGHT TO LEFT / FRONT TO BACK BED SIZE, MICROGUARD MODEL MG-16-OF-10 LIGHT CURTAINS, PALM BUTTONS, AIR CLUTCH, STAND MOUNTED ELECTRICAL CABINET, PRESS #11 **NO DIE**	244	1	10,000 LB. CAPACITY CALDWELL MODEL 88-5-48 COIL UPENDER; S/N 78396
			245	1	12" LITTELL MODEL 312-7PDL CONTINUOUS STRAIGHTENING MACHINE; S/N 79663-72-5, CAPACITY .050" X 12" WIDE, 10" 60" IMP, MACHINE #107-2
			246	1	12" LITTELL MODEL 312-7PDL CONTINUOUS STRAIGHTENING MACHINE; S/N 79663-72-4, CAPACITY .050" X 12" WIDE, 10" - 60" IMP, MACHINE #103-2
239	1	27 TON L&J NO. 27 FLYWHEEL TYPE OBI PRESS; S/N 35794A, 4" STROKE, 2" ADJUST, 9-1/2" SHUT HEIGHT ON BED, 21-1/2" X 13" RIGHT TO LEFT / FRONT TO BACK BED SIZE, SHADOW 8 LIGHT CURTAINS, PALM BUTTONS, AIR CLUTCH, STAND MOUNTED ELECTRICAL CABINET, PRESS #108E **NO DIE**	247	1	12" LITTELL MODEL 312-7PDL CONTINUOUS STRAIGHTENING MACHINE; S/N 79663-72-3, CAPACITY .050" X 12" WIDE, 10" - 60" IPM, MACHINE #106-2
			248	1	12" LITTELL MODEL 312-7PDL CONTINUOUS STRAIGHTENING MACHINE; S/N 79663-72-2, CAPACITY .050" X 12", SPEEDS 10-60 PER MINUTE, MACHINE #105-2
240	1	27 TON L&J NO. 27 FLYWHEEL TYPE OBI PRESS; S/N 35792A, 4" STROKE, 2" ADJUST, 9-1/2" SHUT HEIGHT ON BED, 21-1/2" X 13" RIGHT TO LEFT / FRONT TO BACK BED SIZE, SHADOW 8 LIGHT CURTAINS, PALM BUTTONS, AIR CLUTCH, STAND MOUNTED ELECTRICAL CABINET, PRESS #116E **NO DIE**	249	1	12" LITTELL MODEL 312-7PDL CONTINUOUS STRAIGHTENING MACHINE; S/N 79663-72-1, CAPACITY .050" X 12", SPEEDS 10-60 PER MINUTE, MACHINE #102-2
			250	1	12" LITTELL MODEL 312-7PDL CONTINUOUS STRAIGHTENING MACHINE; S/N 77447-69, CAPACITY .050" X 12", SPEEDS 6-36 PER MINUTE, MACHINE #104-2
241	1	27 TON L&J NO. 27 FLYWHEEL TYPE OBI PRESS; S/N W2714A, 2-1/2" STROKE, 3" ADJUST, 10-1/4" SHUT HEIGHT ON BED, 32" X 16-1/2" RIGHT TO LEFT / FRONT TO BACK BED SIZE, 6" RAPID AIR MODEL FX12E FEEDER, SHADOW VI LIGHT CURTAINS, SMART PAC 2 CONTROLS, AIR CLUTCH, PALM BUTTONS, MACHINE MOUNTED ELECTRICAL CABINET, PRESS #118 **NO DIE**	251	1	2,000 LB. LITTELL MODEL 20-12 AUTO CENTERING REEL; S/N 5-1162-72-1, ID 16" - 20", OD 48", WIDTH 12", MACHINE #102-3 **NO COIL**
			252	1	2,000 LB. CAPACITY LITTELL MODEL 20-12 AUTO CENTERING REEL; S/N S-1662-72-3, ID 16" - 20", OD 48", WIDTH 12", MACHINE #103-3 **NO COIL**
242	1	27 TON L&J NO. 27 BACK GEARED OBI PRESS; S/N 35478, 4" STROKE, 2" ADJUST, 8-3/4" SHUT HEIGHT ON BED, 21-1/2" X 13" RIGHT TO LEFT / FRONT TO BACK BED SIZE, SHADOW VI LIGHT CURTAINS, WHINTRISS WPC CLUTCH / BRAKE CONTROL, AIR CLUTCH, WINTRISS PEDESTAL OPERATORS STATION, STAND MOUNTED ELECTRICAL CABINET, PRESS #117 **NO DIE**	253	1	2,000 LB. CAPACITY LITTELL MODEL 20-12 AUTO CENTERING REEL; S/N S-1662-72-2, ID 16" - 20", OD 48", WIDTH 12", MACHINE #105-3
			254	1	2,000 LB. CAPACITY LITTELL MODEL 20-12 AUTO CENTERING REEL; S/N S-2871-69, ID 16" - 20", WIDTH 12", MACHINE #104-3
			255	1	2,500 LB. CAPACITY AMERICAN STEEL LINE MODEL 2500 AUTO CENTERING REEL; S/N 483, MACHINE #107-3
243	1	27 TON L&J NO. 27 FLYWHEEL TYPE OBI PRESS; S/N 35793A, 4" STROKE, 2" ADJUST, 9-1/2" SHUT HEIGHT ON BED, 21-1/2" X 13" RIGHT TO LEFT / FRONT TO BACK BED SIZE, PALM BUTTONS, MACHINE MOUNTED ELECTRICAL CABINET, PRESS #115E **OUT OF SERVICE**	256	1	2,500 LB. CAPACITY AMERICAN STEEL LINE MODEL 2500 AUTO CENTERING REEL; S/N N/A, MACHINE #106-3
			257	1	2,000 LB. CAPACITY JACO MODEL JTWR-2016 COIL REEL; S/N 10867588

Catalog for Auction: Bahrs Die and Stamping

Lot Num	Qty.	Description	Lot Num	Qty.	Description
258	1	2,000 LB. CAPACITY JACO MODEL JTWR-2016 COIL REEL; S/N 783582	282	1	300 LB. ECONOMY MODEL HJM-3 HI-JACKER MANUAL TELESCOPING WORK PLATFORM
259	1	2,000 LB. CAPACITY JACO MODEL JTWR-2016 COIL REEL; S/N 7835831	283	1	CLARK MODEL 205 BA-CH-BR ENCORE 20 SERIES COMPACT ELECTRIC FLOOR SCRUBBER; S/N VE2753
260	1	2,000 LB. CAPACITY JACO MODEL JTWR-2016 COIL REEL; S/N 78846441			
261	1	2,000 LB. CAPACITY JACO MODEL JTWR-2016 COIL REEL; S/N 59410730			
262	1	5,000 LB. CAPACITY YALE MODEL GLC050DENU-AF083 LP GAS TWO-STAGE SOLID TIRE LIFT TRUCK; S/N N525916, 128" FORK HEIGHT, SIDE SHIFT, 83" HIGH MAST, 42" FORKS, 7,724 HOURS SHOWING **DELAY REMOVAL** **NO LP TANK - PROPERTY OF PROPANE CO**			
263	1	2,000 LB. CAPACITY CROWN MODEL 20MT ELECTRIC WALK BEHIND ELECTRIC STACKER; S/N 1A132307, 24 VOLT, 130" LIFT HEIGHT, BUILT IN CHARGER			
264	1	2,000 LB. CAPACITY CROWN MODEL 20MT ELECTRIC WALK BEHIND ELECTRIC STACKER; S/N 31691, 24 VOLT, 130" LIFT HEIGHT, BUILT IN CHARGER			
265	1	2,000 LB. CAPACITY CROWN MODEL 20BT ELECTRIC WALK BEHIND STACKER; S/N 1A110243, WITH BUILT IN CHARGER, 24 VOLT, 130" LIFT HEIGHT			
266	1	2,000 LB. CROWN MODEL WP3035-45 ELECTRIC WALK BEHIND PALLET TRUCK; S/N 7A291635, WITH BUILT IN CHARGER, 67 HOURS SHOWING			
267	1	1,000 LB. BIG JOE MODEL 1018-R6 ELECTRIC DIE LIFT CART; S/N 72584			
268	1	500 LB. CAPACITY MANUAL CABLE DIE LIFT CART			
268A	1	500 LB. CAPACITY SHOP LIFTER MANUAL CABLE DIE LIFT CART			
269	1	GALBREATH SELF DUMPING HOPPER			
270	1	GALBREATH SELF DUMPING HOPPER			
271	1	GALBREATH SELF DUMPING HOPPER			
272	1	GALBREATH SELF DUMPING HOPPER			
273	1	GALBREATH SELF DUMPING HOPPER			
274	1	GALBREATH SELF DUMPING HOPPER			
275	1	GALBREATH SELF DUMPING HOPPER			
276	1	GALBREATH SELF DUMPING HOPPER			
277	1	GALBREATH SELF DUMPING HOPPER			
278	1	GALBREATH SELF DUMPING HOPPER			
279	1	GALBREATH SELF DUMPING HOPPER			
280	1	GALBREATH SELF DUMPING HOPPER			
281	1	GALBREATH SELF DUMPING HOPPER			